

FlexBlend – Unlocking the potential of LED lighting in offices

FlexBlend Recessed

Office owners and staff responsible for lighting operations are searching for high quality yet energy-efficient lighting that complies with norms and regulations. Designed to support these needs, Philips FlexBlend is enabling building owners to fully optimize their lighting operations, by offering office-compliant lighting with an attractive return on investment. Furthermore, FlexBlend provides the required flexibility by being easy applied on different ceiling types as well as in different office spaces like open office or meeting rooms. Though technology is changing fast, the ideal lighting solution is also expected to be ready to incorporate innovations and future advances that can help optimize operations further. For this reason, Philips FlexBlend is also ready to be connected to controls such as Actilume or used together with the Philips SpaceWise lighting system. It can also be connected to software-based lighting systems like Interact Office, which provides the luminaire with further intelligence and enables it to collect valuable data about its environment

Benefits

- High-quality office-compliant lighting
- Choice of three different exit-windows
- Fast return on investment
- Application flexibility
- Scalable and ready to be connected to controls and lighting systems

FlexBlend Recessed

Features

- Fully office-compliant (UGR <19)
- Homogenous and uniform light effect
- Dimensional variety, local options
- Various mounting options
- Integrated sensors
- Can be combined with Philips ActiLume and SpaceWise systems
- Ready to be connected to software based lighting systems such as Interact Office

Application

- Offices
- Education
- Healthcare
- Banks

Versions



FlexBlend Recessed-RC340B
W30L120 MLO VPC

Upradable sensor



0 FlexBlend Recessed-RC340B
W30L120 MLO VPC





FlexBlend Recessed RC340B
W60L60 PCS VPC

Upradable sensor



Dimensional drawing



Dimensional drawing







Product details



Upradable sensor



0_FlexBlend Recessed-RC342B_W62L62_MLO_VPC



FlexBlend Recessed-RC340B_MLO_ DPP



FlexBlend Recessed-RC340B_W60L60_Backcover_VPC

Product details

FlexBlend Recessed-RC340B_W60L60_CPC brackets

FlexBlend Recessed-RC340B_W60L60_CPC brackets_B



FlexBlend Recessed-RC340B_OPA_ DPP



FlexBlend Recessed-RC340B_PCS_ DPP



0_FlexBlend Recessed-RC340B_W60L60_PCS_VPC



FlexBlend Recessed-RC340B_W60L60_CPC brackets_A



FlexBlend Recessed RC340B PIP Open



FlexBlend Recessed-RC340B_W60L60_backcover_PCV



Product details

0_FlexBlend Recessed-RC340B_W60L60_MLO_VPC



0_FlexBlend Recessed-RC340B_W60L60_MLO_CPC





FlexBlend Recessed-RC340B PIP Closed



FlexBlend_RC340B_W30L120_U4_DPP



FlexBlend Recessed-RC340B_W60L60_backcover_CPC

General Information

Driver included	Yes
Light source replaceable	No
Number of gear units	1 unit
Service tag	Yes

Light Technical

Beam angle of light source	120 degree(s)
Color rendering index (CRI)	>90
Optic type	Wide beam

Operating and Electrical

Input Voltage	220 to 240 V
Line Frequency	50 to 60 Hz

Controls and Dimming

Maximum dim level	1%

Mechanical and Housing

Housing Color	White
Mech. impact protection code	IK02

Approval and Application

Ambient temperature range	+10 to +40 °C
CE mark	Yes
ENEC mark	ENEC mark
Flammability mark	For mounting on normally flammable surfaces
Flickering value (PstLM) - Flickering value as per EN 61000-3-3	1
Stroboscopic effect visibility measure (SVM)	0.4

Initial Performance (IEC Compliant)

Initial chromaticity	(0.38, 0.37) SDCM ≤3
Luminous flux tolerance	+/-10%

Light Technical

Order Code	Full Product Name	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Luminous Flux
910925867015	RC340B 36S/940 PSE W15L120 VPC MLO	4000 K	95 lm/W	3,600 lm
910925867016	RC340B 36S/940 DEIA W15L120 VPC MLO	4000 K	95 lm/W	3,600 lm
910925867017	RC340B 42S/940 PSE W15L120 VPC MLO	4000 K	93 lm/W	4,200 lm
910925867018	RC340B 42S/940 DEIA W15L120 VPC MLO	4000 K	93 lm/W	4,200 lm
910925867019	RC340B 36S/940 PSU W15L120 VPC MLO ELP3	4000 K	95 lm/W	3,600 lm
910925867020	RC340B 36S/940 DIA W15L120 VPC MLO ELP3	4000 K	95 lm/W	3,600 lm
910925867021	RC340B 42S/940 PSU W15L120 VPC MLO ELP3	4000 K	93 lm/W	4,200 lm
910925867022	RC340B 42S/940 DIA W15L120 VPC MLO ELP3	4000 K	93 lm/W	4,200 lm
910925867024	RC340B 36S/940 DIA W15L120 VPC MLO ELD3	4000 K	95 lm/W	3,600 lm
910925867026	RC340B 42S/940 DIA W15L120 VPC MLO ELD3	4000 K	93 lm/W	4,200 lm
910925867149	RC342B 28S/940 DEIA W15L125 VPC MLO	4000 K	110 lm/W	2,800 lm
910925867150	RC342B 36S/940 DEIA W15L125 VPC MLO	4000 K	95 lm/W	3,600 lm
910925867153	RC342B 36S/940 DEIA W17L125 PCV MLO	4000 K	95 lm/W	3,600 lm
910925867164	RC342B 28S/940 DEIA W15L125 VPC PCS	4000 K	127 lm/W	2,800 lm
910925867165	RC342B 36S/940 DEIA W15L125 VPC PCS	4000 K	138 lm/W	3,600 lm
910925867166	RC342B 42S/940 DEIA W15L125 VPC PCS	4000 K	138 lm/W	4,200 lm
910925867169	RC342B 36S/940 DEIA W17L125 PCV PCS	4000 K	144 lm/W	3,600 lm
910925867180	RC342B 28S/940 DEIA W15L125 VPC O	4000 K	124 lm/W	2,800 lm
910925867181	RC342B 36S/940 DEIA W15L125 VPC O	4000 K	126 lm/W	3,600 lm
910925867182	RC342B 42S/940 DEIA W15L125 VPC O	4000 K	125 lm/W	4,200 lm
910925866979	RC340B 36S/940 DEIA W30L120 VPC MLO	4000 K	95 lm/W	3,600 lm
910925866982	RC342B 36S/940 PSE W31L125 VPC MLO	4000 K	95 lm/W	3,600 lm
910925866983	RC342B 36S/940 DEIA W31L125 VPC MLO	4000 K	95 lm/W	3,600 lm
910925867030	RC340B 42S/940 DEIA W30L120 VPC MLO W3W2	4000 K	93 lm/W	4,200 lm
910925867031	RC340B 42S/940 DEIA W30L120 CPC MLO W3W2	4000 K	93 lm/W	4,200 lm

Order Code	Full Product Name	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Luminous Flux
910925867032	RC340B 42S/930 DEIA W30L120 VPC MLO W3W2	3000 K	93 lm/W	4,200 lm
910925867033	RC340B 42S/930 DEIA W30L120 CPC MLO W3W2	3000 K	93 lm/W	4,200 lm
910925867038	RC340B 42S/940 DEIA W30L120 VPC PCS W3W2	4000 K	138 lm/W	4,200 lm
910925867039	RC340B 42S/940 DEIA W30L120 CPC PCS W3W2	4000 K	138 lm/W	4,200 lm
910925867042	RC340B 42S/930 DEIA W30L120 VPC PCS W3W2	3000 K	138 lm/W	4,200 lm
910925867147	RC342B 28S/940 DEIA W31L125 VPC MLO	4000 K	110 lm/W	2,800 lm
910925867161	RC342B 28S/940 DEIA W31L125 VPC PCS	4000 K	127 lm/W	2,800 lm
910925867162	RC342B 36S/940 DEIA W31L125 VPC PCS	4000 K	138 lm/W	3,600 lm
910925867163	RC342B 42S/940 DEIA W31L125 VPC PCS	4000 K	138 lm/W	4,200 lm
910925867177	RC342B 28S/940 DEIA W31L125 VPC O	4000 K	124 lm/W	2,800 lm
910925867178	RC342B 36S/940 DEIA W31L125 VPC O	4000 K	126 lm/W	3,600 lm
910925867179	RC342B 42S/940 DEIA W31L125 VPC O	4000 K	125 lm/W	4,200 lm
910925868910	RC340B 36S/930 SRD W60L60 VPC MLO U4	3000 K	95 lm/W	3,600 lm
910925868911	RC340B 36S/930 SRD W60L60 VPC MLO U4	3000 K	95 lm/W	3,600 lm
910925868912	RC340B 36S/930 SEIA W60L60 VPC PCS U4	3000 K	138 lm/W	3,600 lm
910925868913	RC340B 36S/930 SEIA W60L60 VPC PCS U4 SC	3000 K	138 lm/W	3,600 lm
910925868914	RC340B 36S/940 SEIA W60L60 VPC MLO U4	4000 K	95 lm/W	3,600 lm
910925868915	RC340B 36S/940 SEIA W60L60 VPC MLO U4 SC	4000 K	95 lm/W	3,600 lm
910925868916	RC340B 36S/940 SEIA W60L60 VPC PCS U4	4000 K	138 lm/W	3,600 lm
910925868917	RC340B 36S/940 SEIA W60L60 VPC PCS U4 SC	4000 K	138 lm/W	3,600 lm
910925868918	RC340B 36S/940 SEIA W60L60 VPC PCS U4 W3	4000 K	138 lm/W	3,600 lm
910925868920	RC340B 42S/940 SEIA W60L60 VPC PCS U4 W3	4000 K	140 lm/W	4,200 lm
910925868921	RC342B 28S/940 SEIA W62L62 VPC MLO U4	4000 K	110 lm/W	2,800 lm
910925868922	RC342B 28S/940 SEIA W62L62 VPC PCS U4	4000 K	140 lm/W	2,800 lm
910925868924	RC342B 36S/940 SEIA W62L62 VPC MLO U4	4000 K	95 lm/W	3,600 lm

Order Code	Full Product Name	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Luminous Flux
910925868925	RC342B 36S/940 SEIA W62L62 VPC PCS U4	4000 K	138 lm/W	3,600 lm
910925868927	RC342B 42S/940 SEIA W62L62 VPC MLO U4	4000 K	93 lm/W	4,200 lm
910925868928	RC342B 42S/940 SEIA W62L62 VPC PCS U4	4000 K	140 lm/W	4,200 lm
910925866986	RC340B 36S/940 PSU W60L60 VPC O ELP3	4000 K	126 lm/W	3,600 lm
910925866987	RC340B 36S/940 DIA W60L60 VPC O ELP3	4000 K	126 lm/W	3,600 lm
910925867001	RC340B 42S/940 PSE W60L60 VPC O	4000 K	125 lm/W	4,200 lm
910925867002	RC340B 42S/940 DEIA W60L60 VPC O	4000 K	125 lm/W	4,200 lm
910925867006	RC340B 42S/940 PSU W60L60 VPC O ELP3	4000 K	125 lm/W	4,200 lm
910925867007	RC340B 42S/940 DIA W60L60 VPC O ELP3	4000 K	125 lm/W	4,200 lm
910925867012	RC340B 42S/940 DIA W60L60 VPC O ELD3	4000 K	125 lm/W	4,200 lm
910925867061	RC340B 36S/940 PSE W60L60 VPC O SC	4000 K	126 lm/W	3,600 lm
910925867062	RC340B 36S/940 DEIA W60L60 VPC O SC	4000 K	126 lm/W	3,600 lm
910925868919	RC340B 42S/940 SEIA W30L120 VPC PCS U4W3	4000 K	140 lm/W	4,200 lm
910925868923	RC342B 36S/940 SEIA W31L125 VPC PCS U4	4000 K	138 lm/W	3,600 lm
910925868926	RC342B 42S/940 SEIA W31L125 VPC PCS U4	4000 K	140 lm/W	4,200 lm
910925866969	RC340B 36S/940 DEIA W60L60 VPC MLO	4000 K	95 lm/W	3,600 lm
910925867023	RC340B 42S/930 DEIA W60L60 CPC MLO W3W2	3000 K	93 lm/W	4,200 lm
910925867028	RC340B 42S/940 DEIA W60L60 CPC MLO W3W2	4000 K	93 lm/W	4,200 lm
910925867036	RC340B 42S/940 DEIA W60L60 CPC PCS W3W2	4000 K	138 lm/W	4,200 lm
910925867040	RC340B 42S/930 DEIA W60L60 CPC PCS W3W2	3000 K	138 lm/W	4,200 lm
910925867046	RC340B 36S/940 PSE W60L60 CPC MLO	4000 K	95 lm/W	3,600 lm
910925867047	RC340B 42S/940 PSE W60L60 CPC MLO	4000 K	93 lm/W	4,200 lm
910925867048	RC340B 42S/940 DEIA W60L60 CPC MLO	4000 K	93 lm/W	4,200 lm
910925867167	RC342B 42S/940 DEIA W62L62 CPC PCS	4000 K	138 lm/W	4,200 lm
910925867068	RC340B 42S/930 DEIA W30L120 CPC PCS W3W2	3000 K	138 lm/W	4,200 lm

Order Code	Full Product Name	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Luminous Flux
910925866967	RC340B 36S/940 DEIA W60L60 VPC O	4000 K	126 lm/W	3,600 lm
910925866972	RC340B 36S/940 PSE W60L60 VPC PCS	4000 K	138 lm/W	3,600 lm
910925866973	RC340B 36S/940 DEIA W60L60 VPC PCS	4000 K	138 lm/W	3,600 lm
910925866977	RC340B 36S/940 DEIA W60L60 CPC MLO	4000 K	95 lm/W	3,600 lm
910925866990	RC340B 36S/940 PSU W60L60 VPC PCS ELP3	4000 K	138 lm/W	3,600 lm
910925866991	RC340B 36S/940 DIA W60L60 VPC PCS ELP3	4000 K	138 lm/W	3,600 lm
910925866997	RC340B 36S/940 DIA W60L60 VPC PCS ELD3	4000 K	138 lm/W	3,600 lm
910925867003	RC340B 42S/940 PSE W60L60 VPC PCS	4000 K	138 lm/W	4,200 lm
910925867004	RC340B 42S/940 DEIA W60L60 VPC PCS	4000 K	138 lm/W	4,200 lm
910925867008	RC340B 42S/940 PSU W60L60 VPC PCS ELP3	4000 K	138 lm/W	4,200 lm
910925867009	RC340B 42S/940 DIA W60L60 VPC PCS ELP3	4000 K	138 lm/W	4,200 lm
910925867034	RC340B 42S/930 DEIA W60L60 VPC PCS W3W2	3000 K	138 lm/W	4,200 lm
910925867035	RC340B 42S/940 DEIA W60L60 VPC PCS W3W2	4000 K	138 lm/W	4,200 lm
910925867044	RC340B 36S/940 PSE W60L60 CPC PCS PIP	4000 K	138 lm/W	3,600 lm
910925867045	RC340B 36S/940 DEIA W60L60 CPC PCS	4000 K	138 lm/W	3,600 lm
910925867049	RC340B 42S/940 PSE W60L60 CPC PCS	4000 K	138 lm/W	4,200 lm
910925867050	RC340B 42S/940 DEIA W60L60 CPC PCS	4000 K	138 lm/W	4,200 lm
910925867065	RC340B 36S/940 PSE W60L60 VPC PCS SC	4000 K	138 lm/W	3,600 lm
910925867066	RC340B 36S/940 DEIA W60L60 VPC PCS SC	4000 K	138 lm/W	3,600 lm
910925866966	RC340B 36S/940 PSE W60L60 VPC O	4000 K	126 lm/W	3,600 lm
910925866980	RC342B 36S/940 PSE W62L62 VPC MLO	4000 K	95 lm/W	3,600 lm
910925866988	RC340B 36S/940 PSU W60L60 VPC MLO ELP3	4000 K	95 lm/W	3,600 lm
910925866989	RC340B 36S/940 DIA W60L60 VPC MLO ELP3	4000 K	95 lm/W	3,600 lm
910925866993	RC340B 36S/940 DIA W60L60 VPC O ELD3	4000 K	126 lm/W	3,600 lm
910925866995	RC340B 36S/940 DIA W60L60 VPC MLO ELD3	4000 K	95 lm/W	3,600 lm

Order Code	Full Product Name	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Luminous Flux
910925866999	RC340B 42S/940 DEIA W60L60 VPC MLO	4000 K	93 lm/W	4,200 lm
910925867010	RC340B 42S/940 DIA W60L60 VPC MLO ELD3	4000 K	93 lm/W	4,200 lm
910925867013	RC340B 42S/930 DEIA W60L60 VPC MLO W3W2	3000 K	93 lm/W	4,200 lm
910925867027	RC340B 42S/940 DEIA W60L60 VPC MLO W3W2	4000 K	93 lm/W	4,200 lm
910925867043	RC340B 42S/940 PSE W60L60 VPC MLO	4000 K	93 lm/W	4,200 lm
910925867063	RC340B 36S/940 PSE W60L60 VPC MLO SC	4000 K	95 lm/W	3,600 lm
910925867064	RC340B 36S/940 DEIA W60L60 VPC MLO SC	4000 K	95 lm/W	3,600 lm
910925866970	RC340B 36S/940 POE W60L60 VPC MLO	4000 K	95 lm/W	3,600 lm
910925867014	RC340B 42S/940 DIA W60L60 VPC PCS ELD3	4000 K	138 lm/W	4,200 lm
910925867025	RC340B 42S/930 DEIA W60L60 PCV MLO W3W2	3000 K	93 lm/W	4,200 lm
910925867029	RC340B 42S/940 DEIA W60L60 PCV MLO W3W2	4000 K	93 lm/W	4,200 lm
910925867037	RC340B 42S/940 DEIA W60L60 PCV PCS W3W2	4000 K	138 lm/W	4,200 lm
910925867041	RC340B 42S/930 DEIA W60L60 PCV PCS W3W2	3000 K	138 lm/W	4,200 lm
910925867168	RC340B 36S/940 DEIA W60L60 PCV PCS	4000 K	138 lm/W	3,600 lm
910925867221	RC340B 36S/940 POE W60L60 VPC MLO U0	4000 K	95 lm/W	3,600 lm
910925867224	RC340B 36S/940 POE W60L60 VPC PCS U0	4000 K	144 lm/W	3,600 lm
910925866968	RC340B 36S/940 PSE W60L60 VPC MLO PIP	4000 K	95 lm/W	3,600 lm
910925866978	RC340B 36S/940 DEIA W60L60 PCV MLO	4000 K	95 lm/W	3,600 lm
910925866981	RC342B 36S/940 DEIA W62L62 VPC MLO	4000 K	95 lm/W	3,600 lm
910925867145	RC342B 28S/940 DEIA W62L62 VPC MLO	4000 K	110 lm/W	2,800 lm
910925867158	RC342B 28S/940 DEIA W62L62 VPC PCS	4000 K	127 lm/W	2,800 lm
910925867159	RC342B 36S/940 DEIA W62L62 VPC PCS	4000 K	144 lm/W	3,600 lm
910925867160	RC342B 42S/940 DEIA W62L62 VPC PCS	4000 K	138 lm/W	4,200 lm
910925867174	RC342B 28S/940 DEIA W62L62 VPC O	4000 K	124 lm/W	2,800 lm
910925867175	RC342B 36S/940 DEIA W62L62 VPC O	4000 K	126 lm/W	3,600 lm

Order Code	Full Product Name	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Luminous Flux
910925867176	RC342B 42S/940 DEIA W62L62 VPC O	4000 K	125 lm/W	4,200 lm

Operating and Electrical

Order Code	Full Product Name	Protection class IEC	Power Consumption	Suitable for random switching
910925867015	RC340B 36S/940 PSE W15L120 VPC MLO	Safety class I	38 W	Yes
910925867016	RC340B 36S/940 DEIA W15L120 VPC MLO	Safety class I	38 W	Yes
910925867017	RC340B 42S/940 PSE W15L120 VPC MLO	Safety class I	45 W	Yes
910925867018	RC340B 42S/940 DEIA W15L120 VPC MLO	Safety class I	45 W	Yes
910925867019	RC340B 36S/940 PSU W15L120 VPC MLO ELP3	Safety class I	38 W	Yes
910925867020	RC340B 36S/940 DIA W15L120 VPC MLO ELP3	Safety class I	38 W	Yes
910925867021	RC340B 42S/940 PSU W15L120 VPC MLO ELP3	Safety class I	45 W	Yes
910925867022	RC340B 42S/940 DIA W15L120 VPC MLO ELP3	Safety class I	45 W	Yes
910925867024	RC340B 36S/940 DIA W15L120 VPC MLO ELD3	Safety class I	38 W	Yes
910925867026	RC340B 42S/940 DIA W15L120 VPC MLO ELD3	Safety class I	45 W	Yes
910925867149	RC342B 28S/940 DEIA W15L125 VPC MLO	Safety class I	25.5 W	Yes
910925867150	RC342B 36S/940 DEIA W15L125 VPC MLO	Safety class I	38 W	Yes
910925867153	RC342B 36S/940 DEIA W17L125 PCV MLO	Safety class I	38 W	Yes
910925867164	RC342B 28S/940 DEIA W15L125 VPC PCS	Safety class I	22 W	Yes
910925867165	RC342B 36S/940 DEIA W15L125 VPC PCS	Safety class I	26 W	Yes
910925867166	RC342B 42S/940 DEIA W15L125 VPC PCS	Safety class I	30.5 W	Yes
910925867169	RC342B 36S/940 DEIA W17L125 PCV PCS	Safety class I	25 W	Yes
910925867180	RC342B 28S/940 DEIA W15L125 VPC O	Safety class I	22.5 W	Yes
910925867181	RC342B 36S/940 DEIA W15L125 VPC O	Safety class I	28.5 W	Yes
910925867182	RC342B 42S/940 DEIA W15L125 VPC O	Safety class I	33.5 W	Yes
910925866979	RC340B 36S/940 DEIA W30L120 VPC MLO	Safety class I	38 W	Yes
910925866982	RC342B 36S/940 PSE W31L125 VPC MLO	Safety class I	37 W	Yes
910925866983	RC342B 36S/940 DEIA W31L125 VPC MLO	Safety class I	38 W	Yes
910925867030	RC340B 42S/940 DEIA W30L120 VPC MLO W3W2	Safety class I	45 W	Yes
910925867031	RC340B 42S/940 DEIA W30L120 CPC MLO W3W2	Safety class I	45 W	Yes
910925867032	RC340B 42S/930 DEIA W30L120 VPC MLO W3W2	Safety class I	45 W	Yes
910925867033	RC340B 42S/930 DEIA W30L120 CPC MLO W3W2	Safety class I	45 W	Yes
910925867038	RC340B 42S/940 DEIA W30L120 VPC PCS W3W2	Safety class I	30.5 W	Yes
910925867039	RC340B 42S/940 DEIA W30L120 CPC PCS W3W2	Safety class I	30.5 W	Yes
910925867042	RC340B 42S/930 DEIA W30L120 VPC PCS W3W2	Safety class I	30.5 W	Yes

FlexBlend Recessed

Order Code	Full Product Name	Protection class IEC	Power Consumption	Suitable for random switching
910925867147	RC342B 28S/940 DEIA W31L125 VPC MLO	Safety class I	25.5 W	Yes
910925867161	RC342B 28S/940 DEIA W31L125 VPC PCS	Safety class I	22 W	Yes
910925867162	RC342B 36S/940 DEIA W31L125 VPC PCS	Safety class I	26 W	Yes
910925867163	RC342B 42S/940 DEIA W31L125 VPC PCS	Safety class I	30.5 W	Yes
910925867177	RC342B 28S/940 DEIA W31L125 VPC O	Safety class I	22.5 W	Yes
910925867178	RC342B 36S/940 DEIA W31L125 VPC O	Safety class I	28.5 W	Yes
910925867179	RC342B 42S/940 DEIA W31L125 VPC O	Safety class I	33.5 W	Yes
910925868910	RC340B 36S/930 SRD W60L60 VPC MLO U4	Safety class I	38 W	No
910925868911	RC340B 36S/930 SRD W60L60 VPC MLO U4	Safety class I	38 W	No
910925868912	RC340B 36S/930 SEIA W60L60 VPC PCS U4	Safety class I	26 W	No
910925868913	RC340B 36S/930 SEIA W60L60 VPC PCS U4 SC	Safety class I	26 W	No
910925868914	RC340B 36S/940 SEIA W60L60 VPC MLO U4	Safety class I	37 W	No
910925868915	RC340B 36S/940 SEIA W60L60 VPC MLO U4 SC	Safety class I	37 W	No
910925868916	RC340B 36S/940 SEIA W60L60 VPC PCS U4	Safety class I	26 W	No
910925868917	RC340B 36S/940 SEIA W60L60 VPC PCS U4 SC	Safety class I	26 W	No
910925868918	RC340B 36S/940 SEIA W60L60 VPC PCS U4 W3	Safety class I	26 W	No
910925868920	RC340B 42S/940 SEIA W60L60 VPC PCS U4 W3	Safety class I	30 W	No
910925868921	RC342B 28S/940 SEIA W62L62 VPC MLO U4	Safety class I	25.5 W	No
910925868922	RC342B 28S/940 SEIA W62L62 VPC PCS U4	Safety class I	20 W	No
910925868924	RC342B 36S/940 SEIA W62L62 VPC MLO U4	Safety class I	37 W	No
910925868925	RC342B 36S/940 SEIA W62L62 VPC PCS U4	Safety class I	25 W	No
910925868927	RC342B 42S/940 SEIA W62L62 VPC MLO U4	Safety class I	45 W	No
910925868928	RC342B 42S/940 SEIA W62L62 VPC PCS U4	Safety class I	30 W	No
910925866986	RC340B 36S/940 PSU W60L60 VPC O ELP3	Safety class I	28.5 W	Yes
910925866987	RC340B 36S/940 DIA W60L60 VPC O ELP3	Safety class I	28.5 W	Yes
910925867001	RC340B 42S/940 PSE W60L60 VPC O	Safety class I	33.5 W	Yes
910925867002	RC340B 42S/940 DEIA W60L60 VPC O	Safety class I	33.5 W	Yes
910925867006	RC340B 42S/940 PSU W60L60 VPC O ELP3	Safety class I	33.5 W	Yes
910925867007	RC340B 42S/940 DIA W60L60 VPC O ELP3	Safety class I	33.5 W	Yes
910925867012	RC340B 42S/940 DIA W60L60 VPC O ELD3	Safety class I	33.5 W	Yes
910925867061	RC340B 36S/940 PSE W60L60 VPC O SC	Safety class I	28.5 W	Yes
910925867062	RC340B 36S/940 DEIA W60L60 VPC O SC	Safety class I	28.5 W	Yes
910925868919	RC340B 42S/940 SEIA W30L120 VPC PCS U4W3	Safety class I	30 W	No
910925868923	RC342B 36S/940 SEIA W31L125 VPC PCS U4	Safety class I	24 W	No
910925868926	RC342B 42S/940 SEIA W31L125 VPC PCS U4	Safety class I	30 W	No
910925866969	RC340B 36S/940 DEIA W60L60 VPC MLO	Safety class I	38 W	Yes
910925867023	RC340B 42S/930 DEIA W60L60 CPC MLO W3W2	Safety class I	45 W	Yes
910925867028	RC340B 42S/940 DEIA W60L60 CPC MLO W3W2	Safety class I	45 W	Yes
910925867036	RC340B 42S/940 DEIA W60L60 CPC PCS W3W2	Safety class I	30.5 W	Yes

FlexBlend Recessed

Order Code	Full Product Name	Protection class IEC	Power Consumption	Suitable for random switching
910925867040	RC340B 42S/930 DEIA W60L60 CPC PCS W3W2	Safety class I	30.5 W	Yes
910925867046	RC340B 36S/940 PSE W60L60 CPC MLO	Safety class I	38 W	Yes
910925867047	RC340B 42S/940 PSE W60L60 CPC MLO	Safety class I	45 W	Yes
910925867048	RC340B 42S/940 DEIA W60L60 CPC MLO	Safety class I	45 W	Yes
910925867167	RC342B 42S/940 DEIA W62L62 CPC PCS	Safety class I	30.5 W	Yes
910925867068	RC340B 42S/930 DEIA W30L120 CPC PCS W3W2	Safety class I	30.5 W	Yes
910925866967	RC340B 36S/940 DEIA W60L60 VPC O	Safety class I	28.5 W	Yes
910925866972	RC340B 36S/940 PSE W60L60 VPC PCS	Safety class I	26 W	Yes
910925866973	RC340B 36S/940 DEIA W60L60 VPC PCS	Safety class I	26 W	Yes
910925866977	RC340B 36S/940 DEIA W60L60 CPC MLO	Safety class I	38 W	Yes
910925866990	RC340B 36S/940 PSU W60L60 VPC PCS ELP3	Safety class I	26 W	Yes
910925866991	RC340B 36S/940 DIA W60L60 VPC PCS ELP3	Safety class I	26 W	Yes
910925866997	RC340B 36S/940 DIA W60L60 VPC PCS ELD3	Safety class I	26 W	Yes
910925867003	RC340B 42S/940 PSE W60L60 VPC PCS	Safety class I	30.5 W	Yes
910925867004	RC340B 42S/940 DEIA W60L60 VPC PCS	Safety class I	30.5 W	Yes
910925867008	RC340B 42S/940 PSU W60L60 VPC PCS ELP3	Safety class I	30.5 W	Yes
910925867009	RC340B 42S/940 DIA W60L60 VPC PCS ELP3	Safety class I	30.5 W	Yes
910925867034	RC340B 42S/930 DEIA W60L60 VPC PCS W3W2	Safety class I	30.5 W	Yes
910925867035	RC340B 42S/940 DEIA W60L60 VPC PCS W3W2	Safety class I	30.5 W	Yes
910925867044	RC340B 36S/940 PSE W60L60 CPC PCS PIP	Safety class I	26 W	Yes
910925867045	RC340B 36S/940 DEIA W60L60 CPC PCS	Safety class I	26 W	Yes
910925867049	RC340B 42S/940 PSE W60L60 CPC PCS	Safety class I	30.5 W	Yes
910925867050	RC340B 42S/940 DEIA W60L60 CPC PCS	Safety class I	30.5 W	Yes
910925867065	RC340B 36S/940 PSE W60L60 VPC PCS SC	Safety class I	26 W	Yes
910925867066	RC340B 36S/940 DEIA W60L60 VPC PCS SC	Safety class I	26 W	Yes
910925866966	RC340B 36S/940 PSE W60L60 VPC O	Safety class I	28.5 W	Yes
910925866980	RC342B 36S/940 PSE W62L62 VPC MLO	Safety class I	37 W	Yes
910925866988	RC340B 36S/940 PSU W60L60 VPC MLO ELP3	Safety class I	38 W	Yes
910925866989	RC340B 36S/940 DIA W60L60 VPC MLO ELP3	Safety class I	38 W	Yes
910925866993	RC340B 36S/940 DIA W60L60 VPC O ELD3	Safety class I	28.5 W	Yes
910925866995	RC340B 36S/940 DIA W60L60 VPC MLO ELD3	Safety class I	38 W	Yes
910925866999	RC340B 42S/940 DEIA W60L60 VPC MLO	Safety class I	45 W	Yes
910925867010	RC340B 42S/940 DIA W60L60 VPC MLO ELD3	Safety class I	45 W	Yes
910925867013	RC340B 42S/930 DEIA W60L60 VPC MLO W3W2	Safety class I	45 W	Yes
910925867027	RC340B 42S/940 DEIA W60L60 VPC MLO W3W2	Safety class I	45 W	Yes
910925867043	RC340B 42S/940 PSE W60L60 VPC MLO	Safety class I	45 W	Yes
910925867063	RC340B 36S/940 PSE W60L60 VPC MLO SC	Safety class I	38 W	Yes

Order Code	Full Product Name	Protection class IEC	Power Consumption	Suitable for random switching
910925867064	RC340B 36S/940 DEIA W60L60 VPC MLO SC	Safety class I	38 W	Yes
910925866970	RC340B 36S/940 POE W60L60 VPC MLO	Safety class I	37 W	Yes
910925867014	RC340B 42S/940 DIA W60L60 VPC PCS ELD3	Safety class I	30.5 W	Yes
910925867025	RC340B 42S/930 DEIA W60L60 PCV MLO W3W2	Safety class I	45 W	Yes
910925867029	RC340B 42S/940 DEIA W60L60 PCV MLO W3W2	Safety class I	45 W	Yes
910925867037	RC340B 42S/940 DEIA W60L60 PCV PCS W3W2	Safety class I	30.5 W	Yes
910925867041	RC340B 42S/930 DEIA W60L60 PCV PCS W3W2	Safety class I	30.5 W	Yes
910925867168	RC340B 36S/940 DEIA W60L60 PCV PCS	Safety class I	26 W	Yes
910925867221	RC340B 36S/940 POE W60L60 VPC MLO U0	Safety class III	37 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867224	RC340B 36S/940 POE W60L60 VPC PCS U0	Safety class III	25 W	Yes (relates to presence/ movement detection and daylight harvesting)

Order Code	Full Product Name	Protection class IEC	Power Consumption	Suitable for random switching
910925866968	RC340B 36S/940 PSE W60L60 VPC MLO PIP	Safety class I	38 W	Yes
910925866978	RC340B 36S/940 DEIA W60L60 PCV MLO	Safety class I	38 W	Yes
910925866981	RC342B 36S/940 DEIA W62L62 VPC MLO	Safety class I	38 W	Yes
910925867145	RC342B 28S/940 DEIA W62L62 VPC MLO	Safety class I	25.5 W	Yes
910925867158	RC342B 28S/940 DEIA W62L62 VPC PCS	Safety class I	22 W	Yes
910925867159	RC342B 36S/940 DEIA W62L62 VPC PCS	Safety class I	25 W	Yes
910925867160	RC342B 42S/940 DEIA W62L62 VPC PCS	Safety class I	30.5 W	Yes
910925867174	RC342B 28S/940 DEIA W62L62 VPC O	Safety class I	22.5 W	Yes
910925867175	RC342B 36S/940 DEIA W62L62 VPC O	Safety class I	28.5 W	Yes
910925867176	RC342B 42S/940 DEIA W62L62 VPC O	Safety class I	33.5 W	Yes

Controls and Dimming

Order Code	Full Product Name	Dimmable	Embedded control
910925867015	RC340B 36S/940 PSE W15L120 VPC MLO	No	-
910925867016	RC340B 36S/940 DEIA W15L120 VPC MLO	Yes	-
910925867017	RC340B 42S/940 PSE W15L120 VPC MLO	No	-

Order Code	Full Product Name	Dimmable	Embedded control
910925867018	RC340B 42S/940 DEIA W15L120 VPC MLO	Yes	-
910925867019	RC340B 36S/940 PSU W15L120 VPC MLO ELP3	No	-
910925867020	RC340B 36S/940 DIA W15L120 VPC MLO ELP3	Yes	-

FlexBlend Recessed

Order Code	Full Product Name	Dimmable	Embedded control
910925867021	RC340B 42S/940 PSU W15L120 VPC MLO ELP3	No	-
910925867022	RC340B 42S/940 DIA W15L120 VPC MLO ELP3	Yes	-
910925867024	RC340B 36S/940 DIA W15L120 VPC MLO ELD3	Yes	-
910925867026	RC340B 42S/940 DIA W15L120 VPC MLO ELD3	Yes	-
910925867149	RC342B 28S/940 DEIA W15L125 VPC MLO	Yes	-
910925867150	RC342B 36S/940 DEIA W15L125 VPC MLO	Yes	-
910925867153	RC342B 36S/940 DEIA W17L125 PCV MLO	Yes	-
910925867164	RC342B 28S/940 DEIA W15L125 VPC PCS	Yes	-
910925867165	RC342B 36S/940 DEIA W15L125 VPC PCS	Yes	-
910925867166	RC342B 42S/940 DEIA W15L125 VPC PCS	Yes	-
910925867169	RC342B 36S/940 DEIA W17L125 PCV PCS	Yes	-
910925867180	RC342B 28S/940 DEIA W15L125 VPC O	Yes	-
910925867181	RC342B 36S/940 DEIA W15L125 VPC O	Yes	-
910925867182	RC342B 42S/940 DEIA W15L125 VPC O	Yes	-
910925866979	RC340B 36S/940 DEIA W30L120 VPC MLO	Yes	-
910925866982	RC342B 36S/940 PSE W31L125 VPC MLO	No	-
910925866983	RC342B 36S/940 DEIA W31L125 VPC MLO	Yes	-
910925867030	RC340B 42S/940 DEIA W30L120 VPC MLO W3W2	Yes	-
910925867031	RC340B 42S/940 DEIA W30L120 CPC MLO W3W2	Yes	-
910925867032	RC340B 42S/930 DEIA W30L120 VPC MLO W3W2	Yes	-
910925867033	RC340B 42S/930 DEIA W30L120 CPC MLO W3W2	Yes	-
910925867038	RC340B 42S/940 DEIA W30L120 VPC PCS W3W2	Yes	-
910925867039	RC340B 42S/940 DEIA W30L120 CPC PCS W3W2	Yes	-
910925867042	RC340B 42S/930 DEIA W30L120 VPC PCS W3W2	Yes	-
910925867147	RC342B 28S/940 DEIA W31L125 VPC MLO	Yes	-
910925867161	RC342B 28S/940 DEIA W31L125 VPC PCS	Yes	-
910925867162	RC342B 36S/940 DEIA W31L125 VPC PCS	Yes	-
910925867163	RC342B 42S/940 DEIA W31L125 VPC PCS	Yes	-
910925867177	RC342B 28S/940 DEIA W31L125 VPC O	Yes	-
910925867178	RC342B 36S/940 DEIA W31L125 VPC O	Yes	-
910925867179	RC342B 42S/940 DEIA W31L125 VPC O	Yes	-
910925868910	RC340B 36S/930 SRD W60L60 VPC MLO U4	No	Upgradable sensor slot with SNS210 sensor
910925868911	RC340B 36S/930 SRD W60L60 VPC MLO U4	No	Upgradable sensor slot with SNS210 sensor
910925868912	RC340B 36S/930 SEIA W60L60 VPC PCS U4	No	Upgradable sensor slot with SNS210 sensor
910925868913	RC340B 36S/930 SEIA W60L60 VPC PCS U4 SC	No	Upgradable sensor slot with SNS210 sensor
910925868914	RC340B 36S/940 SEIA W60L60 VPC MLO U4	No	Upgradable sensor slot with SNS210 sensor
910925868915	RC340B 36S/940 SEIA W60L60 VPC MLO U4 SC	No	Upgradable sensor slot with SNS210 sensor
910925868916	RC340B 36S/940 SEIA W60L60 VPC PCS U4	No	Upgradable sensor slot with SNS210 sensor
910925868917	RC340B 36S/940 SEIA W60L60 VPC PCS U4 SC	No	Upgradable sensor slot with SNS210 sensor
910925868918	RC340B 36S/940 SEIA W60L60 VPC PCS U4 W3	No	Upgradable sensor slot with SNS210 sensor
910925868920	RC340B 42S/940 SEIA W60L60 VPC PCS U4 W3	No	Upgradable sensor slot with SNS210 sensor
910925868921	RC342B 28S/940 SEIA W62L62 VPC MLO U4	No	Upgradable sensor slot with SNS210 sensor
910925868922	RC342B 28S/940 SEIA W62L62 VPC PCS U4	No	Upgradable sensor slot with SNS210 sensor
910925868924	RC342B 36S/940 SEIA W62L62 VPC MLO U4	No	Upgradable sensor slot with SNS210 sensor
910925868925	RC342B 36S/940 SEIA W62L62 VPC PCS U4	No	Upgradable sensor slot with SNS210 sensor

FlexBlend Recessed

Order Code	Full Product Name	Dimmable	Embedded control
910925868927	RC342B 42S/940 SEIA W62L62 VPC MLO U4	No	Upgradable sensor slot with SNS210 sensor
910925868928	RC342B 42S/940 SEIA W62L62 VPC PCS U4	No	Upgradable sensor slot with SNS210 sensor
910925866986	RC340B 36S/940 PSU W60L60 VPC O ELP3	No	-
910925866987	RC340B 36S/940 DIA W60L60 VPC O ELP3	Yes	-
910925867001	RC340B 42S/940 PSE W60L60 VPC O	No	-
910925867002	RC340B 42S/940 DEIA W60L60 VPC O	Yes	-
910925867006	RC340B 42S/940 PSU W60L60 VPC O ELP3	No	-
910925867007	RC340B 42S/940 DIA W60L60 VPC O ELP3	Yes	-
910925867012	RC340B 42S/940 DIA W60L60 VPC O ELD3	Yes	-
910925867061	RC340B 36S/940 PSE W60L60 VPC O SC	No	-
910925867062	RC340B 36S/940 DEIA W60L60 VPC O SC	Yes	-
910925868919	RC340B 42S/940 SEIA W30L120 VPC PCS U4W3	No	Upgradable sensor slot with SNS210 sensor
910925868923	RC342B 36S/940 SEIA W31L125 VPC PCS U4	No	Upgradable sensor slot with SNS210 sensor
910925868926	RC342B 42S/940 SEIA W31L125 VPC PCS U4	No	Upgradable sensor slot with SNS210 sensor
910925866969	RC340B 36S/940 DEIA W60L60 VPC MLO	Yes	-
910925867023	RC340B 42S/930 DEIA W60L60 CPC MLO W3W2	Yes	-
910925867028	RC340B 42S/940 DEIA W60L60 CPC MLO W3W2	Yes	-
910925867036	RC340B 42S/940 DEIA W60L60 CPC PCS W3W2	Yes	-
910925867040	RC340B 42S/930 DEIA W60L60 CPC PCS W3W2	Yes	-
910925867046	RC340B 36S/940 PSE W60L60 CPC MLO	No	-
910925867047	RC340B 42S/940 PSE W60L60 CPC MLO	No	-
910925867048	RC340B 42S/940 DEIA W60L60 CPC MLO	Yes	-
910925867167	RC342B 42S/940 DEIA W62L62 CPC PCS	Yes	-
910925867068	RC340B 42S/930 DEIA W30L120 CPC PCS W3W2	Yes	-

Order Code	Full Product Name	Dimmable	Embedded control
910925866967	RC340B 36S/940 DEIA W60L60 VPC O	Yes	-
910925866972	RC340B 36S/940 PSE W60L60 VPC PCS	No	-
910925866973	RC340B 36S/940 DEIA W60L60 VPC PCS	Yes	-
910925866977	RC340B 36S/940 DEIA W60L60 CPC MLO	Yes	-
910925866990	RC340B 36S/940 PSU W60L60 VPC PCS ELP3	No	-
910925866991	RC340B 36S/940 DIA W60L60 VPC PCS ELP3	Yes	-
910925866997	RC340B 36S/940 DIA W60L60 VPC PCS ELD3	Yes	-
910925867003	RC340B 42S/940 PSE W60L60 VPC PCS	No	-
910925867004	RC340B 42S/940 DEIA W60L60 VPC PCS	Yes	-
910925867008	RC340B 42S/940 PSU W60L60 VPC PCS ELP3	No	-
910925867009	RC340B 42S/940 DIA W60L60 VPC PCS ELP3	Yes	-
910925867034	RC340B 42S/930 DEIA W60L60 VPC PCS W3W2	Yes	-
910925867035	RC340B 42S/940 DEIA W60L60 VPC PCS W3W2	Yes	-
910925867044	RC340B 36S/940 PSE W60L60 CPC PCS PIP	No	-
910925867045	RC340B 36S/940 DEIA W60L60 CPC PCS	Yes	-
910925867049	RC340B 42S/940 PSE W60L60 CPC PCS	No	-
910925867050	RC340B 42S/940 DEIA W60L60 CPC PCS	Yes	-
910925867065	RC340B 36S/940 PSE W60L60 VPC PCS SC	No	-
910925867066	RC340B 36S/940 DEIA W60L60 VPC PCS SC	Yes	-
910925866966	RC340B 36S/940 PSE W60L60 VPC O	No	-
910925866980	RC342B 36S/940 PSE W62L62 VPC MLO	No	-
910925866988	RC340B 36S/940 PSU W60L60 VPC MLO ELP3	No	-
910925866989	RC340B 36S/940 DIA W60L60 VPC MLO ELP3	Yes	-
910925866993	RC340B 36S/940 DIA W60L60 VPC O ELD3	Yes	-
910925866995	RC340B 36S/940 DIA W60L60 VPC MLO ELD3	Yes	-
910925866999	RC340B 42S/940 DEIA W60L60 VPC MLO	Yes	-

Order Code	Full Product Name	Dimmable	Embedded control
910925867010	RC340B 42S/940 DIA W60L60 VPC MLO ELD3	Yes	-
910925867013	RC340B 42S/930 DEIA W60L60 VPC MLO W3W2	Yes	-
910925867027	RC340B 42S/940 DEIA W60L60 VPC MLO W3W2	Yes	-
910925867043	RC340B 42S/940 PSE W60L60 VPC MLO	No	-
910925867063	RC340B 36S/940 PSE W60L60 VPC MLO SC	No	-
910925867064	RC340B 36S/940 DEIA W60L60 VPC MLO SC	Yes	-
910925866970	RC340B 36S/940 POE W60L60 VPC MLO	No	-
910925867014	RC340B 42S/940 DIA W60L60 VPC PCS ELD3	Yes	-
910925867025	RC340B 42S/930 DEIA W60L60 PCV MLO W3W2	Yes	-
910925867029	RC340B 42S/940 DEIA W60L60 PCV MLO W3W2	Yes	-
910925867037	RC340B 42S/940 DEIA W60L60 PCV PCS W3W2	Yes	-
910925867041	RC340B 42S/930 DEIA W60L60 PCV PCS W3W2	Yes	-
910925867168	RC340B 36S/940 DEIA W60L60 PCV PCS	Yes	-

Order Code	Full Product Name	Dimmable	Embedded control
910925867221	RC340B 36S/940 POE W60L60 VPC MLO U0	No	Upgradable sensor slot empty with cover
910925867224	RC340B 36S/940 POE W60L60 VPC PCS U0	No	Upgradable sensor slot empty with cover
910925866968	RC340B 36S/940 PSE W60L60 VPC MLO PIP	No	-
910925866978	RC340B 36S/940 DEIA W60L60 PCV MLO	Yes	-
910925866981	RC342B 36S/940 DEIA W62L62 VPC MLO	Yes	-
910925867145	RC342B 28S/940 DEIA W62L62 VPC MLO	Yes	-
910925867158	RC342B 28S/940 DEIA W62L62 VPC PCS	Yes	-
910925867159	RC342B 36S/940 DEIA W62L62 VPC PCS	Yes	-
910925867160	RC342B 42S/940 DEIA W62L62 VPC PCS	Yes	-
910925867174	RC342B 28S/940 DEIA W62L62 VPC O	Yes	-
910925867175	RC342B 36S/940 DEIA W62L62 VPC O	Yes	-
910925867176	RC342B 42S/940 DEIA W62L62 VPC O	Yes	-

Mechanical and Housing

Order Code	Full Product Name	Ingress protection code
910925867015	RC340B 36S/940 PSE W15L120 VPC MLO	IP20/40
910925867016	RC340B 36S/940 DEIA W15L120 VPC MLO	IP20/40
910925867017	RC340B 42S/940 PSE W15L120 VPC MLO	IP20/40
910925867018	RC340B 42S/940 DEIA W15L120 VPC MLO	IP20/40
910925867019	RC340B 36S/940 PSU W15L120 VPC MLO ELP3	IP20
910925867020	RC340B 36S/940 DIA W15L120 VPC MLO ELP3	IP20
910925867021	RC340B 42S/940 PSU W15L120 VPC MLO ELP3	IP20
910925867022	RC340B 42S/940 DIA W15L120 VPC MLO ELP3	IP20
910925867024	RC340B 36S/940 DIA W15L120 VPC MLO ELD3	IP20
910925867026	RC340B 42S/940 DIA W15L120 VPC MLO ELD3	IP20
910925867149	RC342B 28S/940 DEIA W15L125 VPC MLO	IP20/40
910925867150	RC342B 36S/940 DEIA W15L125 VPC MLO	IP20/40
910925867153	RC342B 36S/940 DEIA W17L125 PCV MLO	IP20/40
910925867164	RC342B 28S/940 DEIA W15L125 VPC PCS	IP20/54
910925867165	RC342B 36S/940 DEIA W15L125 VPC PCS	IP20/54
910925867166	RC342B 42S/940 DEIA W15L125 VPC PCS	IP20/54
910925867169	RC342B 36S/940 DEIA W17L125 PCV PCS	IP20/54
910925867180	RC342B 28S/940 DEIA W15L125 VPC O	IP20/54
910925867181	RC342B 36S/940 DEIA W15L125 VPC O	IP20/54
910925867182	RC342B 42S/940 DEIA W15L125 VPC O	IP20/54
910925866979	RC340B 36S/940 DEIA W30L120 VPC MLO	IP20/40

Order Code	Full Product Name	Ingress protection code
910925866982	RC342B 36S/940 PSE W31L125 VPC MLO	IP20/40
910925866983	RC342B 36S/940 DEIA W31L125 VPC MLO	IP20/40
910925867030	RC340B 42S/940 DEIA W30L120 VPC MLO W3W2	IP20/40
910925867031	RC340B 42S/940 DEIA W30L120 CPC MLO W3W2	IP20/40
910925867032	RC340B 42S/930 DEIA W30L120 VPC MLO W3W2	IP20/40
910925867033	RC340B 42S/930 DEIA W30L120 CPC MLO W3W2	IP20/40
910925867038	RC340B 42S/940 DEIA W30L120 VPC PCS W3W2	IP20/54
910925867039	RC340B 42S/940 DEIA W30L120 CPC PCS W3W2	IP20/54
910925867042	RC340B 42S/930 DEIA W30L120 VPC PCS W3W2	IP20/54
910925867147	RC342B 28S/940 DEIA W31L125 VPC MLO	IP20/40
910925867161	RC342B 28S/940 DEIA W31L125 VPC PCS	IP20/54
910925867162	RC342B 36S/940 DEIA W31L125 VPC PCS	IP20/54
910925867163	RC342B 42S/940 DEIA W31L125 VPC PCS	IP20/54
910925867177	RC342B 28S/940 DEIA W31L125 VPC O	IP20/54
910925867178	RC342B 36S/940 DEIA W31L125 VPC O	IP20/54
910925867179	RC342B 42S/940 DEIA W31L125 VPC O	IP20/54
910925868910	RC340B 36S/930 SRD W60L60 VPC MLO U4	IP20
910925868911	RC340B 36S/930 SRD W60L60 VPC MLO U4	IP20
910925868912	RC340B 36S/930 SEIA W60L60 VPC PCS U4	IP20/54
910925868913	RC340B 36S/930 SEIA W60L60 VPC PCS U4 SC	IP20/54
910925868914	RC340B 36S/940 SEIA W60L60 VPC MLO U4	IP20

Order Code	Full Product Name	Ingress protection code
910925868915	RC340B 36S/940 SEIA W60L60 VPC MLO U4 SC	IP20
910925868916	RC340B 36S/940 SEIA W60L60 VPC PCS U4	IP20/54
910925868917	RC340B 36S/940 SEIA W60L60 VPC PCS U4 SC	IP20/54
910925868918	RC340B 36S/940 SEIA W60L60 VPC PCS U4 W3	IP20/54
910925868920	RC340B 42S/940 SEIA W60L60 VPC PCS U4 W3	IP20/54
910925868921	RC342B 28S/940 SEIA W62L62 VPC MLO U4	IP20
910925868922	RC342B 28S/940 SEIA W62L62 VPC PCS U4	IP20/54
910925868924	RC342B 36S/940 SEIA W62L62 VPC MLO U4	IP20
910925868925	RC342B 36S/940 SEIA W62L62 VPC PCS U4	IP20/54
910925868927	RC342B 42S/940 SEIA W62L62 VPC MLO U4	IP20
910925868928	RC342B 42S/940 SEIA W62L62 VPC PCS U4	IP20/54
910925866986	RC340B 36S/940 PSU W60L60 VPC O ELP3	IP54
910925866987	RC340B 36S/940 DIA W60L60 VPC O ELP3	IP54
910925867001	RC340B 42S/940 PSE W60L60 VPC O	IP20/54
910925867002	RC340B 42S/940 DEIA W60L60 VPC O	IP20/54
910925867006	RC340B 42S/940 PSU W60L60 VPC O ELP3	IP20/54
910925867007	RC340B 42S/940 DIA W60L60 VPC O ELP3	IP20/54
910925867012	RC340B 42S/940 DIA W60L60 VPC O ELD3	IP54
910925867061	RC340B 36S/940 PSE W60L60 VPC O SC	IP20/54
910925867062	RC340B 36S/940 DEIA W60L60 VPC O SC	IP20/54
910925868919	RC340B 42S/940 SEIA W30L120 VPC PCS U4W3	IP20/54
910925868923	RC342B 36S/940 SEIA W31L125 VPC PCS U4	IP20/54
910925868926	RC342B 42S/940 SEIA W31L125 VPC PCS U4	IP20/54
910925866969	RC340B 36S/940 DEIA W60L60 VPC MLO	IP20/40
910925867023	RC340B 42S/930 DEIA W60L60 CPC MLO W3W2	IP20/40
910925867028	RC340B 42S/940 DEIA W60L60 CPC MLO W3W2	IP20/40
910925867036	RC340B 42S/940 DEIA W60L60 CPC PCS W3W2	IP20/54
910925867040	RC340B 42S/930 DEIA W60L60 CPC PCS W3W2	IP20/54
910925867046	RC340B 36S/940 PSE W60L60 CPC MLO	IP20/40
910925867047	RC340B 42S/940 PSE W60L60 CPC MLO	IP20/40
910925867048	RC340B 42S/940 DEIA W60L60 CPC MLO	IP20/40
910925867167	RC342B 42S/940 DEIA W62L62 CPC PCS	IP20/54
910925867068	RC340B 42S/930 DEIA W30L120 CPC PCS W3W2	IP20/54
910925866967	RC340B 36S/940 DEIA W60L60 VPC O	IP20/54
910925866972	RC340B 36S/940 PSE W60L60 VPC PCS	IP20/54
910925866973	RC340B 36S/940 DEIA W60L60 VPC PCS	IP20/54
910925866977	RC340B 36S/940 DEIA W60L60 CPC MLO	IP20/40
910925866990	RC340B 36S/940 PSU W60L60 VPC PCS ELP3	IP20/54
910925866991	RC340B 36S/940 DIA W60L60 VPC PCS ELP3	IP20/54
910925866997	RC340B 36S/940 DIA W60L60 VPC PCS ELD3	IP20/54
910925867003	RC340B 42S/940 PSE W60L60 VPC PCS	IP20/54
910925867004	RC340B 42S/940 DEIA W60L60 VPC PCS	IP20/54

Order Code	Full Product Name	Ingress protection code
910925867008	RC340B 42S/940 PSU W60L60 VPC PCS ELP3	IP20/54
910925867009	RC340B 42S/940 DIA W60L60 VPC PCS ELP3	IP20/54
910925867034	RC340B 42S/930 DEIA W60L60 VPC PCS W3W2	IP20/54
910925867035	RC340B 42S/940 DEIA W60L60 VPC PCS W3W2	IP20/54
910925867044	RC340B 36S/940 PSE W60L60 CPC PCS PIP	IP20/54
910925867045	RC340B 36S/940 DEIA W60L60 CPC PCS	IP20/54
910925867049	RC340B 42S/940 PSE W60L60 CPC PCS	IP20/54
910925867050	RC340B 42S/940 DEIA W60L60 CPC PCS	IP20/54
910925867065	RC340B 36S/940 PSE W60L60 VPC PCS SC	IP20/54
910925867066	RC340B 36S/940 DEIA W60L60 VPC PCS SC	IP20/54
910925866966	RC340B 36S/940 PSE W60L60 VPC O	IP20/54
910925866980	RC342B 36S/940 PSE W62L62 VPC MLO	IP20/40
910925866988	RC340B 36S/940 PSU W60L60 VPC MLO ELP3	IP20
910925866989	RC340B 36S/940 DIA W60L60 VPC MLO ELP3	IP20/54
910925866993	RC340B 36S/940 DIA W60L60 VPC O ELD3	IP54
910925866995	RC340B 36S/940 DIA W60L60 VPC MLO ELD3	IP20/54
910925866999	RC340B 42S/940 DEIA W60L60 VPC MLO	IP20/40
910925867010	RC340B 42S/940 DIA W60L60 VPC MLO ELD3	IP20
910925867013	RC340B 42S/930 DEIA W60L60 VPC MLO W3W2	IP20/40
910925867027	RC340B 42S/940 DEIA W60L60 VPC MLO W3W2	IP20/40
910925867043	RC340B 42S/940 PSE W60L60 VPC MLO	IP20/40
910925867063	RC340B 36S/940 PSE W60L60 VPC MLO SC	IP20/40
910925867064	RC340B 36S/940 DEIA W60L60 VPC MLO SC	IP20/40
910925866970	RC340B 36S/940 POE W60L60 VPC MLO	IP20/40
910925867014	RC340B 42S/940 DIA W60L60 VPC PCS ELD3	IP20/54
910925867025	RC340B 42S/930 DEIA W60L60 PCV MLO W3W2	IP20/40
910925867029	RC340B 42S/940 DEIA W60L60 PCV MLO W3W2	IP20/40
910925867037	RC340B 42S/940 DEIA W60L60 PCV PCS W3W2	IP20/54
910925867041	RC340B 42S/930 DEIA W60L60 PCV PCS W3W2	IP20/54
910925867168	RC340B 36S/940 DEIA W60L60 PCV PCS	IP20/54
910925867221	RC340B 36S/940 POE W60L60 VPC MLO U0	IP20
910925867224	RC340B 36S/940 POE W60L60 VPC PCS U0	IP20/54
910925866968	RC340B 36S/940 PSE W60L60 VPC MLO PIP	IP20/40
910925866978	RC340B 36S/940 DEIA W60L60 PCV MLO	IP20/40
910925866981	RC342B 36S/940 DEIA W62L62 VPC MLO	IP20/40
910925867145	RC342B 28S/940 DEIA W62L62 VPC MLO	IP20/40
910925867158	RC342B 28S/940 DEIA W62L62 VPC PCS	IP20/54
910925867159	RC342B 36S/940 DEIA W62L62 VPC PCS	IP20/54
910925867160	RC342B 42S/940 DEIA W62L62 VPC PCS	IP20/54
910925867174	RC342B 28S/940 DEIA W62L62 VPC O	IP20/54
910925867175	RC342B 36S/940 DEIA W62L62 VPC O	IP20/54
910925867176	RC342B 42S/940 DEIA W62L62 VPC O	IP20/54

Emergency Operation

Order Code	Full Product Name	Central Emergency	Emergency lighting	Rated duration of the emergency lighting (when fully charged)
910925867015	RC340B 36S/940 PSE W15L120 VPC MLO	-	-	-
910925867016	RC340B 36S/940 DEIA W15L120 VPC MLO	Yes	DC operated central emergency lighting	-
910925867017	RC340B 42S/940 PSE W15L120 VPC MLO	-	-	-
910925867018	RC340B 42S/940 DEIA W15L120 VPC MLO	Yes	DC operated central emergency lighting	-
910925867019	RC340B 36S/940 PSU W15L120 VPC MLO ELP3	No	Emergency lighting 3 hours duration Pro version	3 hour(s)
910925867020	RC340B 36S/940 DIA W15L120 VPC MLO ELP3	No	Emergency lighting 3 hours duration Pro version	3 hour(s)
910925867021	RC340B 42S/940 PSU W15L120 VPC MLO ELP3	No	Emergency lighting 3 hours duration Pro version	3 hour(s)
910925867022	RC340B 42S/940 DIA W15L120 VPC MLO ELP3	No	Emergency lighting 3 hours duration Pro version	3 hour(s)
910925867024	RC340B 36S/940 DIA W15L120 VPC MLO ELD3	No	Emergency lighting 3 hours duration Pro version	3 hour(s)
910925867026	RC340B 42S/940 DIA W15L120 VPC MLO ELD3	No	Emergency lighting 3 hours duration Pro version	3 hour(s)
910925867149	RC342B 28S/940 DEIA W15L125 VPC MLO	Yes	DC operated central emergency lighting	-
910925867150	RC342B 36S/940 DEIA W15L125 VPC MLO	Yes	DC operated central emergency lighting	-
910925867153	RC342B 36S/940 DEIA W17L125 PCV MLO	Yes	DC operated central emergency lighting	-
910925867164	RC342B 28S/940 DEIA W15L125 VPC PCS	Yes	DC operated central emergency lighting	-
910925867165	RC342B 36S/940 DEIA W15L125 VPC PCS	Yes	DC operated central emergency lighting	-
910925867166	RC342B 42S/940 DEIA W15L125 VPC PCS	Yes	DC operated central emergency lighting	-
910925867169	RC342B 36S/940 DEIA W17L125 PCV PCS	Yes	DC operated central emergency lighting	-
910925867180	RC342B 28S/940 DEIA W15L125 VPC O	Yes	DC operated central emergency lighting	-
910925867181	RC342B 36S/940 DEIA W15L125 VPC O	Yes	DC operated central emergency lighting	-
910925867182	RC342B 42S/940 DEIA W15L125 VPC O	Yes	DC operated central emergency lighting	-
910925866979	RC340B 36S/940 DEIA W30L120 VPC MLO	Yes	DC operated central emergency lighting	-
910925866982	RC342B 36S/940 PSE W31L125 VPC MLO	-	-	-
910925866983	RC342B 36S/940 DEIA W31L125 VPC MLO	Yes	DC operated central emergency lighting	-
910925867030	RC340B 42S/940 DEIA W30L120 VPC MLO W3W2	Yes	DC operated central emergency lighting	-

Order Code	Full Product Name	Central Emergency	Emergency lighting	Rated duration of the emergency lighting (when fully charged)
910925867031	RC340B 42S/940 DEIA W30L120 CPC MLO W3W2	Yes	DC operated central emergency lighting	-
910925867032	RC340B 42S/930 DEIA W30L120 VPC MLO W3W2	Yes	DC operated central emergency lighting	-
910925867033	RC340B 42S/930 DEIA W30L120 CPC MLO W3W2	Yes	DC operated central emergency lighting	-
910925867038	RC340B 42S/940 DEIA W30L120 VPC PCS W3W2	Yes	DC operated central emergency lighting	-
910925867039	RC340B 42S/940 DEIA W30L120 CPC PCS W3W2	Yes	DC operated central emergency lighting	-
910925867042	RC340B 42S/930 DEIA W30L120 VPC PCS W3W2	Yes	DC operated central emergency lighting	-
910925867147	RC342B 28S/940 DEIA W31L125 VPC MLO	Yes	DC operated central emergency lighting	-
910925867161	RC342B 28S/940 DEIA W31L125 VPC PCS	Yes	DC operated central emergency lighting	-
910925867162	RC342B 36S/940 DEIA W31L125 VPC PCS	Yes	DC operated central emergency lighting	-
910925867163	RC342B 42S/940 DEIA W31L125 VPC PCS	Yes	DC operated central emergency lighting	-
910925867177	RC342B 28S/940 DEIA W31L125 VPC O	Yes	DC operated central emergency lighting	-
910925867178	RC342B 36S/940 DEIA W31L125 VPC O	Yes	DC operated central emergency lighting	-
910925867179	RC342B 42S/940 DEIA W31L125 VPC O	Yes	DC operated central emergency lighting	-
910925868910	RC340B 36S/930 SRD W60L60 VPC MLO U4	-	-	-
910925868911	RC340B 36S/930 SRD W60L60 VPC MLO U4	-	-	-
910925868912	RC340B 36S/930 SEIA W60L60 VPC PCS U4	-	-	-
910925868913	RC340B 36S/930 SEIA W60L60 VPC PCS U4 SC	-	-	-
910925868914	RC340B 36S/940 SEIA W60L60 VPC MLO U4	-	-	-
910925868915	RC340B 36S/940 SEIA W60L60 VPC MLO U4 SC	-	-	-
910925868916	RC340B 36S/940 SEIA W60L60 VPC PCS U4	-	-	-
910925868917	RC340B 36S/940 SEIA W60L60 VPC PCS U4 SC	-	-	-
910925868918	RC340B 36S/940 SEIA W60L60 VPC PCS U4 W3	-	-	-
910925868920	RC340B 42S/940 SEIA W60L60 VPC PCS U4 W3	-	-	-
910925868921	RC342B 28S/940 SEIA W62L62 VPC MLO U4	-	-	-
910925868922	RC342B 28S/940 SEIA W62L62 VPC PCS U4	-	-	-
910925868924	RC342B 36S/940 SEIA W62L62 VPC MLO U4	-	-	-

Order Code	Full Product Name	Central Emergency	Emergency lighting	Rated duration of the emergency lighting (when fully charged)
910925868925	RC342B 36S/940 SEIA W62L62 VPC PCS U4	-	-	-
910925868927	RC342B 42S/940 SEIA W62L62 VPC MLO U4	-	-	-
910925868928	RC342B 42S/940 SEIA W62L62 VPC PCS U4	-	-	-
910925866986	RC340B 36S/940 PSU W60L60 VPC O ELP3	No	Emergency lighting 3 hours duration Pro version	3 hour(s)
910925866987	RC340B 36S/940 DIA W60L60 VPC O ELP3	No	Emergency lighting 3 hours duration Pro version	3 hour(s)
910925867001	RC340B 42S/940 PSE W60L60 VPC O	-	-	-
910925867002	RC340B 42S/940 DEIA W60L60 VPC O	Yes	DC operated central emergency lighting	-
910925867006	RC340B 42S/940 PSU W60L60 VPC O ELP3	No	Emergency lighting 3 hours duration Pro version	3 hour(s)
910925867007	RC340B 42S/940 DIA W60L60 VPC O ELP3	No	Emergency lighting 3 hours duration Pro version	3 hour(s)
910925867012	RC340B 42S/940 DIA W60L60 VPC O ELD3	No	Emergency lighting 3 hours duration with DALI interface	3 hour(s)
910925867061	RC340B 36S/940 PSE W60L60 VPC O SC	-	-	-
910925867062	RC340B 36S/940 DEIA W60L60 VPC O SC	Yes	DC operated central emergency lighting	-
910925868919	RC340B 42S/940 SEIA W30L120 VPC PCS U4W3	-	-	-
910925868923	RC342B 36S/940 SEIA W31L125 VPC PCS U4	-	-	-
910925868926	RC342B 42S/940 SEIA W31L125 VPC PCS U4	-	-	-
910925866969	RC340B 36S/940 DEIA W60L60 VPC MLO	Yes	DC operated central emergency lighting	-
910925867023	RC340B 42S/930 DEIA W60L60 CPC MLO W3W2	Yes	DC operated central emergency lighting	-
910925867028	RC340B 42S/940 DEIA W60L60 CPC MLO W3W2	Yes	DC operated central emergency lighting	-
910925867036	RC340B 42S/940 DEIA W60L60 CPC PCS W3W2	Yes	DC operated central emergency lighting	-
910925867040	RC340B 42S/930 DEIA W60L60 CPC PCS W3W2	Yes	DC operated central emergency lighting	-
910925867046	RC340B 36S/940 PSE W60L60 CPC MLO	-	-	-
910925867047	RC340B 42S/940 PSE W60L60 CPC MLO	-	-	-
910925867048	RC340B 42S/940 DEIA W60L60 CPC MLO	Yes	DC operated central emergency lighting	-
910925867167	RC342B 42S/940 DEIA W62L62 CPC PCS	Yes	DC operated central emergency lighting	-
910925867068	RC340B 42S/930 DEIA W30L120 CPC PCS W3W2	Yes	DC operated central emergency lighting	-
910925866967	RC340B 36S/940 DEIA W60L60 VPC O	Yes	DC operated central	-

Order Code	Full Product Name	Central Emergency	Emergency lighting	Rated duration of the emergency lighting (when fully charged)
			emergency lighting	
910925866972	RC340B 36S/940 PSE W60L60 VPC PCS	-	-	-
910925866973	RC340B 36S/940 DEIA W60L60 VPC PCS	Yes	DC operated central emergency lighting	-
910925866977	RC340B 36S/940 DEIA W60L60 CPC MLO	Yes	DC operated central emergency lighting	-
910925866990	RC340B 36S/940 PSU W60L60 VPC PCS ELP3	No	Emergency lighting 3 hours duration Pro version	3 hour(s)
910925866991	RC340B 36S/940 DIA W60L60 VPC PCS ELP3	No	Emergency lighting 3 hours duration Pro version	3 hour(s)
910925866997	RC340B 36S/940 DIA W60L60 VPC PCS ELD3	No	Emergency lighting 3 hours duration with DALI interface	3 hour(s)
910925867003	RC340B 42S/940 PSE W60L60 VPC PCS	-	-	-
910925867004	RC340B 42S/940 DEIA W60L60 VPC PCS	Yes	DC operated central emergency lighting	-
910925867008	RC340B 42S/940 PSU W60L60 VPC PCS ELP3	No	Emergency lighting 3 hours duration Pro version	3 hour(s)
910925867009	RC340B 42S/940 DIA W60L60 VPC PCS ELP3	No	Emergency lighting 3 hours duration Pro version	3 hour(s)
910925867034	RC340B 42S/930 DEIA W60L60 VPC PCS W3W2	Yes	DC operated central emergency lighting	-
910925867035	RC340B 42S/940 DEIA W60L60 VPC PCS W3W2	Yes	DC operated central	-

Order Code	Full Product Name	Central Emergency	Emergency lighting	Rated duration of the emergency lighting (when fully charged)
			emergency lighting	
910925867044	RC340B 36S/940 PSE W60L60 CPC PCS PIP	-	-	-
910925867045	RC340B 36S/940 DEIA W60L60 CPC PCS	Yes	DC operated central emergency lighting	-
910925867049	RC340B 42S/940 PSE W60L60 CPC PCS	-	-	-
910925867050	RC340B 42S/940 DEIA W60L60 CPC PCS	Yes	DC operated central emergency lighting	-
910925867065	RC340B 36S/940 PSE W60L60 VPC PCS SC	-	-	-
910925867066	RC340B 36S/940 DEIA W60L60 VPC PCS SC	Yes	DC operated central emergency lighting	-
910925866966	RC340B 36S/940 PSE W60L60 VPC O	-	-	-
910925866980	RC342B 36S/940 PSE W62L62 VPC MLO	-	-	-
910925866988	RC340B 36S/940 PSU W60L60 VPC MLO ELP3	No	Emergency lighting 3 hours duration Pro version	3 hour(s)
910925866989	RC340B 36S/940 DIA W60L60 VPC MLO ELP3	No	Emergency lighting 3 hours duration Pro version	3 hour(s)
910925866993	RC340B 36S/940 DIA W60L60 VPC O ELD3	No	Emergency lighting 3 hours duration with DALI interface	3 hour(s)
910925866995	RC340B 36S/940 DIA W60L60 VPC MLO ELD3	No	Emergency lighting 3 hours duration with DALI interface	3 hour(s)
910925866999	RC340B 42S/940 DEIA W60L60 VPC MLO	Yes	DC operated central emergency lighting	-

Order Code	Full Product Name	Central Emergency	Emergency lighting	Rated duration of the emergency lighting (when fully charged)
910925867010	RC340B 42S/940 DIA W60L60 VPC MLO ELD3	No	Emergency lighting 3 hours duration with DALI interface	3 hour(s)
910925867013	RC340B 42S/930 DEIA W60L60 VPC MLO W3W2	Yes	DC operated central emergency lighting	-
910925867027	RC340B 42S/940 DEIA W60L60 VPC MLO W3W2	Yes	DC operated central emergency lighting	-
910925867043	RC340B 42S/940 PSE W60L60 VPC MLO	-	-	-
910925867063	RC340B 36S/940 PSE W60L60 VPC MLO SC	-	-	-
910925867064	RC340B 36S/940 DEIA W60L60 VPC MLO SC	Yes	DC operated central emergency lighting	-
910925866970	RC340B 36S/940 POE W60L60 VPC MLO	-	-	-
910925867014	RC340B 42S/940 DIA W60L60 VPC PCS ELD3	No	Emergency lighting 3 hours duration with DALI interface	3 hour(s)
910925867025	RC340B 42S/930 DEIA W60L60 PCV MLO W3W2	Yes	DC operated central emergency lighting	-
910925867029	RC340B 42S/940 DEIA W60L60 PCV MLO W3W2	Yes	DC operated central emergency lighting	-
910925867037	RC340B 42S/940 DEIA W60L60 PCV PCS W3W2	Yes	DC operated central emergency lighting	-
910925867041	RC340B 42S/930 DEIA W60L60 PCV PCS W3W2	Yes	DC operated central emergency lighting	-
910925867168	RC340B 36S/940 DEIA W60L60 PCV PCS	Yes	DC operated central emergency lighting	-
910925867221	RC340B 36S/940 POE W60L60 VPC MLO U0	-	-	-
910925867224	RC340B 36S/940 POE W60L60 VPC PCS U0	-	-	-
910925866968	RC340B 36S/940 PSE W60L60 VPC MLO PIP	-	-	-
910925866978	RC340B 36S/940 DEIA W60L60 PCV MLO	Yes	DC operated central emergency lighting	-
910925866981	RC342B 36S/940 DEIA W62L62 VPC MLO	Yes	DC operated central emergency lighting	-
910925867145	RC342B 28S/940 DEIA W62L62 VPC MLO	Yes	DC operated central emergency lighting	-
910925867158	RC342B 28S/940 DEIA W62L62 VPC PCS	Yes	DC operated central emergency lighting	-
910925867159	RC342B 36S/940 DEIA W62L62 VPC PCS	Yes	DC operated central emergency lighting	-
910925867160	RC342B 42S/940 DEIA W62L62 VPC PCS	Yes	DC operated central emergency lighting	-
910925867174	RC342B 28S/940 DEIA W62L62 VPC O	Yes	DC operated central emergency lighting	-
910925867175	RC342B 36S/940 DEIA W62L62 VPC O	Yes	DC operated central emergency lighting	-
910925867176	RC342B 42S/940 DEIA W62L62 VPC O	Yes	DC operated central emergency lighting	-

Approval and Application

Order Code	Full Product Name	Glow-wire test
910925867015	RC340B 36S/940 PSE W15L120 VPC MLO	Temperature 650 °C, duration 30 s
910925867016	RC340B 36S/940 DEIA W15L120 VPC MLO	Temperature 650 °C, duration 30 s
910925867017	RC340B 42S/940 PSE W15L120 VPC MLO	Temperature 650 °C, duration 30 s
910925867018	RC340B 42S/940 DEIA W15L120 VPC MLO	Temperature 650 °C, duration 30 s
910925867019	RC340B 36S/940 PSU W15L120 VPC MLO ELP3	Temperature 650 °C, duration 30 s
910925867020	RC340B 36S/940 DIA W15L120 VPC MLO ELP3	Temperature 650 °C, duration 30 s
910925867021	RC340B 42S/940 PSU W15L120 VPC MLO ELP3	Temperature 650 °C, duration 30 s
910925867022	RC340B 42S/940 DIA W15L120 VPC MLO ELP3	Temperature 650 °C, duration 30 s
910925867024	RC340B 36S/940 DIA W15L120 VPC MLO ELD3	Temperature 650 °C, duration 30 s
910925867026	RC340B 42S/940 DIA W15L120 VPC MLO ELD3	Temperature 650 °C, duration 30 s
910925867149	RC342B 28S/940 DEIA W15L125 VPC MLO	Temperature 650 °C, duration 30 s
910925867150	RC342B 36S/940 DEIA W15L125 VPC MLO	Temperature 650 °C, duration 30 s
910925867153	RC342B 36S/940 DEIA W17L125 PCV MLO	Temperature 650 °C, duration 30 s
910925867164	RC342B 28S/940 DEIA W15L125 VPC PCS	Temperature 850 °C, duration 30 s
910925867165	RC342B 36S/940 DEIA W15L125 VPC PCS	Temperature 850 °C, duration 30 s
910925867166	RC342B 42S/940 DEIA W15L125 VPC PCS	Temperature 850 °C, duration 30 s
910925867169	RC342B 36S/940 DEIA W17L125 PCV PCS	Temperature 850 °C, duration 30 s
910925867180	RC342B 28S/940 DEIA W15L125 VPC O	Temperature 850 °C, duration 30 s
910925867181	RC342B 36S/940 DEIA W15L125 VPC O	Temperature 850 °C, duration 30 s
910925867182	RC342B 42S/940 DEIA W15L125 VPC O	Temperature 850 °C, duration 30 s
910925866979	RC340B 36S/940 DEIA W30L120 VPC MLO	Temperature 650 °C, duration 30 s
910925866982	RC342B 36S/940 PSE W31L125 VPC MLO	Temperature 650 °C, duration 30 s
910925866983	RC342B 36S/940 DEIA W31L125 VPC MLO	Temperature 650 °C, duration 30 s
910925867030	RC340B 42S/940 DEIA W30L120 VPC MLO W3W2	Temperature 650 °C, duration 30 s
910925867031	RC340B 42S/940 DEIA W30L120 CPC MLO W3W2	Temperature 650 °C, duration 30 s
910925867032	RC340B 42S/930 DEIA W30L120 VPC MLO W3W2	Temperature 650 °C, duration 30 s
910925867033	RC340B 42S/930 DEIA W30L120 CPC MLO W3W2	Temperature 650 °C, duration 30 s
910925867038	RC340B 42S/940 DEIA W30L120 VPC PCS W3W2	Temperature 850 °C, duration 30 s
910925867039	RC340B 42S/940 DEIA W30L120 CPC PCS W3W2	Temperature 850 °C, duration 30 s
910925867042	RC340B 42S/930 DEIA W30L120 VPC PCS W3W2	Temperature 850 °C, duration 30 s
910925867147	RC342B 28S/940 DEIA W31L125 VPC MLO	Temperature 650 °C, duration 30 s
910925867161	RC342B 28S/940 DEIA W31L125 VPC PCS	Temperature 850 °C, duration 30 s
910925867162	RC342B 36S/940 DEIA W31L125 VPC PCS	Temperature 850 °C, duration 30 s
910925867163	RC342B 42S/940 DEIA W31L125 VPC PCS	Temperature 850 °C, duration 30 s
910925867177	RC342B 28S/940 DEIA W31L125 VPC O	Temperature 850 °C, duration 30 s
910925867178	RC342B 36S/940 DEIA W31L125 VPC O	Temperature 850 °C, duration 30 s
910925867179	RC342B 42S/940 DEIA W31L125 VPC O	Temperature 850 °C, duration 30 s
910925868910	RC340B 36S/930 SRD W60L60 VPC MLO U4	Temperature 650 °C, duration 30 s
910925868911	RC340B 36S/930 SRD W60L60 VPC MLO U4	Temperature 650 °C, duration 30 s
910925868912	RC340B 36S/930 SEIA W60L60 VPC PCS U4	Temperature 850 °C, duration 30 s
910925868913	RC340B 36S/930 SEIA W60L60 VPC PCS U4 SC	Temperature 850 °C, duration 30 s
910925868914	RC340B 36S/940 SEIA W60L60 VPC MLO U4	Temperature 650 °C, duration 30 s
910925868915	RC340B 36S/940 SEIA W60L60 VPC MLO U4 SC	Temperature 650 °C, duration 30 s
910925868916	RC340B 36S/940 SEIA W60L60 VPC PCS U4	Temperature 850 °C, duration 30 s
910925868917	RC340B 36S/940 SEIA W60L60 VPC PCS U4 SC	Temperature 850 °C, duration 30 s
910925868918	RC340B 36S/940 SEIA W60L60 VPC PCS U4 W3	Temperature 850 °C, duration 30 s
910925868920	RC340B 42S/940 SEIA W60L60 VPC PCS U4 W3	Temperature 850 °C, duration 30 s
910925868921	RC342B 28S/940 SEIA W62L62 VPC MLO U4	Temperature 650 °C, duration 30 s
910925868922	RC342B 28S/940 SEIA W62L62 VPC PCS U4	Temperature 850 °C, duration 30 s
910925868924	RC342B 36S/940 SEIA W62L62 VPC MLO U4	Temperature 650 °C, duration 30 s

FlexBlend Recessed

Order Code	Full Product Name	Glow-wire test
910925868925	RC342B 36S/940 SEIA W62L62 VPC PCS U4	Temperature 850 °C, duration 30 s
910925868927	RC342B 42S/940 SEIA W62L62 VPC MLO U4	Temperature 650 °C, duration 30 s
910925868928	RC342B 42S/940 SEIA W62L62 VPC PCS U4	Temperature 850 °C, duration 30 s
910925866986	RC340B 36S/940 PSU W60L60 VPC O ELP3	Temperature 850 °C, duration 30 s
910925866987	RC340B 36S/940 DIA W60L60 VPC O ELP3	Temperature 850 °C, duration 30 s
910925867001	RC340B 42S/940 PSE W60L60 VPC O	Temperature 850 °C, duration 30 s
910925867002	RC340B 42S/940 DEIA W60L60 VPC O	Temperature 850 °C, duration 30 s
910925867006	RC340B 42S/940 PSU W60L60 VPC O ELP3	Temperature 850 °C, duration 30 s
910925867007	RC340B 42S/940 DIA W60L60 VPC O ELP3	Temperature 850 °C, duration 30 s
910925867012	RC340B 42S/940 DIA W60L60 VPC O ELD3	Temperature 850 °C, duration 30 s
910925867061	RC340B 36S/940 PSE W60L60 VPC O SC	Temperature 850 °C, duration 30 s
910925867062	RC340B 36S/940 DEIA W60L60 VPC O SC	Temperature 850 °C, duration 30 s
910925868919	RC340B 42S/940 SEIA W30L120 VPC PCS U4W3	Temperature 850 °C, duration 30 s
910925868923	RC342B 36S/940 SEIA W31L125 VPC PCS U4	Temperature 850 °C, duration 30 s
910925868926	RC342B 42S/940 SEIA W31L125 VPC PCS U4	Temperature 850 °C, duration 30 s
910925866969	RC340B 36S/940 DEIA W60L60 VPC MLO	Temperature 650 °C, duration 30 s
910925867023	RC340B 42S/930 DEIA W60L60 CPC MLO W3W2	Temperature 650 °C, duration 30 s
910925867028	RC340B 42S/940 DEIA W60L60 CPC MLO W3W2	Temperature 650 °C, duration 30 s
910925867036	RC340B 42S/940 DEIA W60L60 CPC PCS W3W2	Temperature 850 °C, duration 30 s
910925867040	RC340B 42S/930 DEIA W60L60 CPC PCS W3W2	Temperature 850 °C, duration 30 s
910925867046	RC340B 36S/940 PSE W60L60 CPC MLO	Temperature 650 °C, duration 30 s
910925867047	RC340B 42S/940 PSE W60L60 CPC MLO	Temperature 650 °C, duration 30 s
910925867048	RC340B 42S/940 DEIA W60L60 CPC MLO	Temperature 650 °C, duration 30 s
910925867167	RC342B 42S/940 DEIA W62L62 CPC PCS	Temperature 850 °C, duration 30 s
910925867068	RC340B 42S/930 DEIA W30L120 CPC PCS W3W2	Temperature 850 °C, duration 30 s
910925866967	RC340B 36S/940 DEIA W60L60 VPC O	Temperature 850 °C, duration 30 s

Order Code	Full Product Name	Glow-wire test
910925866972	RC340B 36S/940 PSE W60L60 VPC PCS	Temperature 850 °C, duration 30 s
910925866973	RC340B 36S/940 DEIA W60L60 VPC PCS	Temperature 850 °C, duration 30 s
910925866977	RC340B 36S/940 DEIA W60L60 CPC MLO	Temperature 650 °C, duration 30 s
910925866990	RC340B 36S/940 PSU W60L60 VPC PCS ELP3	Temperature 850 °C, duration 30 s
910925866991	RC340B 36S/940 DIA W60L60 VPC PCS ELP3	Temperature 850 °C, duration 30 s
910925866997	RC340B 36S/940 DIA W60L60 VPC PCS ELD3	Temperature 850 °C, duration 30 s
910925867003	RC340B 42S/940 PSE W60L60 VPC PCS	Temperature 850 °C, duration 30 s
910925867004	RC340B 42S/940 DEIA W60L60 VPC PCS	Temperature 850 °C, duration 30 s
910925867008	RC340B 42S/940 PSU W60L60 VPC PCS ELP3	Temperature 850 °C, duration 30 s
910925867009	RC340B 42S/940 DIA W60L60 VPC PCS ELP3	Temperature 850 °C, duration 30 s
910925867034	RC340B 42S/930 DEIA W60L60 VPC PCS W3W2	Temperature 850 °C, duration 30 s
910925867035	RC340B 42S/940 DEIA W60L60 VPC PCS W3W2	Temperature 850 °C, duration 30 s
910925867044	RC340B 36S/940 PSE W60L60 CPC PCS PIP	Temperature 850 °C, duration 30 s
910925867045	RC340B 36S/940 DEIA W60L60 CPC PCS	Temperature 850 °C, duration 30 s
910925867049	RC340B 42S/940 PSE W60L60 CPC PCS	Temperature 850 °C, duration 30 s
910925867050	RC340B 42S/940 DEIA W60L60 CPC PCS	Temperature 850 °C, duration 30 s
910925867065	RC340B 36S/940 PSE W60L60 VPC PCS SC	Temperature 850 °C, duration 30 s
910925867066	RC340B 36S/940 DEIA W60L60 VPC PCS SC	Temperature 850 °C, duration 30 s
910925866966	RC340B 36S/940 PSE W60L60 VPC O	Temperature 850 °C, duration 30 s
910925866980	RC342B 36S/940 PSE W62L62 VPC MLO	Temperature 650 °C, duration 30 s
910925866988	RC340B 36S/940 PSU W60L60 VPC MLO ELP3	Temperature 650 °C, duration 30 s
910925866989	RC340B 36S/940 DIA W60L60 VPC MLO ELP3	Temperature 650 °C, duration 30 s
910925866993	RC340B 36S/940 DIA W60L60 VPC O ELD3	Temperature 850 °C, duration 30 s
910925866995	RC340B 36S/940 DIA W60L60 VPC MLO ELD3	Temperature 650 °C, duration 30 s
910925866999	RC340B 42S/940 DEIA W60L60 VPC MLO	Temperature 650 °C, duration 30 s
910925867010	RC340B 42S/940 DIA W60L60 VPC MLO ELD3	Temperature 650 °C, duration 30 s

Order Code	Full Product Name	Glow-wire test
910925867013	RC340B 42S/930 DEIA W60L60 VPC MLO W3W2	Temperature 650 °C, duration 30 s
910925867027	RC340B 42S/940 DEIA W60L60 VPC MLO W3W2	Temperature 650 °C, duration 30 s
910925867043	RC340B 42S/940 PSE W60L60 VPC MLO	Temperature 650 °C, duration 30 s
910925867063	RC340B 36S/940 PSE W60L60 VPC MLO SC	Temperature 650 °C, duration 30 s
910925867064	RC340B 36S/940 DEIA W60L60 VPC MLO SC	Temperature 650 °C, duration 30 s
910925866970	RC340B 36S/940 POE W60L60 VPC MLO	Temperature 650 °C, duration 30 s
910925867014	RC340B 42S/940 DIA W60L60 VPC PCS ELD3	Temperature 850 °C, duration 30 s
910925867025	RC340B 42S/930 DEIA W60L60 PCV MLO W3W2	Temperature 650 °C, duration 30 s
910925867029	RC340B 42S/940 DEIA W60L60 PCV MLO W3W2	Temperature 650 °C, duration 30 s
910925867037	RC340B 42S/940 DEIA W60L60 PCV PCS W3W2	Temperature 850 °C, duration 30 s
910925867041	RC340B 42S/930 DEIA W60L60 PCV PCS W3W2	Temperature 850 °C, duration 30 s
910925867168	RC340B 36S/940 DEIA W60L60 PCV PCS	Temperature 850 °C, duration 30 s

Order Code	Full Product Name	Glow-wire test
910925867221	RC340B 36S/940 POE W60L60 VPC MLO U0	Temperature 650 °C, duration 30 s
910925867224	RC340B 36S/940 POE W60L60 VPC PCS U0	Temperature 850 °C, duration 30 s
910925866968	RC340B 36S/940 PSE W60L60 VPC MLO PIP	Temperature 650 °C, duration 30 s
910925866978	RC340B 36S/940 DEIA W60L60 PCV MLO	Temperature 650 °C, duration 30 s
910925866981	RC342B 36S/940 DEIA W62L62 VPC MLO	Temperature 650 °C, duration 30 s
910925867145	RC342B 28S/940 DEIA W62L62 VPC MLO	Temperature 650 °C, duration 30 s
910925867158	RC342B 28S/940 DEIA W62L62 VPC PCS	Temperature 850 °C, duration 30 s
910925867159	RC342B 36S/940 DEIA W62L62 VPC PCS	Temperature 850 °C, duration 30 s
910925867160	RC342B 42S/940 DEIA W62L62 VPC PCS	Temperature 850 °C, duration 30 s
910925867174	RC342B 28S/940 DEIA W62L62 VPC O	Temperature 850 °C, duration 30 s
910925867175	RC342B 36S/940 DEIA W62L62 VPC O	Temperature 850 °C, duration 30 s
910925867176	RC342B 42S/940 DEIA W62L62 VPC O	Temperature 850 °C, duration 30 s

Over Time Performance (IEC Compliant)

Order Code	Full Product Name	Driver failure rate at 5000 h
910925867015	RC340B 36S/940 PSE W15L120 VPC MLO	0.01 %
910925867016	RC340B 36S/940 DEIA W15L120 VPC MLO	0.01 %
910925867017	RC340B 42S/940 PSE W15L120 VPC MLO	0.01 %
910925867018	RC340B 42S/940 DEIA W15L120 VPC MLO	0.01 %
910925867019	RC340B 36S/940 PSU W15L120 VPC MLO ELP3	0.01 %
910925867020	RC340B 36S/940 DIA W15L120 VPC MLO ELP3	0.01 %
910925867021	RC340B 42S/940 PSU W15L120 VPC MLO ELP3	0.01 %
910925867022	RC340B 42S/940 DIA W15L120 VPC MLO ELP3	0.01 %
910925867024	RC340B 36S/940 DIA W15L120 VPC MLO ELD3	0.01 %
910925867026	RC340B 42S/940 DIA W15L120 VPC MLO ELD3	0.01 %
910925867149	RC342B 28S/940 DEIA W15L125 VPC MLO	-
910925867150	RC342B 36S/940 DEIA W15L125 VPC MLO	-
910925867153	RC342B 36S/940 DEIA W17L125 PCV MLO	-
910925867164	RC342B 28S/940 DEIA W15L125 VPC PCS	-
910925867165	RC342B 36S/940 DEIA W15L125 VPC PCS	-
910925867166	RC342B 42S/940 DEIA W15L125 VPC PCS	-
910925867169	RC342B 36S/940 DEIA W17L125 PCV PCS	-
910925867180	RC342B 28S/940 DEIA W15L125 VPC O	-
910925867181	RC342B 36S/940 DEIA W15L125 VPC O	-
910925867182	RC342B 42S/940 DEIA W15L125 VPC O	-
910925866979	RC340B 36S/940 DEIA W30L120 VPC MLO	0.01 %
910925866982	RC342B 36S/940 PSE W31L125 VPC MLO	0.01 %
910925866983	RC342B 36S/940 DEIA W31L125 VPC MLO	0.01 %

Order Code	Full Product Name	Driver failure rate at 5000 h
910925867030	RC340B 42S/940 DEIA W30L120 VPC MLO W3W2	0.01 %
910925867031	RC340B 42S/940 DEIA W30L120 CPC MLO W3W2	0.01 %
910925867032	RC340B 42S/930 DEIA W30L120 VPC MLO W3W2	0.01 %
910925867033	RC340B 42S/930 DEIA W30L120 CPC MLO W3W2	0.01 %
910925867038	RC340B 42S/940 DEIA W30L120 VPC PCS W3W2	0.01 %
910925867039	RC340B 42S/940 DEIA W30L120 CPC PCS W3W2	0.01 %
910925867042	RC340B 42S/930 DEIA W30L120 VPC PCS W3W2	0.01 %
910925867147	RC342B 28S/940 DEIA W31L125 VPC MLO	-
910925867161	RC342B 28S/940 DEIA W31L125 VPC PCS	-
910925867162	RC342B 36S/940 DEIA W31L125 VPC PCS	-
910925867163	RC342B 42S/940 DEIA W31L125 VPC PCS	-
910925867177	RC342B 28S/940 DEIA W31L125 VPC O	-
910925867178	RC342B 36S/940 DEIA W31L125 VPC O	-
910925867179	RC342B 42S/940 DEIA W31L125 VPC O	-
910925868910	RC340B 36S/930 SRD W60L60 VPC MLO U4	-
910925868911	RC340B 36S/930 SRD W60L60 VPC MLO U4	-
910925868912	RC340B 36S/930 SEIA W60L60 VPC PCS U4	-
910925868913	RC340B 36S/930 SEIA W60L60 VPC PCS U4 SC	-
910925868914	RC340B 36S/940 SEIA W60L60 VPC MLO U4	-
910925868915	RC340B 36S/940 SEIA W60L60 VPC MLO U4 SC	-
910925868916	RC340B 36S/940 SEIA W60L60 VPC PCS U4	-
910925868917	RC340B 36S/940 SEIA W60L60 VPC PCS U4 SC	-
910925868918	RC340B 36S/940 SEIA W60L60 VPC PCS U4 W3	-

Order Code	Full Product Name	Driver failure rate at 5000 h
910925868920	RC340B 42S/940 SEIA W60L60 VPC PCS U4 W3	-
910925868921	RC342B 28S/940 SEIA W62L62 VPC MLO U4	-
910925868922	RC342B 28S/940 SEIA W62L62 VPC PCS U4	-
910925868924	RC342B 36S/940 SEIA W62L62 VPC MLO U4	-
910925868925	RC342B 36S/940 SEIA W62L62 VPC PCS U4	-
910925868927	RC342B 42S/940 SEIA W62L62 VPC MLO U4	-
910925868928	RC342B 42S/940 SEIA W62L62 VPC PCS U4	-
910925866986	RC340B 36S/940 PSU W60L60 VPC O ELP3	0.01 %
910925866987	RC340B 36S/940 DIA W60L60 VPC O ELP3	0.01 %
910925867001	RC340B 42S/940 PSE W60L60 VPC O	0.01 %
910925867002	RC340B 42S/940 DEIA W60L60 VPC O	0.01 %
910925867006	RC340B 42S/940 PSU W60L60 VPC O ELP3	0.01 %
910925867007	RC340B 42S/940 DIA W60L60 VPC O ELP3	0.01 %
910925867012	RC340B 42S/940 DIA W60L60 VPC O ELD3	0.01 %
910925867061	RC340B 36S/940 PSE W60L60 VPC O SC	0.01 %
910925867062	RC340B 36S/940 DEIA W60L60 VPC O SC	0.01 %
910925868919	RC340B 42S/940 SEIA W30L120 VPC PCS U4W3	-
910925868923	RC342B 36S/940 SEIA W31L125 VPC PCS U4	-
910925868926	RC342B 42S/940 SEIA W31L125 VPC PCS U4	-
910925866969	RC340B 36S/940 DEIA W60L60 VPC MLO	0.01 %
910925867023	RC340B 42S/930 DEIA W60L60 CPC MLO W3W2	0.01 %
910925867028	RC340B 42S/940 DEIA W60L60 CPC MLO W3W2	0.01 %
910925867036	RC340B 42S/940 DEIA W60L60 CPC PCS W3W2	0.01 %
910925867040	RC340B 42S/930 DEIA W60L60 CPC PCS W3W2	0.01 %
910925867046	RC340B 36S/940 PSE W60L60 CPC MLO	0.01 %
910925867047	RC340B 42S/940 PSE W60L60 CPC MLO	0.01 %
910925867048	RC340B 42S/940 DEIA W60L60 CPC MLO	0.01 %
910925867167	RC342B 42S/940 DEIA W62L62 CPC PCS	-
910925867068	RC340B 42S/930 DEIA W30L120 CPC PCS W3W2	0.01 %
910925866967	RC340B 36S/940 DEIA W60L60 VPC O	0.01 %
910925866972	RC340B 36S/940 PSE W60L60 VPC PCS	0.01 %
910925866973	RC340B 36S/940 DEIA W60L60 VPC PCS	0.01 %
910925866977	RC340B 36S/940 DEIA W60L60 CPC MLO	0.01 %
910925866990	RC340B 36S/940 PSU W60L60 VPC PCS ELP3	0.01 %
910925866991	RC340B 36S/940 DIA W60L60 VPC PCS ELP3	0.01 %
910925866997	RC340B 36S/940 DIA W60L60 VPC PCS ELD3	0.01 %
910925867003	RC340B 42S/940 PSE W60L60 VPC PCS	0.01 %
910925867004	RC340B 42S/940 DEIA W60L60 VPC PCS	0.01 %
910925867008	RC340B 42S/940 PSU W60L60 VPC PCS ELP3	0.01 %
910925867009	RC340B 42S/940 DIA W60L60 VPC PCS ELP3	0.01 %
910925867034	RC340B 42S/930 DEIA W60L60 VPC PCS W3W2	0.01 %
910925867035	RC340B 42S/940 DEIA W60L60 VPC PCS W3W2	0.01 %
910925867044	RC340B 36S/940 PSE W60L60 CPC PCS PIP	0.01 %
910925867045	RC340B 36S/940 DEIA W60L60 CPC PCS	0.01 %
910925867049	RC340B 42S/940 PSE W60L60 CPC PCS	0.01 %
910925867050	RC340B 42S/940 DEIA W60L60 CPC PCS	0.01 %
910925867065	RC340B 36S/940 PSE W60L60 VPC PCS SC	0.01 %
910925867066	RC340B 36S/940 DEIA W60L60 VPC PCS SC	0.01 %
910925866966	RC340B 36S/940 PSE W60L60 VPC O	0.01 %
910925866980	RC342B 36S/940 PSE W62L62 VPC MLO	0.01 %
910925866988	RC340B 36S/940 PSU W60L60 VPC MLO ELP3	0.01 %
910925866989	RC340B 36S/940 DIA W60L60 VPC MLO ELP3	0.01 %
910925866993	RC340B 36S/940 DIA W60L60 VPC O ELD3	0.01 %
910925866995	RC340B 36S/940 DIA W60L60 VPC MLO ELD3	0.01 %
910925866999	RC340B 42S/940 DEIA W60L60 VPC MLO	0.01 %
910925867010	RC340B 42S/940 DIA W60L60 VPC MLO ELD3	0.01 %
910925867013	RC340B 42S/930 DEIA W60L60 VPC MLO W3W2	0.01 %
910925867027	RC340B 42S/940 DEIA W60L60 VPC MLO W3W2	0.01 %
910925867043	RC340B 42S/940 PSE W60L60 VPC MLO	0.01 %
910925867063	RC340B 36S/940 PSE W60L60 VPC MLO SC	0.01 %
910925867064	RC340B 36S/940 DEIA W60L60 VPC MLO SC	0.01 %
910925866970	RC340B 36S/940 POE W60L60 VPC MLO	0.01 %
910925867014	RC340B 42S/940 DIA W60L60 VPC PCS ELD3	0.01 %
910925867025	RC340B 42S/930 DEIA W60L60 PCV MLO W3W2	0.01 %
910925867029	RC340B 42S/940 DEIA W60L60 PCV MLO W3W2	0.01 %
910925867037	RC340B 42S/940 DEIA W60L60 PCV PCS W3W2	0.01 %
910925867041	RC340B 42S/930 DEIA W60L60 PCV PCS W3W2	0.01 %
910925867168	RC340B 36S/940 DEIA W60L60 PCV PCS	-
910925867221	RC340B 36S/940 POE W60L60 VPC MLO U0	-
910925867224	RC340B 36S/940 POE W60L60 VPC PCS U0	-
910925866968	RC340B 36S/940 PSE W60L60 VPC MLO PIP	0.01 %
910925866978	RC340B 36S/940 DEIA W60L60 PCV MLO	0.01 %
910925866981	RC342B 36S/940 DEIA W62L62 VPC MLO	0.01 %
910925867145	RC342B 28S/940 DEIA W62L62 VPC MLO	-
910925867158	RC342B 28S/940 DEIA W62L62 VPC PCS	-
910925867159	RC342B 36S/940 DEIA W62L62 VPC PCS	-
910925867160	RC342B 42S/940 DEIA W62L62 VPC PCS	-
910925867174	RC342B 28S/940 DEIA W62L62 VPC O	-
910925867175	RC342B 36S/940 DEIA W62L62 VPC O	-
910925867176	RC342B 42S/940 DEIA W62L62 VPC O	-

Product Data

Order Code	Full Product Name	Product family code
910925867015	RC340B 36S/940 PSE W15L120 VPC MLO	RC340B
910925867016	RC340B 36S/940 DEIA W15L120 VPC MLO	RC340B
910925867017	RC340B 42S/940 PSE W15L120 VPC MLO	RC340B
910925867018	RC340B 42S/940 DEIA W15L120 VPC MLO	RC340B
910925867019	RC340B 36S/940 PSU W15L120 VPC MLO ELP3	RC340B
910925867020	RC340B 36S/940 DIA W15L120 VPC MLO ELP3	RC340B
910925867021	RC340B 42S/940 PSU W15L120 VPC MLO ELP3	RC340B
910925867022	RC340B 42S/940 DIA W15L120 VPC MLO ELP3	RC340B
910925867024	RC340B 36S/940 DIA W15L120 VPC MLO ELD3	RC340B
910925867026	RC340B 42S/940 DIA W15L120 VPC MLO ELD3	RC340B
910925867149	RC342B 28S/940 DEIA W15L125 VPC MLO	RC342B
910925867150	RC342B 36S/940 DEIA W15L125 VPC MLO	RC342B

FlexBlend Recessed

Order Code	Full Product Name	Product family code
910925867153	RC342B 36S/940 DEIA W17L125 PCV MLO	RC342B
910925867164	RC342B 28S/940 DEIA W15L125 VPC PCS	RC342B
910925867165	RC342B 36S/940 DEIA W15L125 VPC PCS	RC342B
910925867166	RC342B 42S/940 DEIA W15L125 VPC PCS	RC342B
910925867169	RC342B 36S/940 DEIA W17L125 PCV PCS	RC342B
910925867180	RC342B 28S/940 DEIA W15L125 VPC O	RC342B
910925867181	RC342B 36S/940 DEIA W15L125 VPC O	RC342B
910925867182	RC342B 42S/940 DEIA W15L125 VPC O	RC342B
910925866979	RC340B 36S/940 DEIA W30L120 VPC MLO	RC340B
910925866982	RC342B 36S/940 PSE W31L125 VPC MLO	RC342B
910925866983	RC342B 36S/940 DEIA W31L125 VPC MLO	RC342B
910925867030	RC340B 42S/940 DEIA W30L120 VPC MLO W3W2	RC340B
910925867031	RC340B 42S/940 DEIA W30L120 CPC MLO W3W2	RC340B
910925867032	RC340B 42S/930 DEIA W30L120 VPC MLO W3W2	RC340B
910925867033	RC340B 42S/930 DEIA W30L120 CPC MLO W3W2	RC340B
910925867038	RC340B 42S/940 DEIA W30L120 VPC PCS W3W2	RC340B
910925867039	RC340B 42S/940 DEIA W30L120 CPC PCS W3W2	RC340B
910925867042	RC340B 42S/930 DEIA W30L120 VPC PCS W3W2	RC340B
910925867147	RC342B 28S/940 DEIA W31L125 VPC MLO	RC342B
910925867161	RC342B 28S/940 DEIA W31L125 VPC PCS	RC342B
910925867162	RC342B 36S/940 DEIA W31L125 VPC PCS	RC342B
910925867163	RC342B 42S/940 DEIA W31L125 VPC PCS	RC342B
910925867177	RC342B 28S/940 DEIA W31L125 VPC O	RC342B
910925867178	RC342B 36S/940 DEIA W31L125 VPC O	RC342B
910925867179	RC342B 42S/940 DEIA W31L125 VPC O	RC342B
910925868910	RC340B 36S/930 SRD W60L60 VPC MLO U4	RC340B
910925868911	RC340B 36S/930 SRD W60L60 VPC MLO U4	RC340B
910925868912	RC340B 36S/930 SEIA W60L60 VPC PCS U4	RC340B
910925868913	RC340B 36S/930 SEIA W60L60 VPC PCS U4 SC	RC340B
910925868914	RC340B 36S/940 SEIA W60L60 VPC MLO U4	RC340B
910925868915	RC340B 36S/940 SEIA W60L60 VPC MLO U4 SC	RC340B
910925868916	RC340B 36S/940 SEIA W60L60 VPC PCS U4	RC340B
910925868917	RC340B 36S/940 SEIA W60L60 VPC PCS U4 SC	RC340B
910925868918	RC340B 36S/940 SEIA W60L60 VPC PCS U4 W3	RC340B
910925868920	RC340B 42S/940 SEIA W60L60 VPC PCS U4 W3	RC340B
910925868921	RC342B 28S/940 SEIA W62L62 VPC MLO U4	RC342B
910925868922	RC342B 28S/940 SEIA W62L62 VPC PCS U4	RC342B
910925868924	RC342B 36S/940 SEIA W62L62 VPC MLO U4	RC342B
910925868925	RC342B 36S/940 SEIA W62L62 VPC PCS U4	RC342B
910925868927	RC342B 42S/940 SEIA W62L62 VPC MLO U4	RC342B
910925868928	RC342B 42S/940 SEIA W62L62 VPC PCS U4	RC342B
910925866986	RC340B 36S/940 PSU W60L60 VPC O ELP3	RC340B
910925866987	RC340B 36S/940 DIA W60L60 VPC O ELP3	RC340B
910925867001	RC340B 42S/940 PSE W60L60 VPC O	RC340B
910925867002	RC340B 42S/940 DEIA W60L60 VPC O	RC340B
910925867006	RC340B 42S/940 PSU W60L60 VPC O ELP3	RC340B
910925867007	RC340B 42S/940 DIA W60L60 VPC O ELP3	RC340B
910925867012	RC340B 42S/940 DIA W60L60 VPC O ELD3	RC340B
910925867061	RC340B 36S/940 PSE W60L60 VPC O SC	RC340B
910925867062	RC340B 36S/940 DEIA W60L60 VPC O SC	RC340B
910925868919	RC340B 42S/940 SEIA W30L120 VPC PCS U4W3	RC340B

Order Code	Full Product Name	Product family code
910925868923	RC342B 36S/940 SEIA W31L125 VPC PCS U4	RC342B
910925868926	RC342B 42S/940 SEIA W31L125 VPC PCS U4	RC342B
910925866969	RC340B 36S/940 DEIA W60L60 VPC MLO	RC340B
910925867023	RC340B 42S/930 DEIA W60L60 CPC MLO W3W2	RC340B
910925867028	RC340B 42S/940 DEIA W60L60 CPC MLO W3W2	RC340B
910925867036	RC340B 42S/940 DEIA W60L60 CPC PCS W3W2	RC340B
910925867040	RC340B 42S/930 DEIA W60L60 CPC PCS W3W2	RC340B
910925867046	RC340B 36S/940 PSE W60L60 CPC MLO	RC340B
910925867047	RC340B 42S/940 PSE W60L60 CPC MLO	RC340B
910925867048	RC340B 42S/940 DEIA W60L60 CPC MLO	RC340B
910925867167	RC342B 42S/940 DEIA W62L62 CPC PCS	RC342B
910925867068	RC340B 42S/930 DEIA W30L120 CPC PCS W3W2	RC340B
910925866967	RC340B 36S/940 DEIA W60L60 VPC O	RC340B
910925866972	RC340B 36S/940 PSE W60L60 VPC PCS	RC340B
910925866973	RC340B 36S/940 DEIA W60L60 VPC PCS	RC340B
910925866977	RC340B 36S/940 DEIA W60L60 CPC MLO	RC340B
910925866990	RC340B 36S/940 PSU W60L60 VPC PCS ELP3	RC340B
910925866991	RC340B 36S/940 DIA W60L60 VPC PCS ELP3	RC340B
910925866997	RC340B 36S/940 DIA W60L60 VPC PCS ELD3	RC340B
910925867003	RC340B 42S/940 PSE W60L60 VPC PCS	RC340B
910925867004	RC340B 42S/940 DEIA W60L60 VPC PCS	RC340B
910925867008	RC340B 42S/940 PSU W60L60 VPC PCS ELP3	RC340B
910925867009	RC340B 42S/940 DIA W60L60 VPC PCS ELP3	RC340B
910925867034	RC340B 42S/930 DEIA W60L60 VPC PCS W3W2	RC340B
910925867035	RC340B 42S/940 DEIA W60L60 VPC PCS W3W2	RC340B
910925867044	RC340B 36S/940 PSE W60L60 CPC PCS PIP	RC340B
910925867045	RC340B 36S/940 DEIA W60L60 CPC PCS	RC340B
910925867049	RC340B 42S/940 PSE W60L60 CPC PCS	RC340B
910925867050	RC340B 42S/940 DEIA W60L60 CPC PCS	RC340B
910925867065	RC340B 36S/940 PSE W60L60 VPC PCS SC	RC340B
910925867066	RC340B 36S/940 DEIA W60L60 VPC PCS SC	RC340B
910925866966	RC340B 36S/940 PSE W60L60 VPC O	RC340B
910925866980	RC342B 36S/940 PSE W62L62 VPC MLO	RC342B
910925866988	RC340B 36S/940 PSU W60L60 VPC MLO ELP3	RC340B
910925866989	RC340B 36S/940 DIA W60L60 VPC MLO ELP3	RC340B
910925866993	RC340B 36S/940 DIA W60L60 VPC O ELD3	RC340B
910925866995	RC340B 36S/940 DIA W60L60 VPC MLO ELD3	RC340B
910925866999	RC340B 42S/940 DEIA W60L60 VPC MLO	RC340B
910925867010	RC340B 42S/940 DIA W60L60 VPC MLO ELD3	RC340B
910925867013	RC340B 42S/930 DEIA W60L60 VPC MLO W3W2	RC340B
910925867027	RC340B 42S/940 DEIA W60L60 VPC MLO W3W2	RC340B
910925867043	RC340B 42S/940 PSE W60L60 VPC MLO	RC340B
910925867063	RC340B 36S/940 PSE W60L60 VPC MLO SC	RC340B
910925867064	RC340B 36S/940 DEIA W60L60 VPC MLO SC	RC340B
910925866970	RC340B 36S/940 POE W60L60 VPC MLO	RC340B
910925867014	RC340B 42S/940 DIA W60L60 VPC PCS ELD3	RC340B
910925867025	RC340B 42S/930 DEIA W60L60 PCV MLO W3W2	RC340B
910925867029	RC340B 42S/940 DEIA W60L60 PCV MLO W3W2	RC340B
910925867037	RC340B 42S/940 DEIA W60L60 PCV PCS W3W2	RC340B
910925867041	RC340B 42S/930 DEIA W60L60 PCV PCS W3W2	RC340B
910925867168	RC340B 36S/940 DEIA W60L60 PCV PCS	RC340B

Order Code	Full Product Name	Product family code
910925867221	RC340B 36S/940 POE W60L60 VPC MLO U0	RC340B
910925867224	RC340B 36S/940 POE W60L60 VPC PCS U0	RC340B
910925866968	RC340B 36S/940 PSE W60L60 VPC MLO PIP	RC340B
910925866978	RC340B 36S/940 DEIA W60L60 PCV MLO	RC340B
910925866981	RC342B 36S/940 DEIA W62L62 VPC MLO	RC342B
910925867145	RC342B 28S/940 DEIA W62L62 VPC MLO	RC342B

Order Code	Full Product Name	Product family code
910925867158	RC342B 28S/940 DEIA W62L62 VPC PCS	RC342B
910925867159	RC342B 36S/940 DEIA W62L62 VPC PCS	RC342B
910925867160	RC342B 42S/940 DEIA W62L62 VPC PCS	RC342B
910925867174	RC342B 28S/940 DEIA W62L62 VPC O	RC342B
910925867175	RC342B 36S/940 DEIA W62L62 VPC O	RC342B
910925867176	RC342B 42S/940 DEIA W62L62 VPC O	RC342B

Polar Wide Diagrams



Polar Normal (separate) - RC340BI - 910925866978



Polar Normal (separate) - RC340BI - 910925866989



Polar Normal (separate) - RC340BI - 910925867030



Polar Normal (separate) - RC340BI - 910925867031



Polar Normal (separate) - RC340BI - 910925866987



Polar Normal (separate) - RC340BI - 910925868912



Polar Normal (separate) - RC340BI - 910925868924



Polar Normal (separate) - RC340BI - 910925868915



Polar Normal (separate) - RC340BI - 910925868917

Polar Wide Diagrams



Polar Normal (separate) - RC340BI - 910925868928



Polar Normal (separate) - RC340BI - 910925868910



Polar Normal (separate) - RC340BI - 910925868927



Polar Normal (separate) - RC340BI - 910925868921



Polar Normal (separate) - RC340BI - 910925868926



Polar Normal (separate) - RC340BI - 910925868914



Polar Normal (separate) - RC340BI - 910925868923



Polar Normal (separate) - RC340BI - 910925868911



Polar Normal (separate) - RC340BI - 910925868922

Polar Wide Diagrams



Polar Normal (separate) - RC340BI - 910925868925



Polar Normal (separate) - RC340BI - 910925868920



Polar Normal (separate) - RC340BI - 910925866969



Polar Normal (separate) - RC340BI - 910925866968



Polar Normal (separate) - RC340BI - 910925866970



Polar Normal (separate) - RC340BI - 910925866979



Polar Normal (separate) - RC340BI - 910925866981



Polar Normal (separate) - RC340BI - 910925867038



Polar Normal (separate) - RC340BI - 910925867040

Polar Wide Diagrams



Polar Normal (separate) - RC340BI - 910925867050



Polar Normal (separate) - RC340BI - 910925866973



Polar Normal (separate) - RC340BI - 910925866991



Polar Normal (separate) - RC340BI - 910925866993



Polar Normal (separate) - RC340BI - 910925867002



Polar Normal (separate) - RC340BI - 910925867003



Polar Normal (separate) - RC340BI - 910925866977



Polar Normal (separate) - RC340BI - 910925866995



Polar Normal (separate) - RC340BI - 910925867012

Polar Wide Diagrams



Polar Normal (separate) - RC340BI - 910925867017



Polar Normal (separate) - RC340BI - 910925867019



Polar Normal (separate) - RC340BI - 910925867033



Polar Normal (separate) - RC340BI - 910925867024



Polar Normal (separate) - RC340BI - 910925867043



Polar Normal (separate) - RC340BI - 910925867049



Polar Normal (separate) - RC340BI - 910925866967



Polar Normal (separate) - RC340BI - 910925867010



Polar Normal (separate) - RC340BI - 910925867013

Polar Wide Diagrams



Polar Normal (separate) - RC340BI - 910925867022



Polar Normal (separate) - RC340BI - 910925867034



Polar Normal (separate) - RC340BI - 910925867039



Polar Normal (separate) - RC340BI - 910925867032



Polar Normal (separate) - RC340BI - 910925867064



Polar Normal (separate) - RC340BI - 910925866980



Polar Normal (separate) - RC340BI - 910925866982



Polar Normal (separate) - RC340BI - 910925866983



Polar Normal (separate) - RC340BI - 910925866988

Polar Wide Diagrams



Polar Normal (separate) - RC340BI - 910925866997



Polar Normal (separate) - RC340BI - 910925867006



Polar Normal (separate) - RC340BI - 910925867009



Polar Normal (separate) - RC340BI - 910925867047



Polar Normal (separate) - RC340BI - 910925867062



Polar Normal (separate) - RC340BI - 910925867063



Polar Normal (separate) - RC340BI - 910925866966



Polar Normal (separate) - RC340BI - 910925867008



Polar Normal (separate) - RC340BI - 910925867018

Polar Wide Diagrams



Polar Normal (separate) - RC340BI - 910925867016



Polar Normal (separate) - RC340BI - 910925867021



Polar Normal (separate) - RC340BI - 910925867025



Polar Normal (separate) - RC340BI - 910925867028



Polar Normal (separate) - RC340BI - 910925867014



Polar Normal (separate) - RC340BI - 910925867145



Polar Normal (separate) - RC340BI - 910925867147



Polar Normal (separate) - RC340BI - 910925867020



Polar Normal (separate) - RC340BI - 910925867026

Polar Wide Diagrams



Polar Normal (separate) - RC340BI - 910925867035



Polar Normal (separate) - RC340BI - 910925867036



Polar Normal (separate) - RC340BI - 910925867044



Polar Normal (separate) - RC340BI - 910925867045



Polar Normal (separate) - RC340BI - 910925867048



Polar Normal (separate) - RC340BI - 910925867065



Polar Normal (separate) - RC340BI - 910925867149



Polar Normal (separate) - RC340BI - 910925867159



Polar Normal (separate) - RC340BI - 910925867158

Polar Wide Diagrams



Polar Normal (separate) - RC340BI - 910925867165



Polar Normal (separate) - RC340BI - 910925867166



Polar Normal (separate) - RC340BI - 910925867167



Polar Normal (separate) - RC340BI - 910925867177



Polar Normal (separate) - RC340BI - 910925867178



Polar Normal (separate) - RC340BI - 910925867221



Polar Normal (separate) - RC340BI - 910925867041



Polar Normal (separate) - RC340BI - 910925867066



Polar Normal (separate) - RC340BI - 910925867162

Polar Wide Diagrams



Polar Normal (separate) - RC340BI - 910925867160



Polar Normal (separate) - RC340BI - 910925867153



Polar Normal (separate) - RC340BI - 910925867175



Polar Normal (separate) - RC340BI - 910925867179



Polar Normal (separate) - RC340BI - 910925867182



Polar Normal (separate) - RC340BI - 910925867163



Polar Normal (separate) - RC340BI - 910925867174



Polar Normal (separate) - RC340BI - 910925867176



Polar Normal (separate) - RC340BI - 910925866972

Polar Wide Diagrams



Polar Normal (separate) - RC340BI - 910925866986



Polar Normal (separate) - RC340BI - 910925866990



Polar Normal (separate) - RC340BI - 910925866999



Polar Normal (separate) - RC340BI - 910925867001



Polar Normal (separate) - RC340BI - 910925867004



Polar Normal (separate) - RC340BI - 910925867007



Polar Normal (separate) - RC340BI - 910925867015



Polar Normal (separate) - RC340BI - 910925867023



Polar Normal (separate) - RC340BI - 910925867027

Polar Wide Diagrams



Polar Normal (separate) - RC340BI - 910925867029



Polar Normal (separate) - RC340BI - 910925867037



Polar Normal (separate) - RC340BI - 910925867046



Polar Normal (separate) - RC340BI - 910925867042



Polar Normal (separate) - RC340BI - 910925867061



Polar Normal (separate) - RC340BI - 910925867068



Polar Normal (separate) - RC340BI - 910925867150



Polar Normal (separate) - RC340BI - 910925867161



Polar Normal (separate) - RC340BI - 910925867164

Polar Wide Diagrams



Polar Normal (separate) - RC340BI - 910925867168



Polar Normal (separate) - RC340BI - 910925867169



Polar Normal (separate) - RC340BI - 910925867181



Polar Normal (separate) - RC340BI - 910925867180



Polar Normal (separate) - RC340BI - 910925867224



Polar Normal (separate) - RC340BI - 910925868913



Polar Normal (separate) - RC340BI - 910925868916



Polar Normal (separate) - RC340BI - 910925868918



Polar Normal (separate) - RC340BI - 910925868919

© 2025 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. All trademarks are owned by Signify Holding or their respective owners.