PHILIPS

Actinic BL TL-D(K) Secura

XUVACTSE



Actinic BL TL-D(K) Secura – additional safety and HACCP approval

With an optimized spectrum matching the eye sensitivity of the housefly, Actinic BL TL-D(K) Secura lamps are perfect for attracting insects. They have virtually no UV-B output, and so are perfectly safe. In addition, they have a special "Secura" sleeve that keeps all glass and components together in the case of accidental breakage. This eliminates the risk of glass splinters showering down on food preparation areas, for example. And that is why it meets the strict HACCP requirements. What's more, with the lowest mercury content in the industry and being 100% lead-free, these lamps represent a very good environmental choice.

Benefits

- Perfectly matches the eye sensitivity of houseflies and in this way attracts more insects
- Safe for use
- Good environmental choice
- No risk of glass particles

Applications

- Insect traps, Electronic Fly Killers (EFKs)

Features

- Emits long-wave UV-A radiation in the 350-400nm range
- UV-B/UV-A ratio less than 0.1 % (UV-B 280-315nm)
- 100% lead-free

- Low mercury content
- Shatterproof sleeve
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Versions



XPPR_XUBTLD_0002-Product photo



Secura

Dimensional drawing



Product	D (max)	A (max)	B (max)	B (min)	C (max)
Actinic BL TL-DK Secura 36W/10 1SL/25	28 mm	589.8 mm	596.9 mm	594.5 mm	604 mm



Product	D (max)	A (max)	B (max)	B (min)	C (max)
Insect TL 8W /10 SECURA	16 mm	288.3 mm	295.4 mm	293.0 mm	302.5 mm



Product	D (max)	A (max)	B (max)	B (min)	C (max)
Actinic BL TL-D 15W/10 Secura 1SL/25	28 mm	437.4 mm	444.5 mm	442.1 mm	451.6 mm
Actinic BL TL-D 18W/10 Secura 1SL/25	28 mm	589.8 mm	596.9 mm	594.5 mm	604 mm

Light Technical

Color Code	10
Color Designation	Actinic

General Information

Order Code	Full Product Name	Cap-Base
928048201003	Actinic BL TL-D 18W/10 Secura 1SL/25	G13
928011001029	Insect TL 8W /10 SECURA	G5
928019801003	Actinic BL TL-DK Secura 36W/10 1SL/25	G13
928024701029	Actinic BL TL-D 15W/10 Secura 1SL/25	G13

Operating and Electrical

Order Code	Full Product Name	Power Consumption	Lamp Current (Nom)
928048201003	Actinic BL TL-D 18W/10 Secura 1SL/25	18 W	0.36 A
928011001029	Insect TL 8W /10 SECURA	7.1 W	0.145 A
928019801003	Actinic BL TL-DK Secura 36W/10 1SL/25	36 W	0.865 A
928024701029	Actinic BL TL-D 15W/10 Secura 1SL/25	15 W	0.335 A

Mechanical and Housing

Order Code	Full Product Name	Bulb Shape
928048201003	Actinic BL TL-D 18W/10 Secura 1SL/25	T26
928011001029	Insect TL 8W /10 SECURA	T16
928019801003	Actinic BL TL-DK Secura 36W/10 1SL/25	T26
928024701029	Actinic BL TL-D 15W/10 Secura 1SL/25	T26

Approval and Application

Order Code	Full Product Name	Mercury (Hg) Content (Nom)
928048201003	Actinic BL TL-D 18W/10 Secura 1SL/25	5.0 mg
928011001029	Insect TL 8W /10 SECURA	4.4 mg
928019801003	Actinic BL TL-DK Secura 36W/10 1SL/25	8.0 mg
928024701029	Actinic BL TL-D 15W/10 Secura 1SL/25	5

© 2026 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.