PHILIPS

PL-C Cluster 4-Pin Base Energy Advantage

CNI_C4EA



Energy savings, compact size

Philips Linear Compact Fluorescent Lamps offer designers, specifiers and end-users new levels of efficiencies and versatility in sizes,configurations and application possibilities. With so many elegant fixtures available to complement their small size, high light output and advanced technology, Philips Energy Advantage lamps are fast becoming the preferred choice when maximum effciency and sleek design solutions are required.

Benefits

- High light output in a compact size - 88% lumen maintenance.
- 'Sustainable lighting solution.
- TCLP compliant* with only 1.4mg of mercury per lamp—the lowest mercury content in a PL-C lamp in the industry.
- * Fluorescent lamps that areTCLP compliant reduce the amount of pollutants released into the environment.

Applications

- Ideal for downlights and wall washers in general lighting and wall sconces in decorative lighting

Features

- Up to 22% energy savings when replacing the above 18W and 26W lamps†.
- Quad Tube Design.
- 12,000 Hour Rated Average Life*
- Energy saving system without changing a ballast.

- 14W is a direct replacement for a PL-C 18W lamp—saving 4 watts of energy.
- 21W is a direct replacement for a PL-C 26W lamp—saving 5 watts of energy.
- Available in: 14 and 21 watts with 2700, 3500,and 4100 color temperatures.
- * Average life under specified test conditions with lamps turned off and restarted no more frequently than once every 3 operating hours. Lamp life is appreciably longer if lamps are started less frequently.
- † 18 watt-14 watt=4 watt/18 watt=22% 26 watt-21 watt=5 watt/26 watt=19%

Versions



LPPR PLC4PXEW 21W G24q-3

Dimensional drawing



Product	D (max)	D1 (max)	A (max)	B (max)	C (max)
PL-C 26W/835/XEW/4P/21W 1CT/ 5X10BOX ALTO	27.1 mm	27.1 mm	130.7 mm	149.0 mm	163.9 mm

General Information

Cap-Base	G24q-3

Light Technical

Luminous Flux	1,525 lm
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3500 K
Color rendering index (CRI)	82

Operating and Electrical

Power Consumption	23.5 W
Lamp Current (Nom)	0.350 A

Controls and Dimming

Dimmable	Yes

Approval and Application

Mercury (Hg) Content (Nom)	1.4 mg

© 2026 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.