PHILIPS

Appliance Refrigerator Tubular

ITUBRF



Product Description

Tubular lamp with clear glass bulb

Benefits

- Long useful life in refrigerators and freezers

Applications

- Refrigerators and freezers

Features

- Reinforced filament
- T-CLICK design with integrated lampholder reduces integral costs of refrigerator lighting

Versions



15 W E14 cap Incandescent appliance bulb - RFT

Dimensional drawing

Product	D (max)	C (max)
15 W E14 cap Incandescent appliance bulb	25 mm	57 mm



General Information

Cap-Base	E14
Operating Position	UNIVERSAL [Any or Universal (U)]
Nominal lifetime	1,000 hour(s)
Switching Cycle	4,000
Rated Lifetime (Hours)	1,000 hour(s)

Light Technical

Luminous Flux	110 lm
Correlated Color Temperature (Nom)	2700 K
Color rendering index (CRI)	100

Operating and Electrical

Power Consumption	15.0 W
Lamp Current (Nom)	0.06 A
Starting Time (Nom)	0.0 s
Warm-up time to 60% light	instant full light s
Voltage (Nom)	230-240 V

Controls and Dimming

Dimmable	Yes

Mechanical and Housing

Bulb Finish	Clear
Bulb Shape	T25

Approval and Application

Energy Consumption kWh/1000 h	15 kWh

© 2026 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.