PHILIPS

GreenSpace Evo Mini Pendant

PT332T



A small and sustainable pendant in a sleek, subtle design

GreenSpace Evo Mini Pendant is a sustainable lighting pendant that comes with a sleek and subtle design. This makes the pendant an ideal choice for hospitality and fashion retail applications. The 3D printed housing is crafted from at least 65% recycled or bio-circular materials, while the heatsink is made from 85% recycled aluminium. Because of its circular design, the luminaire is upgradable, reusable, fully serviceable and recyclable. Combined with the high energy efficiency, this makes the GreenSpace Evo Mini pendant a sustainable choice. The new PerfectAccent deep reflectors ensure a light effect with increased sparkle and improved shopper eye comfort. Further customization of colors and textures is possible via Philips MyCreation

Benefits

- The sleek and subtle design fits perfectly in any installation
- More sparkle and enhanced shopper eye comfort with PerfectAccent deep reflectors
- Extend the useful life of the product with easy serviceability and upgradeability
- The recycled materials and high energy efficiency help further reduce the carbon footprint of the product

Applications

- Fashion
- Hospitality
- Residential

Features

- Easy access to the optics, LED and front glass
- Serviceable and upgradeable with standard tools

- Reduced carbon footprint due to high efficacy
- Equipped with state-of-the-art PerfectAccent deep reflectors
- Connectivity options: Interact compatible DALI (DIA) and Wireless (WIA)
- Optional front glass (recommended for dusty environments)
- Cleaning of the optic should only be done with pressurized air. Touching the LED or reflector is forbidden. For food preparation areas and areas with high levels of dust, the use of the optional front glass is strongly advised, as it can be cleaned with a (dry) microfiber cloth
- During maintenance, the product must be switched off and cooled down

Versions



PT332B GreenSpace Evo Mini Pendant Recessed - Grey



PT332B GreenSpace Evo Mini Pendant Recessed - White



PT332C GreenSpace Evo Mini Pendant Surface mount - Grey



PT332B GreenSpace Evo Mini Pendant Recessed - Black



PT332T GreenSpace Evo Mini Pendant Track - Black



PT332C GreenSpace Evo Mini Pendant Surface mount - Black



PT332C GreenSpace Evo Mini Pendant Surface mount - Black with White canopy



PT332T GreenSpace Evo Mini Pendant Track - Grey



PT332T GreenSpace Evo Mini Pendant Track - White



PT332B GreenSpace Evo Mini Pendant Recessed - Black with White canopy



PT332C GreenSpace Evo Mini Pendant Surface mount - White

Dimensional drawing



PT332T 17S/PW930 PSU HWB WH



PT332B 22S/PW940 PSU-E HWB WH 68 WH WH



PT332C 17S/PW930 DIA HVWB BK BK BK

General Information

Light source replaceable	Yes
Number of gear units	1 unit
Driver included	Yes
Service tag	Yes

Light Technical

Color rendering index (CRI)	>90

Operating and Electrical

Input Voltage	220-240 V
Line Frequency	50 to 60 Hz
Suitable for random switching	Yes
Protection class IEC	Safety class II

Controls and Dimming

Embedded control	-

Mechanical and Housing

Ingress protection code	IP20 [Finger-protected]
Mech. impact protection code	IK02 [0.2 J standard]
Explosion hazard class	-

Emergency Operation

Central Emergency	No

Approval and Application

Glow-wire test	Temperature 650 °C, duration 30 s
Flammability mark	-
CE mark	Yes
ENEC mark	-
Flickering value (PstLM) - Flickering value as per EN 61000-3-3	1
Ambient temperature range	+10 to +35 °C

Initial Performance (IEC Compliant)

Luminous flux tolerance	+/-10%

Light Technical

Order Code	Full Product Name	Luminous Flux	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Optic type
910505104945	PT332B 12S/PW930 PSU-E HMB GR 68 BK WH	1,200 lm	3000 K	121 lm/W	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104926	PT332T 12S/PW940 PSU HWB BK	1,200 lm	4000 K	124 lm/W	High-reflective metal reflector Wide beam 40 to 80 degrees
910505104929	PT332T 17S/PW930 DIA HVWB BK	1,700 lm	3000 K	128 lm/W	High-reflective metal reflector very wide beam >80 degrees
910505104931	PT332T 22S/PC930 PSU HMB BK	2,200 lm	3000 K	117 lm/W	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104933	PT332T 27S/PW930 PSU HWB BK	2,700 lm	3000 K	144 lm/W	High-reflective metal reflector Wide beam 40 to 80 degrees
910505104943	PT332B 12S/PC930 PSU-E HWB WH 68 WH WH	1,200 lm	3000 K	121 lm/W	High-reflective metal reflector Wide beam 40 to 80 degrees
910505104946	PT332B 17S/PW930 PSU-E HWB WH 68 WH WH	1,700 lm	3000 K	144 lm/W	High-reflective metal reflector Wide beam 40 to 80 degrees
910505104948	PT332B 22S/PW940 PSU-E HWB WH 68 WH WH	2,200 lm	4000 K	124 lm/W	High-reflective metal reflector Wide beam 40 to 80 degrees
910505104950	PT332B 27S/PW940 WIA-E HWB WH 68 WH WH	2,700 lm	4000 K	135 lm/W	High-reflective metal reflector Wide beam 40 to 80 degrees
910505104938	PT332C 17S/PW930 DIA HVWB BK BK BK	1,700 lm	3000 K	143 lm/W	High-reflective metal reflector very wide beam >80 degrees
910505104942	PT332C 27S/PW930 PSU HWB BK BK BK	2,700 lm	3000 K	135 lm/W	High-reflective metal reflector Wide beam 40 to 80 degrees
910505104936	PT332C 12S/PW930 PSU HMB GR BK GR	1,200 lm	3000 K	121 lm/W	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104935	PT332C 12S/PW940 PSU HWB BK BK WH	1,200 lm	4000 K	121 lm/W	High-reflective metal reflector Wide beam 40 to 80 degrees

Order Code	Full Product Name	Luminous Flux	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Optic type
910505104940	PT332C 22S/PC930 PSU HMB BK BK WH	2,200 lm	3000 K	110 lm/W	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104947	PT332B 17S/PW930 DIA-E HVWB BK 68 BK BK	1,700 lm	3000 K	143 lm/W	High-reflective metal reflector very wide beam >80 degrees
910505104951	PT332B 27S/PW930 PSU-E HWB BK 68 BK BK	2,700 lm	3000 K	135 lm/W	High-reflective metal reflector Wide beam 40 to 80 degrees
910505104927	PT332T 12S/PW930 PSU HMB FG GR	1,200 lm	3000 K	124 lm/W	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104925	PT332T 12S/PC930 PSU HWB WH	1,200 lm	3000 K	124 lm/W	High-reflective metal reflector Wide beam 40 to 80 degrees
910505104928	PT332T 17S/PW930 PSU HWB WH	1,700 lm	3000 K	145 lm/W	High-reflective metal reflector Wide beam 40 to 80 degrees
910505104930	PT332T 22S/PW940 PSU HWB WH	2,200 lm	4000 K	131 lm/W	High-reflective metal reflector Wide beam 40 to 80 degrees
910505104932	PT332T 27S/PW940 WIA HWB WH	2,700 lm	4000 K	122 lm/W	High-reflective metal reflector Wide beam 40 to 80 degrees
910505104944	PT332B 12S/PW940 PSU-E HWB BK 68 BK WH	1,200 lm	4000 K	121 lm/W	High-reflective metal reflector Wide beam 40 to 80 degrees
910505104949	PT332B 22S/PC930 PSU-E HMB BK 68 BK WH	2,200 lm	3000 K	110 lm/W	High-reflective metal reflector Medium beam 20 to 40 degrees
910505104934	PT332C 12S/PC930 PSU HWB WH WH WH	1,200 lm	3000 K	121 lm/W	High-reflective metal reflector Wide beam 40 to 80 degrees
910505104937	PT332C 17S/PW930 PSU HWB WH WH WH	1,700 lm	3000 K	144 lm/W	High-reflective metal reflector Wide beam 40 to 80 degrees
910505104939	PT332C 22S/PW940 PSU HWB WH WH WH	2,200 lm	4000 K	124 lm/W	High-reflective metal reflector Wide beam 40 to 80 degrees
910505104941	PT332C 27S/PW940 WIA HWB WH WH WH	2,700 lm	4000 K	135 lm/W	High-reflective metal reflector Wide beam 40 to 80 degrees

Operating and Electrical

Order Code	Full Product Name	Power Consumption
910505104945	PT332B 12S/PW930 PSU-E HMB GR 68 BK WH	9.9 W
910505104926	PT332T 12S/PW940 PSU HWB BK	9.7 W
910505104929	PT332T 17S/PW930 DIA HVWB BK	13.3 W
910505104931	PT332T 22S/PC930 PSU HMB BK	18.8 W
910505104933	PT332T 27S/PW930 PSU HWB BK	18.8 W
910505104943	PT332B 12S/PC930 PSU-E HWB WH 68 WH WH	9.9 W
910505104946	PT332B 17S/PW930 PSU-E HWB WH 68 WH WH	11.8 W
910505104948	PT332B 22S/PW940 PSU-E HWB WH 68 WH WH	17.7 W
910505104950	PT332B 27S/PW940 WIA-E HWB WH 68 WH WH	20 W
910505104938	PT332C 17S/PW930 DIA HVWB BK BK BK	11.9 W
910505104942	PT332C 27S/PW930 PSU HWB BK BK BK	20 W
910505104936	PT332C 12S/PW930 PSU HMB GR BK GR	9.9 W
910505104935	PT332C 12S/PW940 PSU HWB BK BK WH	9.9 W
910505104940	PT332C 22S/PC930 PSU HMB BK BK WH	20 W
910505104947	PT332B 17S/PW930 DIA-E HVWB BK 68 BK BK	11.9 W

Order Code	Full Product Name	Power Consumption
910505104951	PT332B 27S/PW930 PSU-E HWB BK 68 BK BK	20 W
910505104927	PT332T 12S/PW930 PSU HMB FG GR	9.7 W
910505104925	PT332T 12S/PC930 PSU HWB WH	9.7 W
910505104928	PT332T 17S/PW930 PSU HWB WH	11.7 W
910505104930	PT332T 22S/PW940 PSU HWB WH	16.8 W
910505104932	PT332T 27S/PW940 WIA HWB WH	22.2 W
910505104944	PT332B 12S/PW940 PSU-E HWB BK 68 BK WH	9.9 W
910505104949	PT332B 22S/PC930 PSU-E HMB BK 68 BK WH	20 W
910505104934	PT332C 12S/PC930 PSU HWB WH WH WH	9.9 W
910505104937	PT332C 17S/PW930 PSU HWB WH WH WH	11.8 W
910505104939	PT332C 22S/PW940 PSU HWB WH WH WH	17.7 W
910505104941	PT332C 27S/PW940 WIA HWB WH WH WH	20 W

Controls and Dimming

Order Code	Full Product Name	Dimmable
910505104945	PT332B 12S/PW930 PSU-E HMB GR 68 BK WH	No
910505104926	PT332T 12S/PW940 PSU HWB BK	No
910505104929	PT332T 17S/PW930 DIA HVWB BK	Yes
910505104931	PT332T 22S/PC930 PSU HMB BK	No
910505104933	PT332T 27S/PW930 PSU HWB BK	No
910505104943	PT332B 12S/PC930 PSU-E HWB WH 68 WH WH	No
910505104946	PT332B 17S/PW930 PSU-E HWB WH 68 WH WH	No
910505104948	PT332B 22S/PW940 PSU-E HWB WH 68 WH WH	No
910505104950	PT332B 27S/PW940 WIA-E HWB WH 68 WH WH	Yes
910505104938	PT332C 17S/PW930 DIA HVWB BK BK BK	Yes
910505104942	PT332C 27S/PW930 PSU HWB BK BK BK	No
910505104936	PT332C 12S/PW930 PSU HMB GR BK GR	No
910505104935	PT332C 12S/PW940 PSU HWB BK BK WH	No
910505104940	PT332C 22S/PC930 PSU HMB BK BK WH	No
910505104947	PT332B 17S/PW930 DIA-E HVWB BK 68 BK BK	Yes
910505104951	PT332B 27S/PW930 PSU-E HWB BK 68 BK BK	No
910505104927	PT332T 12S/PW930 PSU HMB FG GR	No
910505104925	PT332T 12S/PC930 PSU HWB WH	No
910505104928	PT332T 17S/PW930 PSU HWB WH	No
910505104930	PT332T 22S/PW940 PSU HWB WH	No
910505104932	PT332T 27S/PW940 WIA HWB WH	Yes
910505104944	PT332B 12S/PW940 PSU-E HWB BK 68 BK WH	No
910505104949	PT332B 22S/PC930 PSU-E HMB BK 68 BK WH	No
910505104934	PT332C 12S/PC930 PSU HWB WH WH WH	No
910505104937	PT332C 17S/PW930 PSU HWB WH WH WH	No
910505104939	PT332C 22S/PW940 PSU HWB WH WH WH	No
910505104941	PT332C 27S/PW940 WIA HWB WH WH WH	Yes

Mechanical and Housing

Order Code	Full Product Name	Housing Color
910505104945	PT332B 12S/PW930 PSU-E HMB GR 68 BK WH	Grey
910505104926	PT332T 12S/PW940 PSU HWB BK	Black
910505104929	PT332T 17S/PW930 DIA HVWB BK	Black
910505104931	PT332T 22S/PC930 PSU HMB BK	Black
910505104933	PT332T 27S/PW930 PSU HWB BK	Black
910505104943	PT332B 12S/PC930 PSU-E HWB WH 68 WH WH	White
910505104946	PT332B 17S/PW930 PSU-E HWB WH 68 WH WH	White
910505104948	PT332B 22S/PW940 PSU-E HWB WH 68 WH WH	White
910505104950	PT332B 27S/PW940 WIA-E HWB WH 68 WH WH	White
910505104938	PT332C 17S/PW930 DIA HVWB BK BK BK	Black
910505104942	PT332C 27S/PW930 PSU HWB BK BK BK	Black
910505104936	PT332C 12S/PW930 PSU HMB GR BK GR	Grey
910505104935	PT332C 12S/PW940 PSU HWB BK BK WH	Black
910505104940	PT332C 22S/PC930 PSU HMB BK BK WH	Black
910505104947	PT332B 17S/PW930 DIA-E HVWB BK 68 BK BK	Black
910505104951	PT332B 27S/PW930 PSU-E HWB BK 68 BK BK	Black
910505104927	PT332T 12S/PW930 PSU HMB FG GR	Grey
910505104925	PT332T 12S/PC930 PSU HWB WH	White
910505104928	PT332T 17S/PW930 PSU HWB WH	White
910505104930	PT332T 22S/PW940 PSU HWB WH	White
910505104932	PT332T 27S/PW940 WIA HWB WH	White
910505104944	PT332B 12S/PW940 PSU-E HWB BK 68 BK WH	Black
910505104949	PT332B 22S/PC930 PSU-E HMB BK 68 BK WH	Black
910505104934	PT332C 12S/PC930 PSU HWB WH WH WH	White
910505104937	PT332C 17S/PW930 PSU HWB WH WH WH	White
910505104939	PT332C 22S/PW940 PSU HWB WH WH WH	White
910505104941	PT332C 27S/PW940 WIA HWB WH WH WH	White

Approval and Application

Order Code	Full Product Name	Stroboscopic effect visibility measure (SVM)
910505104945	PT332B 12S/PW930 PSU-E HMB GR 68 BK WH	0.4
910505104926	PT332T 12S/PW940 PSU HWB BK	0.4
910505104929	PT332T 17S/PW930 DIA HVWB BK	0.4
910505104931	PT332T 22S/PC930 PSU HMB BK	0.4
910505104933	PT332T 27S/PW930 PSU HWB BK	0.4
910505104943	PT332B 12S/PC930 PSU-E HWB WH 68 WH WH	0.4
910505104946	PT332B 17S/PW930 PSU-E HWB WH 68 WH WH	0.4
910505104948	PT332B 22S/PW940 PSU-E HWB WH 68 WH WH	0.4
910505104950	PT332B 27S/PW940 WIA-E HWB WH 68 WH WH	0.5

Order Code	Full Product Name	Stroboscopic effect visibility measure (SVM)
910505104938	PT332C 17S/PW930 DIA HVWB BK BK BK	0.4
910505104942	PT332C 27S/PW930 PSU HWB BK BK BK	0.4
910505104936	PT332C 12S/PW930 PSU HMB GR BK GR	0.4
910505104935	PT332C 12S/PW940 PSU HWB BK BK WH	0.4
910505104940	PT332C 22S/PC930 PSU HMB BK BK WH	0.4
910505104947	PT332B 17S/PW930 DIA-E HVWB BK 68 BK BK	0.4
910505104951	PT332B 27S/PW930 PSU-E HWB BK 68 BK BK	0.4
910505104927	PT332T 12S/PW930 PSU HMB FG GR	0.4
910505104925	PT332T 12S/PC930 PSU HWB WH	0.4
910505104928	PT332T 17S/PW930 PSU HWB WH	0.4
910505104930	PT332T 22S/PW940 PSU HWB WH	0.4
910505104932	PT332T 27S/PW940 WIA HWB WH	0.4
910505104944	PT332B 12S/PW940 PSU-E HWB BK 68 BK WH	0.4
910505104949	PT332B 22S/PC930 PSU-E HMB BK 68 BK WH	0.4
910505104934	PT332C 12S/PC930 PSU HWB WH WH WH	0.4
910505104937	PT332C 17S/PW930 PSU HWB WH WH WH	0.4
910505104939	PT332C 22S/PW940 PSU HWB WH WH WH	0.4
910505104941	PT332C 27S/PW940 WIA HWB WH WH WH	0.5

Initial Performance (IEC Compliant)

Order Code	Full Product Name	Initial chromaticity
910505104945	PT332B 12S/PW930 PSU-E HMB GR 68 BK WH	(0.422, 0.386)
910505104926	PT332T 12S/PW940 PSU HWB BK	(0.374, 0.364)
910505104929	PT332T 17S/PW930 DIA HVWB BK	(0.422, 0.386)
910505104931	PT332T 22S/PC930 PSU HMB BK	(0.422, 0.386)
910505104933	PT332T 27S/PW930 PSU HWB BK	(0.422, 0.386)
910505104943	PT332B 12S/PC930 PSU-E HWB WH 68 WH WH	(0.422, 0.386)
910505104946	PT332B 17S/PW930 PSU-E HWB WH 68 WH WH	(0.422, 0.386)
910505104948	PT332B 22S/PW940 PSU-E HWB WH 68 WH WH	(0.374, 0.364)
910505104950	PT332B 27S/PW940 WIA-E HWB WH 68 WH WH	(0.374, 0.364)
910505104938	PT332C 17S/PW930 DIA HVWB BK BK BK	(0.422, 0.386)
910505104942	PT332C 27S/PW930 PSU HWB BK BK BK	(0.422, 0.386)
910505104936	PT332C 12S/PW930 PSU HMB GR BK GR	(0.422, 0.386)
910505104935	PT332C 12S/PW940 PSU HWB BK BK WH	(0.374, 0.364)
910505104940	PT332C 22S/PC930 PSU HMB BK BK WH	(0.422, 0.386)
910505104947	PT332B 17S/PW930 DIA-E HVWB BK 68 BK BK	(0.422, 0.386)
910505104951	PT332B 27S/PW930 PSU-E HWB BK 68 BK BK	(0.422, 0.386)
910505104927	PT332T 12S/PW930 PSU HMB FG GR	(0.422, 0.386)
910505104925	PT332T 12S/PC930 PSU HWB WH	(0.422, 0.386)
910505104928	PT332T 17S/PW930 PSU HWB WH	(0.422, 0.386)
910505104930	PT332T 22S/PW940 PSU HWB WH	(0.374, 0.364)
910505104932	PT332T 27S/PW940 WIA HWB WH	(0.374, 0.364)

Order Code	Full Product Name	Initial chromaticity
910505104944	PT332B 12S/PW940 PSU-E HWB BK 68 BK WH	(0.374, 0.364)
910505104949	PT332B 22S/PC930 PSU-E HMB BK 68 BK WH	(0.422, 0.386)
910505104934	PT332C 12S/PC930 PSU HWB WH WH WH	(0.422, 0.386)
910505104937	PT332C 17S/PW930 PSU HWB WH WH WH	(0.422, 0.386)
910505104939	PT332C 22S/PW940 PSU HWB WH WH WH	(0.374, 0.364)
910505104941	PT332C 27S/PW940 WIA HWB WH WH WH	(0.374, 0.364)

Product Data

Order Code	Full Product Name	Product family code
910505104945	PT332B 12S/PW930 PSU-E HMB GR 68 BK WH	PT332B
910505104926	PT332T 12S/PW940 PSU HWB BK	PT332T
910505104929	PT332T 17S/PW930 DIA HVWB BK	PT332T
910505104931	PT332T 22S/PC930 PSU HMB BK	PT332T
910505104933	PT332T 27S/PW930 PSU HWB BK	PT332T
910505104943	PT332B 12S/PC930 PSU-E HWB WH 68 WH WH	PT332B
910505104946	PT332B 17S/PW930 PSU-E HWB WH 68 WH WH	PT332B
910505104948	PT332B 22S/PW940 PSU-E HWB WH 68 WH WH	PT332B
910505104950	PT332B 27S/PW940 WIA-E HWB WH 68 WH WH	PT332B
910505104938	PT332C 17S/PW930 DIA HVWB BK BK BK	PT332C
910505104942	PT332C 27S/PW930 PSU HWB BK BK BK	PT332C
910505104936	PT332C 12S/PW930 PSU HMB GR BK GR	PT332C
910505104935	PT332C 12S/PW940 PSU HWB BK BK WH	PT332C
910505104940	PT332C 22S/PC930 PSU HMB BK BK WH	PT332C
910505104947	PT332B 17S/PW930 DIA-E HVWB BK 68 BK BK	PT332B
910505104951	PT332B 27S/PW930 PSU-E HWB BK 68 BK BK	PT332B
910505104927	PT332T 12S/PW930 PSU HMB FG GR	PT332T
910505104925	PT332T 12S/PC930 PSU HWB WH	PT332T
910505104928	PT332T 17S/PW930 PSU HWB WH	PT332T
910505104930	PT332T 22S/PW940 PSU HWB WH	PT332T
910505104932	PT332T 27S/PW940 WIA HWB WH	PT332T
910505104944	PT332B 12S/PW940 PSU-E HWB BK 68 BK WH	PT332B
910505104949	PT332B 22S/PC930 PSU-E HMB BK 68 BK WH	PT332B
910505104934	PT332C 12S/PC930 PSU HWB WH WH WH	PT332C
910505104937	PT332C 17S/PW930 PSU HWB WH WH WH	PT332C
910505104939	PT332C 22S/PW940 PSU HWB WH WH WH	PT332C
910505104941	PT332C 27S/PW940 WIA HWB WH WH WH	PT332C

Polar normal diagrams



PT332C 27S/PW930 PSU HWB BK BK BK 910505104942



PT332C 12S/PW930 PSU HMB GR BK GR 910505104936



PT332T 12S/PC930 PSU HWB WH 910505104925



PT332C 17S/PW930 PSU HWB WH WH WH 910505104937



PT332T 12S/PW940 PSU HWB BK 910505104926



PT332T 12S/PW930 PSU HMB FG GR 910505104927



PT332B 27S/PW940 WIA-E HWB WH 68 WH WH 910505104950



PT332C 22S/PC930 PSU HMB BK BK WH 910505104940



PT332T 27S/PW940 WIA HWB WH 910505104932



PT332T 17S/PW930 PSU HWB WH 910505104928



PT332T 27S/PW930 PSU HWB BK 910505104933



PT332B 22S/PW940 PSU-E HWB WH 68 WH WH 910505104948



PT332T 17S/PW930 DIA HVWB BK 910505104929



PT332B 22S/PC930 PSU-E HMB BK 68 BK WH 910505104949



PT332B 12S/PC930 PSU-E HWB WH 68 WH WH 910505104943



PT332C 22S/PW940 PSU HWB WH WH WH 910505104939



PT332C 17S/PW930 DIA HVWB BK BK BK 910505104938



PT332B 17S/PW930 DIA-E HVWB BK 68 BK BK 910505104947



PT332T 22S/PW940 PSU HWB WH 910505104930



PT332B 27S/PW930 PSU-E HWB BK 68 BK BK 910505104951



PT332C 12S/PW940 PSU HWB BK BK WH 910505104935



PT332B 12S/PW930 PSU-E HMB GR 68 BK WH 910505104945



PT332B 12S/PW940 PSU-E HWB BK 68 BK WH 910505104944



PT332C 12S/PC930 PSU HWB WH WH WH 910505104934



PT332C 27S/PW940 WIA HWB WH WH WH 910505104941



PT332B 17S/PW930 PSU-E HWB WH 68 WH WH 910505104946



PT332T 22S/PC930 PSU HMB BK 910505104931

© 2026 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.