PHILIPS

PL-C Cluster 4-Pin Base

CNI_C4



A compact lamp with enhanced performance

Philips Linear Compact Fluorescent Lamps offer designers, specifiers and end-users new levels of efficiencies and versatility in sizes,configurations and application possibilities. With so many elegant fixtures available to complement their small size, high light output and advanced technology, Philips Energy Advantage lamps are fast becoming the preferred choice when maximum effciency and sleek design solutions are required.

Benefits

- Compact quad tube design
- Sustainable lighting solution - only 1.4mg of mercury per lamp
- Designed for use with electronic ballasts for lower operating costs and flicker-free starting

Applications

- Ideal for downlights and wall washers in general lighting and wall sconces in decorative lighting

Features

- Enhanced Performance
- Quad Tube Design
- Dimmable
- 12,000 Hour Rated Average Life*

- ALTO® Lamp Technology
- Available in: 13,18,26 watts with 2700,3000,3500,and 4100 color temperatures
- * Average life under specified test conditions with lamps turned off and restarted no more frequently than once every 3 operating hours. Lamp life is appreciably longer if lamps are started less frequently.

Versions



LPPR PLC4P 13W



LPPR PLC4P 18W



LPPR PLC4P 26W

Dimensional drawing



Product	D (max)	D1 (max)	A (max)	B (max)	C (max)
MASTER PL-C 13W/840/4P 1CT/ 5X10BOX	27.1 mm	27.1 mm	97.5 mm	117.0 mm	131.9 mm
PL-C 13W/827/4P/ALTO 10PK	27.1 mm	27.1 mm	97.5 mm	117.0 mm	131.9 mm
PL-C 13W/830/4P/ALTO 10PK	27.1 mm	27.1 mm	97.5 mm	117.0 mm	131.9 mm
PL-C 13W/835/4P/ALTO 10PK	27.1 mm	27.1 mm	97.5 mm	117.0 mm	131.9 mm
PL-C 13W/841/4P/ALTO 10PK	27.1 mm	27.1 mm	97.5 mm	117.0 mm	131.9 mm
PL-C 18W/827/4P/ALTO 10PK	27.1 mm	27.1 mm	109.5 mm	128.0 mm	142.9 mm
PL-C 18W/830/4P/ALTO 10PK	27.1 mm	27.1 mm	109.5 mm	128.0 mm	142.9 mm
PL-C 18W/835/4P/ALTO 10PK	27.1 mm	27.1 mm	109.5 mm	128.0 mm	142.9 mm
PL-C 18W/841/4P/ALTO 10PK	27.1 mm	27.1 mm	109.5 mm	128.0 mm	142.9 mm
PL-C 26W/41/4P/ALTO 10PK	27.1 mm	27.1 mm	130.5 mm	149.0 mm	163.9 mm
PL-C 26W/827/4P/ALTO 10PK	27.1 mm	27.1 mm	130.5 mm	149.0 mm	163.9 mm
PL-C 26W/830/4P/ALTO 10PK	27.1 mm	27.1 mm	130.5 mm	149.0 mm	163.9 mm
PL-C 26W/835/4P/ALTO 10PK	27.1 mm	27.1 mm	130.5 mm	149.0 mm	163.9 mm

Light Technical

Color rendering index (CRI)	82

Controls and Dimming

Dimmable	Yes

Approval and Application

Mercury (Hg) Content (Nom)	1.4 mg

General Information

Order Code	Full Product Name	Cap-Base
927907182730	PL-C 13W/827/4P/ALTO 10PK	G24q-1
927907183030	PL-C 13W/830/4P/ALTO 10PK	G24q-1
927907183530	PL-C 13W/835/4P/ALTO 10PK	G24q-1
927907184002	MASTER PL-C 13W/840/4P 1CT/5X10BOX	G24q-1
927907184030	PL-C 13W/841/4P/ALTO 10PK	G24q-1
927907282730	PL-C 18W/827/4P/ALTO 10PK	G24q-2
927907283030	PL-C 18W/830/4P/ALTO 10PK	G24q-2
927907283530	PL-C 18W/835/4P/ALTO 10PK	G24q-2
927907284030	PL-C 18W/841/4P/ALTO 10PK	G24q-2
927907382730	PL-C 26W/827/4P/ALTO 10PK	G24q-3
927907383030	PL-C 26W/830/4P/ALTO 10PK	G24q-3
927907383530	PL-C 26W/835/4P/ALTO 10PK	G24q-3
927907384030	PL-C 26W/41/4P/ALTO 10PK	G24q-3

Light Technical

Order Code	Full Product Name	Luminous Flux	Color Designation	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)
927907182730	PL-C 13W/827/4P/ALTO 10PK	925 lm	Incandescent White	2700 K	69 lm/W
927907183030	PL-C 13W/830/4P/ALTO 10PK	900 lm	Warm White (WW)	3000 K	72 lm/W
927907183530	PL-C 13W/835/4P/ALTO 10PK	925 lm	White (WH)	3500 K	69 lm/W
927907184002	MASTER PL-C 13W/840/4P 1CT/5X10BOX	925 lm	Cool White (CW)	4000 K	69 lm/W
927907184030	PL-C 13W/841/4P/ALTO 10PK	925 lm	Cool White (CW)	4100 K	69 lm/W
927907282730	PL-C 18W/827/4P/ALTO 10PK	1,200 lm	Incandescent White	2700 K	67 lm/W
927907283030	PL-C 18W/830/4P/ALTO 10PK	1,200 lm	Warm White (WW)	3000 K	67 lm/W
927907283530	PL-C 18W/835/4P/ALTO 10PK	1,200 lm	White (WH)	3500 K	67 lm/W
927907284030	PL-C 18W/841/4P/ALTO 10PK	1,200 lm	Cool White (CW)	4100 K	67 lm/W
927907382730	PL-C 26W/827/4P/ALTO 10PK	1,800 lm	Incandescent White	2700 K	67 lm/W
927907383030	PL-C 26W/830/4P/ALTO 10PK	1,800 lm	Warm White (WW)	3000 K	67 lm/W
927907383530	PL-C 26W/835/4P/ALTO 10PK	1,800 lm	White (WH)	3500 K	67 lm/W
927907384030	PL-C 26W/41/4P/ALTO 10PK	1,800 lm	Cool White (CW)	4100 K	67 lm/W

Operating and Electrical

Order Code	Full Product Name	Power Consumption	Lamp Current (Nom)
927907182730	PL-C 13W/827/4P/ALTO 10PK	13.0 W	0.170 A
927907183030	PL-C 13W/830/4P/ALTO 10PK	13.0 W	0.170 A
927907183530	PL-C 13W/835/4P/ALTO 10PK	13.0 W	0.170 A
927907184002	MASTER PL-C 13W/840/4P 1CT/5X10BOX	13.0 W	0.170 A
927907184030	PL-C 13W/841/4P/ALTO 10PK	13.0 W	0.170 A
927907282730	PL-C 18W/827/4P/ALTO 10PK	16.5 W	0.230 A
927907283030	PL-C 18W/830/4P/ALTO 10PK	16.5 W	0.230 A
927907283530	PL-C 18W/835/4P/ALTO 10PK	16.5 W	0.230 A
927907284030	PL-C 18W/841/4P/ALTO 10PK	18.0 W	0.230 A
927907382730	PL-C 26W/827/4P/ALTO 10PK	26.0 W	0.335 A
927907383030	PL-C 26W/830/4P/ALTO 10PK	26.0 W	0.335 A
927907383530	PL-C 26W/835/4P/ALTO 10PK	26.0 W	0.335 A
927907384030	PL-C 26W/41/4P/ALTO 10PK	26.0 W	0.335 A

Approval and Application

Order Code	Full Product Name	Energy Consumption kWh/1000 h
927907182730	PL-C 13W/827/4P/ALTO 10PK	15 kWh
927907183030	PL-C 13W/830/4P/ALTO 10PK	15 kWh
927907183530	PL-C 13W/835/4P/ALTO 10PK	15 kWh
927907184002	MASTER PL-C 13W/840/4P 1CT/5X10BOX	15 kWh
927907184030	PL-C 13W/841/4P/ALTO 10PK	15 kWh
927907282730	PL-C 18W/827/4P/ALTO 10PK	20 kWh
927907283030	PL-C 18W/830/4P/ALTO 10PK	20 kWh
927907283530	PL-C 18W/835/4P/ALTO 10PK	20 kWh
927907284030	PL-C 18W/841/4P/ALTO 10PK	20 kWh
927907382730	PL-C 26W/827/4P/ALTO 10PK	29 kWh
927907383030	PL-C 26W/830/4P/ALTO 10PK	29 kWh
927907383530	PL-C 26W/835/4P/ALTO 10PK	29 kWh
927907384030	PL-C 26W/41/4P/ALTO 10PK	29 kWh

© 2026 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.