PHILIPS

Softone Standard T-shape

ISTSOFE



Product Description

T-shaped gas-filled lamps with a modern appearance

Benefits

- Enhances colours in the home and adds a new dimension to interior decoration
- Creates a pleasant, relaxed atmosphere with a high degree of visual comfort

Applications

- Home use in living and dining rooms, halls and studies
- Offices
- Hotel lounges, restaurants, bedrooms, halls, conference rooms and foyers
- Clubs, social areas and public accommodation
- Shops and boutiques
- Other similar areas

Features

- Gives a delicate, glare-free light in a subtle white or pastel colour
- Glare free and soft white or soft pastel lighting effect

Versions



LPPR_ISTDBSOF_B22_T55_SW-
Product photo



LPPR ISTDESOF 0001

Dimensional drawing



Product	D	C (max)
Soft 100W B22 230V T55 WH U 1CT/100	55 mm	93.5 mm
Soft 100W B22 240V T55 WH 1CT/5X20FT	55 mm	93.5 mm
Soft 40W B22 230V T55 WH U 1CT/100	55 mm	93.5 mm
Soft 60W B22 230V T55 WH U 1CT/100	55 mm	93.5 mm
Soft 60W B22 240V T55 WH 1CT/5X20FT	55 mm	93.5 mm
Soft 75W B22 240V T55 WH 1CT/5X20FT	55 mm	96.5 mm



Product	D	C (max)
Soft 60W E27 240V T55 WH 1CT/5X20FT	55 mm	95 mm

General Information

Operating Position	UNIVERSAL [Any or Universal (U)]
Nominal lifetime	1,000 hour(s)
Rated Lifetime (Hours)	1,000 hour(s)

Light Technical

Color rendering index (CRI)	100

Controls and Dimming

Dimmable	Yes

Mechanical and Housing

Bulb Finish	Soft White
Bulb Shape	T55

General Information

Order Code	Full Product Name	Cap-Base
922801245537	Soft 60W B22 240V T55 WH 1CT/5X20FT	B22
922801345537	Soft 75W B22 240V T55 WH 1CT/5X20FT	B22
922801445537	Soft 100W B22 240V T55 WH 1CT/5X20FT	B22
926000205012	Soft 60W B22 230V T55 WH U 1CT/100	B22
926000205013	Soft 40W B22 230V T55 WH U 1CT/100	B22
926000205014	Soft 100W B22 230V T55 WH U 1CT/100	B22
922800345537	Soft 60W E27 240V T55 WH 1CT/5X20FT	E27

Light Technical

Order Code	Full Product Name	Luminous Flux
922801245537	Soft 60W B22 240V T55 WH 1CT/5X20FT	630 lm
922801345537	Soft 75W B22 240V T55 WH 1CT/5X20FT	830 lm
922801445537	Soft 100W B22 240V T55 WH 1CT/5X20FT	1,200 lm
926000205012	Soft 60W B22 230V T55 WH U 1CT/100	630 lm
926000205013	Soft 40W B22 230V T55 WH U 1CT/100	370 lm
926000205014	Soft 100W B22 230V T55 WH U 1CT/100	1,200 lm
922800345537	Soft 60W E27 240V T55 WH 1CT/5X20FT	630 lm

Operating and Electrical

Order Code	Full Product Name	Power Consumption	Voltage (Nom)
922801245537	Soft 60W B22 240V T55 WH 1CT/5X20FT	60 W	240 V
922801345537	Soft 75W B22 240V T55 WH 1CT/5X20FT	75 W	240 V
922801445537	Soft 100W B22 240V T55 WH 1CT/5X20FT	100 W	240 V
926000205012	Soft 60W B22 230V T55 WH U 1CT/100	60 W	230 V
926000205013	Soft 40W B22 230V T55 WH U 1CT/100	40 W	230 V
926000205014	Soft 100W B22 230V T55 WH U 1CT/100	100 W	230 V
922800345537	Soft 60W E27 240V T55 WH 1CT/5X20FT	60 W	240 V

© 2026 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.