PHILIPS

MSD

XDMSDP



MSD – right light, stage bright

These single ended, compact lamps enable optimal light collection and accurate beam control, while they also provide true daylight color temperatures – all to create great stage brightness and vivid entertainment. And since they offer long lifetime usage they help minimize the cost of ownership via fewer lamp replacements and fewer maintenance man hour costs.

Benefits

- Optimal light collection
- Low cost of ownership
- Brightness on stage

Applications

- Display lighting
- Disco lighting
- Fibre optics

Features

- Single ended lamp concept
- Long life
- Daylight color temperatures

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Data subject to change

Versions



XPPR_XDMSD_0009-Product photo

Dimensional drawing



Product	D (max)	O	L (min)	L (max)	L	C (max)	F (max)	F	F (min)
MSD 250/2 30H 1CT/4	23 mm	5.0 mm	54 mm	56 mm	55 mm	108 mm	29 mm	28 mm	27 mm

General Information

Cap-Base	GY9.5
Operating Position	UNIVERSAL [Any or Universal (U)]

Light Technical

Color Code	850 [CCT of 5000K]
Luminous Flux (Min)	16,000 lm
Luminous Flux	18,000 lm
Correlated Color Temperature (Nom)	8100 K
Color rendering index (CRI)	70

Operating and Electrical

Power Consumption	250 W
Lamp Current (Nom)	3 A

Controls and Dimming

Dimmable	No

© 2026 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.