PHILIPS

FlexBlend, Surface Mounted

SM340C



FlexBlend heading the way to efficient and flexible furnished offices areas

Philips FlexBlend is an attractive family of surface mounted and suspended luminaires, next to Flexblend recessed. The luminaire range is enabling building owners to advance their lighting operations, by offering office-compliant lighting with a return on investment of less than 3 years. FlexBlend provides the required flexibility through the adaptability in design. This gives the possibility to install the luminaires easily in the field, at any moment. Even when todays luminaire is suspended, tomorrow this can be adapted to a surface mounted installation at the venue. And the other way around. . The surface mounted and suspended luminaire range fit to many different office spaces like open plan office, corridors, reception or meeting rooms. FlexBlend is offered in both lines and as standalone, using the same lighting module. This gives the option to the users to use FlexBlend as standalone now, and tomorrow, as line. The controller is integrated in the luminaire. As technology is changing fast, the ideal lighting solution is also expected to be ready to incorporate innovations that

can help optimize operations further. For this reason, FlexBlend holds all connectivity and future ready options available. As System Ready luminaire it can be paired with lighting management systems such as the Philips Interact Office wired (PoE) and Interact Office wireless and/or existing and upcoming sensor innovations. The luminaire range is therefore future ready and can be delivered without any system component, and in a next phase, in the field to be upgraded. An attractive opportunity for new installations and renovations.

Benefits

- Return of investment less than 3 years
- A flexible office, with application flexibility to the choice of luminaires to fit many office areas
- Future ready: scalable and ready to be connected to controls and lighting systems

Applications

- Offices
- Education
- Healthcare

Features

- Fully office compliant (UGR <19, L65< 3000cd/sm) , light level according to office applications requirements
- Homogenous and uniform light effect
- Various mounting options, dimensional variety and local options
- Integrated sensors
- Ready to be connected to software based lighting systems such as Interact Office
- The product is IPX0 & as such is not protected against water ingress & as such we strongly recommend that The environment in which The luminaire is to be installed is suitably checked
- If The above advice is not taken and The luminaires are subject to water ingress, Philips / Signify cannot guarantee safe failure & product warranty will become void

Versions



FlexBlend Surface Mounted SM340C MLO WH



FlexBlend Surface Mounted SM340C O WH



FlexBlend Surface Mounted SM340C PCS SI



FlexBlend Surface Mounted SM340C O BK



FlexBlend Surface Mounted-Suspended Emergency Lighting



FlexBlend Surface Mounted SM340C MLO SI



FlexBlend Surface Mounted SM340C O SI



FlexBlend Surface Mounted SM340C MLO BK



FlexBlend Surface Mounted-SM340C-MLO-WH-SENS1-L150

FlexBlend Surface Mounted SM340C PCS WH



FlexBlend Surface Mounted SM340C PCS BK

Dimensional drawing



FLEXBLEND STAND-ALONE



FLEXBLEND STAND-ALONE - 82° x 85° -

Product details



FlexBlend_Surface_Mounted-Suspended_ Emergency Lighting



FlexBlend Surface Mounted SM340C WH



FlexBlend_Surface_Mounted-Suspended_ Emergency Lighting



FlexBlend Surface Mounted SM340C WH



FlexBlend Surface Mounted SM340C PCS BK



FlexBlend Surface Mounted SM340C O SI



FlexBlend Surface Mounted SM340C



FlexBlend Surface Mounted SM340C SI



FlexBlend_Surface_Mounted-Suspended_ Emergency Lighting



FlexBlend_Surface_Mounted-Suspended_ Emergency Lighting



FlexBlend Surface Mounted SM340C O SI

FlexBlend_Surface_Mounted-Suspended_ Emergency Lighting



FlexBlend_Surface_Mounted-SM340C-MLO-WH-SWZU-12DPP



FlexBlend Surface Mounted SM340C WH



FlexBlend Surface Mounted SM340C BK



FlexBlend Surface Mounted SM340C BK



FlexBlend Suspended SP340P WH



FlexBlend Surface Mounted SM340C BK



FlexBlend Surface Mounted SM340C MLO BK



FlexBlend_Surface_Mounted-Suspended_ Emergency Lighting



FlexBlend Surface Mounted SM340C MLO WH



FlexBlend Surface Mounted SM340C BK



FlexBlend Surface Mounted SM340C brackets



FlexBlend Surface Mounted SM340C SI



FlexBlend Suspended SP340P BK



FlexBlend_Surface_Mounted-Suspended_ Emergency Lighting



FlexBlend_Surface_Mounted-Suspended_ Emergency Lighting



FlexBlend_Surface_Mounted-Suspended_ Emergency Lighting



FlexBlend Surface Mounted SM340C O BK



FlexBlend Suspended SP340P SI

General Information

Light source replaceable	No
Number of gear units	1 unit
Driver included	Yes
Service tag	Yes

Light Technical

Color rendering index (CRI)	>90
Optic type	Wide beam

Operating and Electrical

Input Voltage	220 to 240 V
Line Frequency	50 to 60 Hz
Protection class IEC	Safety class I

Controls and Dimming

Dimmable	Yes
Maximum dim level	1%

Mechanical and Housing

Ingress protection code	IP20 [Finger-protected]
Mech. impact protection code	IK02 [0.2 J standard]

Emergency Operation

Rated duration of the emergency lighting (when fully charged)	3 hour(s)

Approval and Application

Flammability mark	For mounting on normally flammable surfaces
CE mark	Yes
Flickering value (PstLM) - Flickering value as per EN 61000-3-3	1
Stroboscopic effect visibility measure (SVM)	0.4

Initial Performance (IEC Compliant)

Luminous flux tolerance	+/-10%

Over Time Performance (IEC Compliant)

Driver failure rate at 5000 h	0.05 %

Light Technical

Order Code	Full Product Name	Luminous Flux	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Beam angle of light source
910925867108	SM340C 35S/940 DEIA MLO L150 WH	3,500 lm	4000 K	101 lm/W	120 degree(s)
910925867136	SM340C 36S/940 DEIA MLO L120 WH	3,600 lm	4000 K	95 lm/W	120 degree(s)
910925867137	SM340C 40S/940 DEIA MLO L120 WH	4,000 lm	4000 K	94 lm/W	120 degree(s)
910925867262	SM341C 35S/940 DEIA MLO L150 WH	3,500 lm	4000 K	101 lm/W	120 degree(s)
910925867866	SM340C 28S/940 DEIA MLO L120 WH	2,800 lm	4000 K	98 lm/W	120 degree(s)
910925867870	SM340C 28S/930 DEIA MLO L120 WH	2,800 lm	3000 K	98 lm/W	120 degree(s)
910925867871	SM340C 36S/930 DEIA MLO L120 WH	3,600 lm	3000 K	95 lm/W	120 degree(s)
910925867880	SM340C 45S/940 DEIA MLO L150 WH	4,500 lm	4000 K	98 lm/W	120 degree(s)
910925867881	SM340C 50S/940 DEIA MLO L150 WH	5,000 lm	4000 K	96 lm/W	120 degree(s)
910925867884	SM340C 35S/930 DEIA MLO L150 WH	3,500 lm	3000 K	101 lm/W	120 degree(s)
910925867885	SM340C 45S/930 DEIA MLO L150 WH	4,500 lm	3000 K	98 lm/W	120 degree(s)
910925867904	SM341C 26S/940 DEIA MLO L150 WH	2,600 lm	4000 K	108 lm/W	120 degree(s)
910925867116	SM340C 35S/940 DEIA O L150 WH	3,500 lm	4000 K	129 lm/W	120 degree(s)
910925867867	SM340C 36S/940 DEIA O L120 WH	3,600 lm	4000 K	126 lm/W	120 degree(s)
910925867872	SM340C 36S/930 DEIA O L120 WH	3,600 lm	3000 K	116 lm/W	120 degree(s)
910925867886	SM340C 35S/930 DEIA O L150 WH	3,500 lm	3000 K	129 lm/W	120 degree(s)
910925867905	SM341C 26S/940 DEIA O L150 WH	2,600 lm	4000 K	121 lm/W	120 degree(s)
910925867101	SM340C 35S/940 DEIA PCS L150 SI	3,500 lm	4000 K	140 lm/W	120 degree(s)
910925867873	SM340C 28S/940 DEIA PCS L120 SI	2,800 lm	4000 K	136 lm/W	120 degree(s)
910925867874	SM340C 36S/940 DEIA PCS L120 SI	3,600 lm	4000 K	138 lm/W	120 degree(s)
910925867887	SM340C 45S/940 DEIA PCS L150 SI	4,500 lm	4000 K	140 lm/W	120 degree(s)
910925867888	SM340C 52S/940 DEIA PCS L150 SI	5,200 lm	4000 K	137 lm/W	120 degree(s)
910925867906	SM341C 26S/940 DEIA PCS L150 SI	2,600 lm	4000 K	133 lm/W	120 degree(s)
910925867907	SM341C 35S/940 DEIA PCS L150 SI	3,500 lm	4000 K	140 lm/W	120 degree(s)
910925867892	SM340C 35S/940 DEIA O L150 BK	3,500 lm	4000 K	129 lm/W	120 degree(s)
910925868098	SM340C 36S/940 DIA MLO ELP3 L120 WH	3,600 lm	4000 K	95 lm/W	120 degree(s)
910925867109	SM340C 35S/940 DEIA MLO L150 SI	3,500 lm	4000 K	101 lm/W	120 degree(s)
910925867875	SM340C 28S/940 DEIA MLO L120 SI	2,800 lm	4000 K	98 lm/W	120 degree(s)
910925867876	SM340C 36S/940 DEIA MLO L120 SI	3,600 lm	4000 K	95 lm/W	120 degree(s)
910925867889	SM340C 45S/940 DEIA MLO L150 SI	4,500 lm	4000 K	98 lm/W	120 degree(s)
910925867890	SM340C 50S/940 DEIA MLO L150 SI	5,000 lm	4000 K	96 lm/W	120 degree(s)
910925867908	SM341C 26S/940 DEIA MLO L150 SI	2,600 lm	4000 K	108 lm/W	120 degree(s)
910925867909	SM341C 35S/940 DEIA MLO L150 SI	3,500 lm	4000 K	101 lm/W	120 degree(s)
910925867877	SM340C 36S/940 DEIA O L120 SI	3,600 lm	4000 K	126 lm/W	120 degree(s)
910925867891	SM340C 35S/940 DEIA O L150 SI	3,500 lm	4000 K	129 lm/W	120 degree(s)
910925867110	SM340C 35S/940 DEIA MLO L150 BK	3,500 lm	4000 K	101 lm/W	120 degree(s)
910925868898	SM340C 45S/940 SEIA MLO U4 L150 WH	4,500 lm	4000 K	98 lm/W	- degree(s)
910925868899	SM340C 52S/940 SEIA PCS U4 L150 WH	5,200 lm	4000 K	140 lm/W	- degree(s)
910925868901	SM340C 45S/940 SEIA PCS U4 L150 WH	4,500 lm	4000 K	140 lm/W	- degree(s)

Order Code	Full Product Name	Luminous Flux	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Beam angle of light source
910925868902	SM340C 35S/940 SEIA PCS U4 L150 WH	3,500 lm	4000 K	146 lm/W	- degree(s)
910925868903	SM340C 42S/940 SEIA PCS U4 L120 WH	4,200 lm	4000 K	140 lm/W	- degree(s)
910925868904	SM340C 36S/940 SEIA PCS U4 L120 WH	3,600 lm	4000 K	138 lm/W	- degree(s)
910925867099	SM340C 35S/940 DEIA PCS L150 WH	3,500 lm	4000 K	140 lm/W	120 degree(s)
910925867134	SM340C 36S/940 DEIA PCS L120 WH	3,600 lm	4000 K	138 lm/W	120 degree(s)
910925867135	SM340C 42S/940 DEIA PCS L120 WH	4,200 lm	4000 K	138 lm/W	120 degree(s)
910925867865	SM340C 28S/940 DEIA PCS L120 WH	2,800 lm	4000 K	136 lm/W	120 degree(s)
910925867868	SM340C 28S/930 DEIA PCS L120 WH	2,800 lm	3000 K	136 lm/W	120 degree(s)
910925867869	SM340C 36S/930 DEIA PCS L120 WH	3,600 lm	3000 K	138 lm/W	120 degree(s)
910925867878	SM340C 45S/940 DEIA PCS L150 WH	4,500 lm	4000 K	140 lm/W	120 degree(s)
910925867879	SM340C 52S/940 DEIA PCS L150 WH	5,200 lm	4000 K	137 lm/W	120 degree(s)
910925867882	SM340C 35S/930 DEIA PCS L150 WH	3,500 lm	3000 K	140 lm/W	120 degree(s)
910925867883	SM340C 45S/930 DEIA PCS L150 WH	4,500 lm	3000 K	140 lm/W	120 degree(s)
910925867902	SM341C 26S/940 DEIA PCS L150 WH	2,600 lm	4000 K	133 lm/W	120 degree(s)
910925867903	SM341C 35S/940 DEIA PCS L150 WH	3,500 lm	4000 K	140 lm/W	120 degree(s)
910925867102	SM340C 35S/940 DEIA PCS L150 BK	3,500 lm	4000 K	140 lm/W	120 degree(s)

Operating and Electrical

Order Code	Full Product Name	Power Consumption	Suitable for random switching
910925867108	SM340C 35S/940 DEIA MLO L150 WH	34.5 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867136	SM340C 36S/940 DEIA MLO L120 WH	38 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867137	SM340C 40S/940 DEIA MLO L120 WH	42.5 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867262	SM341C 35S/940 DEIA MLO L150 WH	34.5 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867866	SM340C 28S/940 DEIA MLO L120 WH	28.5 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867870	SM340C 28S/930 DEIA MLO L120 WH	28.5 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867871	SM340C 36S/930 DEIA MLO L120 WH	38 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867880	SM340C 45S/940 DEIA MLO L150 WH	46 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867881	SM340C 50S/940 DEIA MLO L150 WH	52 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867884	SM340C 35S/930 DEIA MLO L150 WH	34.5 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867885	SM340C 45S/930 DEIA MLO L150 WH	46 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867904	SM341C 26S/940 DEIA MLO L150 WH	26 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867116	SM340C 35S/940 DEIA O L150 WH	27 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867867	SM340C 36S/940 DEIA O L120 WH	28.5 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867872	SM340C 36S/930 DEIA O L120 WH	28.5 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867886	SM340C 35S/930 DEIA O L150 WH	27 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867905	SM341C 26S/940 DEIA O L150 WH	20.5 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867101	SM340C 35S/940 DEIA PCS L150 SI	25 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867873	SM340C 28S/940 DEIA PCS L120 SI	20.5 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867874	SM340C 36S/940 DEIA PCS L120 SI	26 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867887	SM340C 45S/940 DEIA PCS L150 SI	32 W	Yes (relates to presence/ movement detection and daylight harvesting)

Order Code	Full Product Name	Power Consumption	Suitable for random switching
910925867888	SM340C 52S/940 DEIA PCS L150 SI	38 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867906	SM341C 26S/940 DEIA PCS L150 SI	18.5 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867907	SM341C 35S/940 DEIA PCS L150 SI	25 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867892	SM340C 35S/940 DEIA O L150 BK	27 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925868098	SM340C 36S/940 DIA MLO ELP3 L120 WH	38 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867109	SM340C 35S/940 DEIA MLO L150 SI	34.5 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867875	SM340C 28S/940 DEIA MLO L120 SI	28.5 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867876	SM340C 36S/940 DEIA MLO L120 SI	38 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867889	SM340C 45S/940 DEIA MLO L150 SI	46 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867890	SM340C 50S/940 DEIA MLO L150 SI	52 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867908	SM341C 26S/940 DEIA MLO L150 SI	26 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867909	SM341C 35S/940 DEIA MLO L150 SI	34.5 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867877	SM340C 36S/940 DEIA O L120 SI	28.5 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867891	SM340C 35S/940 DEIA O L150 SI	27 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867110	SM340C 35S/940 DEIA MLO L150 BK	34.5 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925868898	SM340C 45S/940 SEIA MLO U4 L150 WH	46 W	Yes
910925868899	SM340C 52S/940 SEIA PCS U4 L150 WH	37 W	Yes
910925868901	SM340C 45S/940 SEIA PCS U4 L150 WH	32 W	Yes
910925868902	SM340C 35S/940 SEIA PCS U4 L150 WH	24 W	Yes
910925868903	SM340C 42S/940 SEIA PCS U4 L120 WH	30 W	Yes
910925868904	SM340C 36S/940 SEIA PCS U4 L120 WH	26 W	Yes
910925867099	SM340C 35S/940 DEIA PCS L150 WH	25 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867134	SM340C 36S/940 DEIA PCS L120 WH	26 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867135	SM340C 42S/940 DEIA PCS L120 WH	30.5 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867865	SM340C 28S/940 DEIA PCS L120 WH	20.5 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867868	SM340C 28S/930 DEIA PCS L120 WH	20.5 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867869	SM340C 36S/930 DEIA PCS L120 WH	26 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867878	SM340C 45S/940 DEIA PCS L150 WH	32 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867879	SM340C 52S/940 DEIA PCS L150 WH	38 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867882	SM340C 35S/930 DEIA PCS L150 WH	25 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867883	SM340C 45S/930 DEIA PCS L150 WH	32 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867902	SM341C 26S/940 DEIA PCS L150 WH	18.5 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867903	SM341C 35S/940 DEIA PCS L150 WH	25 W	Yes (relates to presence/ movement detection and daylight harvesting)
910925867102	SM340C 35S/940 DEIA PCS L150 BK	25 W	Yes (relates to presence/ movement detection and daylight harvesting)

Mechanical and Housing

Order Code	Full Product Name	Housing Color
910925867108	SM340C 35S/940 DEIA MLO L150 WH	White
910925867136	SM340C 36S/940 DEIA MLO L120 WH	White
910925867137	SM340C 40S/940 DEIA MLO L120 WH	White

Order Code	Full Product Name	Housing Color
910925867262	SM341C 35S/940 DEIA MLO L150 WH	White
910925867866	SM340C 28S/940 DEIA MLO L120 WH	White
910925867870	SM340C 28S/930 DEIA MLO L120 WH	White
910925867871	SM340C 36S/930 DEIA MLO L120 WH	White
910925867880	SM340C 45S/940 DEIA MLO L150 WH	White
910925867881	SM340C 50S/940 DEIA MLO L150 WH	White
910925867884	SM340C 35S/930 DEIA MLO L150 WH	White
910925867885	SM340C 45S/930 DEIA MLO L150 WH	White
910925867904	SM341C 26S/940 DEIA MLO L150 WH	White
910925867116	SM340C 35S/940 DEIA O L150 WH	White
910925867867	SM340C 36S/940 DEIA O L120 WH	White
910925867872	SM340C 36S/930 DEIA O L120 WH	White
910925867886	SM340C 35S/930 DEIA O L150 WH	White
910925867905	SM341C 26S/940 DEIA O L150 WH	White
910925867101	SM340C 35S/940 DEIA PCS L150 SI	Silver
910925867873	SM340C 28S/940 DEIA PCS L120 SI	Silver
910925867874	SM340C 36S/940 DEIA PCS L120 SI	Silver
910925867887	SM340C 45S/940 DEIA PCS L150 SI	Silver
910925867888	SM340C 52S/940 DEIA PCS L150 SI	Silver
910925867906	SM341C 26S/940 DEIA PCS L150 SI	Silver
910925867907	SM341C 35S/940 DEIA PCS L150 SI	Silver
910925867892	SM340C 35S/940 DEIA O L150 BK	Black
910925868098	SM340C 36S/940 DIA MLO ELP3 L120 WH	White
910925867109	SM340C 35S/940 DEIA MLO L150 SI	Silver
910925867875	SM340C 28S/940 DEIA MLO L120 SI	Silver
910925867876	SM340C 36S/940 DEIA MLO L120 SI	Silver
910925867889	SM340C 45S/940 DEIA MLO L150 SI	Silver
910925867890	SM340C 50S/940 DEIA MLO L150 SI	Silver
910925867908	SM341C 26S/940 DEIA MLO L150 SI	Silver
910925867909	SM341C 35S/940 DEIA MLO L150 SI	Silver
910925867877	SM340C 36S/940 DEIA O L120 SI	Silver
910925867891	SM340C 35S/940 DEIA O L150 SI	Silver
910925867110	SM340C 35S/940 DEIA MLO L150 BK	Black
910925868898	SM340C 45S/940 SEIA MLO U4 L150 WH	White
910925868899	SM340C 52S/940 SEIA PCS U4 L150 WH	White
910925868901	SM340C 45S/940 SEIA PCS U4 L150 WH	White
910925868902	SM340C 35S/940 SEIA PCS U4 L150 WH	White
910925868903	SM340C 42S/940 SEIA PCS U4 L120 WH	White
910925868904	SM340C 36S/940 SEIA PCS U4 L120 WH	White
910925867099	SM340C 35S/940 DEIA PCS L150 WH	White
910925867134	SM340C 36S/940 DEIA PCS L120 WH	White
910925867135	SM340C 42S/940 DEIA PCS L120 WH	White

Order Code	Full Product Name	Housing Color
910925867865	SM340C 28S/940 DEIA PCS L120 WH	White
910925867868	SM340C 28S/930 DEIA PCS L120 WH	White
910925867869	SM340C 36S/930 DEIA PCS L120 WH	White
910925867878	SM340C 45S/940 DEIA PCS L150 WH	White
910925867879	SM340C 52S/940 DEIA PCS L150 WH	White
910925867882	SM340C 35S/930 DEIA PCS L150 WH	White
910925867883	SM340C 45S/930 DEIA PCS L150 WH	White
910925867902	SM341C 26S/940 DEIA PCS L150 WH	White
910925867903	SM341C 35S/940 DEIA PCS L150 WH	White
910925867102	SM340C 35S/940 DEIA PCS L150 BK	Black

Emergency Operation

Order Code	Full Product Name	Central Emergency	Emergency lighting
910925867108	SM340C 35S/940 DEIA MLO L150 WH	Yes	DC operated central emergency lighting
910925867136	SM340C 36S/940 DEIA MLO L120 WH	Yes	DC operated central emergency lighting
910925867137	SM340C 40S/940 DEIA MLO L120 WH	Yes	DC operated central emergency lighting
910925867262	SM341C 35S/940 DEIA MLO L150 WH	Yes	DC operated central emergency lighting
910925867866	SM340C 28S/940 DEIA MLO L120 WH	Yes	DC operated central emergency lighting
910925867870	SM340C 28S/930 DEIA MLO L120 WH	Yes	DC operated central emergency lighting
910925867871	SM340C 36S/930 DEIA MLO L120 WH	Yes	DC operated central emergency lighting
910925867880	SM340C 45S/940 DEIA MLO L150 WH	Yes	DC operated central emergency lighting
910925867881	SM340C 50S/940 DEIA MLO L150 WH	Yes	DC operated central emergency lighting
910925867884	SM340C 35S/930 DEIA MLO L150 WH	Yes	DC operated central emergency lighting
910925867885	SM340C 45S/930 DEIA MLO L150 WH	Yes	DC operated central emergency lighting
910925867904	SM341C 26S/940 DEIA MLO L150 WH	Yes	DC operated central emergency lighting
910925867116	SM340C 35S/940 DEIA O L150 WH	Yes	DC operated central emergency lighting
910925867867	SM340C 36S/940 DEIA O L120 WH	Yes	DC operated central emergency lighting
910925867872	SM340C 36S/930 DEIA O L120 WH	Yes	DC operated central emergency lighting
910925867886	SM340C 35S/930 DEIA O L150 WH	Yes	DC operated central emergency lighting
910925867905	SM341C 26S/940 DEIA O L150 WH	Yes	DC operated central emergency lighting
910925867101	SM340C 35S/940 DEIA PCS L150 SI	Yes	DC operated central emergency lighting
910925867873	SM340C 28S/940 DEIA PCS L120 SI	Yes	DC operated central emergency lighting
910925867874	SM340C 36S/940 DEIA PCS L120 SI	Yes	DC operated central emergency lighting
910925867887	SM340C 45S/940 DEIA PCS L150 SI	Yes	DC operated central emergency lighting
910925867888	SM340C 52S/940 DEIA PCS L150 SI	Yes	DC operated central emergency lighting
910925867906	SM341C 26S/940 DEIA PCS L150 SI	Yes	DC operated central emergency lighting
910925867907	SM341C 35S/940 DEIA PCS L150 SI	Yes	DC operated central emergency lighting
910925867892	SM340C 35S/940 DEIA O L150 BK	Yes	DC operated central emergency lighting
910925868098	SM340C 36S/940 DIA MLO ELP3 L120 WH	No	Emergency lighting 3 hours duration Pro version
910925867109	SM340C 35S/940 DEIA MLO L150 SI	Yes	DC operated central emergency lighting
910925867875	SM340C 28S/940 DEIA MLO L120 SI	Yes	DC operated central emergency lighting
910925867876	SM340C 36S/940 DEIA MLO L120 SI	Yes	DC operated central emergency lighting

Order Code	Full Product Name	Central Emergency	Emergency lighting
910925867889	SM340C 45S/940 DEIA MLO L150 SI	Yes	DC operated central emergency lighting
910925867890	SM340C 50S/940 DEIA MLO L150 SI	Yes	DC operated central emergency lighting
910925867908	SM341C 26S/940 DEIA MLO L150 SI	Yes	DC operated central emergency lighting
910925867909	SM341C 35S/940 DEIA MLO L150 SI	Yes	DC operated central emergency lighting
910925867877	SM340C 36S/940 DEIA O L120 SI	Yes	DC operated central emergency lighting
910925867891	SM340C 35S/940 DEIA O L150 SI	Yes	DC operated central emergency lighting
910925867110	SM340C 35S/940 DEIA MLO L150 BK	Yes	DC operated central emergency lighting
910925868898	SM340C 45S/940 SEIA MLO U4 L150 WH	Yes	DC operated central emergency lighting
910925868899	SM340C 52S/940 SEIA PCS U4 L150 WH	Yes	DC operated central emergency lighting
910925868901	SM340C 45S/940 SEIA PCS U4 L150 WH	Yes	DC operated central emergency lighting
910925868902	SM340C 35S/940 SEIA PCS U4 L150 WH	Yes	DC operated central emergency lighting
910925868903	SM340C 42S/940 SEIA PCS U4 L120 WH	Yes	DC operated central emergency lighting
910925868904	SM340C 36S/940 SEIA PCS U4 L120 WH	Yes	DC operated central emergency lighting
910925867099	SM340C 35S/940 DEIA PCS L150 WH	Yes	DC operated central emergency lighting
910925867134	SM340C 36S/940 DEIA PCS L120 WH	Yes	DC operated central emergency lighting
910925867135	SM340C 42S/940 DEIA PCS L120 WH	Yes	DC operated central emergency lighting
910925867865	SM340C 28S/940 DEIA PCS L120 WH	Yes	DC operated central emergency lighting
910925867868	SM340C 28S/930 DEIA PCS L120 WH	Yes	DC operated central emergency lighting
910925867869	SM340C 36S/930 DEIA PCS L120 WH	Yes	DC operated central emergency lighting
910925867878	SM340C 45S/940 DEIA PCS L150 WH	Yes	DC operated central emergency lighting
910925867879	SM340C 52S/940 DEIA PCS L150 WH	Yes	DC operated central emergency lighting
910925867882	SM340C 35S/930 DEIA PCS L150 WH	Yes	DC operated central emergency lighting
910925867883	SM340C 45S/930 DEIA PCS L150 WH	Yes	DC operated central emergency lighting
910925867902	SM341C 26S/940 DEIA PCS L150 WH	Yes	DC operated central emergency lighting
910925867903	SM341C 35S/940 DEIA PCS L150 WH	Yes	DC operated central emergency lighting
910925867102	SM340C 35S/940 DEIA PCS L150 BK	Yes	DC operated central emergency lighting

Approval and Application

Order Code	Full Product Name	Glow-wire test	ENEC mark	Ambient temperature range
910925867108	SM340C 35S/940 DEIA MLO L150 WH	Temperature 650 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867136	SM340C 36S/940 DEIA MLO L120 WH	Temperature 650 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867137	SM340C 40S/940 DEIA MLO L120 WH	Temperature 650 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867262	SM341C 35S/940 DEIA MLO L150 WH	Temperature 650 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867866	SM340C 28S/940 DEIA MLO L120 WH	Temperature 650 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867870	SM340C 28S/930 DEIA MLO L120 WH	Temperature 650 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867871	SM340C 36S/930 DEIA MLO L120 WH	Temperature 650 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867880	SM340C 45S/940 DEIA MLO L150 WH	Temperature 650 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867881	SM340C 50S/940 DEIA MLO L150 WH	Temperature 650 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867884	SM340C 35S/930 DEIA MLO L150 WH	Temperature 650 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867885	SM340C 45S/930 DEIA MLO L150 WH	Temperature 650 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867904	SM341C 26S/940 DEIA MLO L150 WH	Temperature 650 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867116	SM340C 35S/940 DEIA O L150 WH	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C

Order Code	Full Product Name	Glow-wire test	ENEC mark	Ambient temperature range
910925867867	SM340C 36S/940 DEIA O L120 WH	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867872	SM340C 36S/930 DEIA O L120 WH	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867886	SM340C 35S/930 DEIA O L150 WH	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867905	SM341C 26S/940 DEIA O L150 WH	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867101	SM340C 35S/940 DEIA PCS L150 SI	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867873	SM340C 28S/940 DEIA PCS L120 SI	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867874	SM340C 36S/940 DEIA PCS L120 SI	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867887	SM340C 45S/940 DEIA PCS L150 SI	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867888	SM340C 52S/940 DEIA PCS L150 SI	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867906	SM341C 26S/940 DEIA PCS L150 SI	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867907	SM341C 35S/940 DEIA PCS L150 SI	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867892	SM340C 35S/940 DEIA O L150 BK	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925868098	SM340C 36S/940 DIA MLO ELP3 L120 WH	Temperature 650 °C, duration 30 s	ENEC plus mark	+10 to +25 °C
910925867109	SM340C 35S/940 DEIA MLO L150 SI	Temperature 650 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867875	SM340C 28S/940 DEIA MLO L120 SI	Temperature 650 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867876	SM340C 36S/940 DEIA MLO L120 SI	Temperature 650 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867889	SM340C 45S/940 DEIA MLO L150 SI	Temperature 650 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867890	SM340C 50S/940 DEIA MLO L150 SI	Temperature 650 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867908	SM341C 26S/940 DEIA MLO L150 SI	Temperature 650 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867909	SM341C 35S/940 DEIA MLO L150 SI	Temperature 650 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867877	SM340C 36S/940 DEIA O L120 SI	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867891	SM340C 35S/940 DEIA O L150 SI	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867110	SM340C 35S/940 DEIA MLO L150 BK	Temperature 650 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925868898	SM340C 45S/940 SEIA MLO U4 L150 WH	Temperature 650 °C, duration 30 s	ENEC mark	+10 to +40 °C
910925868899	SM340C 52S/940 SEIA PCS U4 L150 WH	Temperature 850 °C, duration 30 s	ENEC mark	+10 to +40 °C
910925868901	SM340C 45S/940 SEIA PCS U4 L150 WH	Temperature 850 °C, duration 30 s	ENEC mark	+10 to +40 °C
910925868902	SM340C 35S/940 SEIA PCS U4 L150 WH	Temperature 850 °C, duration 30 s	ENEC mark	+10 to +40 °C
910925868903	SM340C 42S/940 SEIA PCS U4 L120 WH	Temperature 850 °C, duration 30 s	ENEC mark	+10 to +40 °C
910925868904	SM340C 36S/940 SEIA PCS U4 L120 WH	Temperature 850 °C, duration 30 s	ENEC mark	+10 to +40 °C
910925867099	SM340C 35S/940 DEIA PCS L150 WH	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867134	SM340C 36S/940 DEIA PCS L120 WH	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867135	SM340C 42S/940 DEIA PCS L120 WH	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867865	SM340C 28S/940 DEIA PCS L120 WH	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867868	SM340C 28S/930 DEIA PCS L120 WH	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867869	SM340C 36S/930 DEIA PCS L120 WH	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867878	SM340C 45S/940 DEIA PCS L150 WH	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867879	SM340C 52S/940 DEIA PCS L150 WH	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867882	SM340C 35S/930 DEIA PCS L150 WH	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867883	SM340C 45S/930 DEIA PCS L150 WH	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867902	SM341C 26S/940 DEIA PCS L150 WH	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867903	SM341C 35S/940 DEIA PCS L150 WH	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C
910925867102	SM340C 35S/940 DEIA PCS L150 BK	Temperature 850 °C, duration 30 s	ENEC plus mark	+10 to +40 °C

Initial Performance (IEC Compliant)

Order Code	Full Product Name	Initial chromaticity
910925867108	SM340C 35S/940 DEIA MLO L150 WH	(0.38, 0.38) SDCM <3
910925867136	SM340C 36S/940 DEIA MLO L120 WH	(0.38, 0.38) SDCM <3
910925867137	SM340C 40S/940 DEIA MLO L120 WH	(0.38, 0.38) SDCM <3
910925867262	SM341C 35S/940 DEIA MLO L150 WH	(0.38, 0.38) SDCM <3
910925867866	SM340C 28S/940 DEIA MLO L120 WH	(0.38, 0.38) SDCM <3
910925867870	SM340C 28S/930 DEIA MLO L120 WH	(0.43, 0.40) SDCM <3
910925867871	SM340C 36S/930 DEIA MLO L120 WH	(0.43, 0.40) SDCM <3
910925867880	SM340C 45S/940 DEIA MLO L150 WH	(0.38, 0.38) SDCM <3
910925867881	SM340C 50S/940 DEIA MLO L150 WH	(0.38, 0.38) SDCM <3
910925867884	SM340C 35S/930 DEIA MLO L150 WH	(0.43, 0.40) SDCM <3
910925867885	SM340C 45S/930 DEIA MLO L150 WH	(0.43, 0.40) SDCM <3
910925867904	SM341C 26S/940 DEIA MLO L150 WH	(0.38, 0.38) SDCM <3
910925867116	SM340C 35S/940 DEIA O L150 WH	(0.38, 0.38) SDCM <3
910925867867	SM340C 36S/940 DEIA O L120 WH	(0.38, 0.38) SDCM <3
910925867872	SM340C 36S/930 DEIA O L120 WH	(0.43, 0.40) SDCM <3
910925867886	SM340C 35S/930 DEIA O L150 WH	(0.43, 0.40) SDCM <3
910925867905	SM341C 26S/940 DEIA O L150 WH	(0.38, 0.38) SDCM <3
910925867101	SM340C 35S/940 DEIA PCS L150 SI	(0.38, 0.38) SDCM <3
910925867873	SM340C 28S/940 DEIA PCS L120 SI	(0.38, 0.38) SDCM <3
910925867874	SM340C 36S/940 DEIA PCS L120 SI	(0.38, 0.38) SDCM <3
910925867887	SM340C 45S/940 DEIA PCS L150 SI	(0.38, 0.38) SDCM <3
910925867888	SM340C 52S/940 DEIA PCS L150 SI	(0.38, 0.38) SDCM <3
910925867906	SM341C 26S/940 DEIA PCS L150 SI	(0.38, 0.38) SDCM <3
910925867907	SM341C 35S/940 DEIA PCS L150 SI	(0.38, 0.38) SDCM <3
910925867892	SM340C 35S/940 DEIA O L150 BK	(0.38, 0.38) SDCM <3
910925868098	SM340C 36S/940 DIA MLO ELP3 L120 WH	(0.38, 0.37) SDCM <3
910925867109	SM340C 35S/940 DEIA MLO L150 SI	(0.38, 0.38) SDCM <3
910925867875	SM340C 28S/940 DEIA MLO L120 SI	(0.38, 0.38) SDCM <3
910925867876	SM340C 36S/940 DEIA MLO L120 SI	(0.38, 0.38) SDCM <3
910925867889	SM340C 45S/940 DEIA MLO L150 SI	(0.38, 0.38) SDCM <3
910925867890	SM340C 50S/940 DEIA MLO L150 SI	(0.38, 0.38) SDCM <3
910925867908	SM341C 26S/940 DEIA MLO L150 SI	(0.38, 0.38) SDCM <3
910925867909	SM341C 35S/940 DEIA MLO L150 SI	(0.38, 0.38) SDCM <3
910925867877	SM340C 36S/940 DEIA O L120 SI	(0.38, 0.38) SDCM <3
910925867891	SM340C 35S/940 DEIA O L150 SI	(0.38, 0.38) SDCM <3
910925867110	SM340C 35S/940 DEIA MLO L150 BK	(0.38, 0.38) SDCM <3
910925868898	SM340C 45S/940 SEIA MLO U4 L150 WH	0.38,0.37
910925868899	SM340C 52S/940 SEIA PCS U4 L150 WH	0.38,0.37
910925868901	SM340C 45S/940 SEIA PCS U4 L150 WH	0.38,0.37
910925868902	SM340C 35S/940 SEIA PCS U4 L150 WH	0.38,0.37
910925868903	SM340C 42S/940 SEIA PCS U4 L120 WH	0.38,0.37

Order Code	Full Product Name	Initial chromaticity
910925868904	SM340C 36S/940 SEIA PCS U4 L120 WH	0.38,0.37
910925867099	SM340C 35S/940 DEIA PCS L150 WH	(0.38, 0.38) SDCM <3
910925867134	SM340C 36S/940 DEIA PCS L120 WH	(0.38, 0.38) SDCM <3
910925867135	SM340C 42S/940 DEIA PCS L120 WH	(0.38, 0.38) SDCM <3
910925867865	SM340C 28S/940 DEIA PCS L120 WH	(0.38, 0.38) SDCM <3
910925867868	SM340C 28S/930 DEIA PCS L120 WH	(0.43, 0.40) SDCM <3
910925867869	SM340C 36S/930 DEIA PCS L120 WH	(0.43, 0.40) SDCM <3
910925867878	SM340C 45S/940 DEIA PCS L150 WH	(0.38, 0.38) SDCM <3
910925867879	SM340C 52S/940 DEIA PCS L150 WH	(0.38, 0.38) SDCM <3
910925867882	SM340C 35S/930 DEIA PCS L150 WH	(0.43, 0.40) SDCM <3
910925867883	SM340C 45S/930 DEIA PCS L150 WH	(0.43, 0.40) SDCM <3
910925867902	SM341C 26S/940 DEIA PCS L150 WH	(0.38, 0.38) SDCM <3
910925867903	SM341C 35S/940 DEIA PCS L150 WH	(0.38, 0.38) SDCM <3
910925867102	SM340C 35S/940 DEIA PCS L150 BK	(0.38, 0.38) SDCM <3

Product Data

Order Code	Full Product Name	Product family code
910925867108	SM340C 35S/940 DEIA MLO L150 WH	SM340C
910925867136	SM340C 36S/940 DEIA MLO L120 WH	SM340C
910925867137	SM340C 40S/940 DEIA MLO L120 WH	SM340C
910925867262	SM341C 35S/940 DEIA MLO L150 WH	SM341C
910925867866	SM340C 28S/940 DEIA MLO L120 WH	SM340C
910925867870	SM340C 28S/930 DEIA MLO L120 WH	SM340C
910925867871	SM340C 36S/930 DEIA MLO L120 WH	SM340C
910925867880	SM340C 45S/940 DEIA MLO L150 WH	SM340C
910925867881	SM340C 50S/940 DEIA MLO L150 WH	SM340C
910925867884	SM340C 35S/930 DEIA MLO L150 WH	SM340C
910925867885	SM340C 45S/930 DEIA MLO L150 WH	SM340C
910925867904	SM341C 26S/940 DEIA MLO L150 WH	SM341C
910925867116	SM340C 35S/940 DEIA O L150 WH	SM340C
910925867867	SM340C 36S/940 DEIA O L120 WH	SM340C
910925867872	SM340C 36S/930 DEIA O L120 WH	SM340C
910925867886	SM340C 35S/930 DEIA O L150 WH	SM340C
910925867905	SM341C 26S/940 DEIA O L150 WH	SM341C
910925867101	SM340C 35S/940 DEIA PCS L150 SI	SM340C
910925867873	SM340C 28S/940 DEIA PCS L120 SI	SM340C
910925867874	SM340C 36S/940 DEIA PCS L120 SI	SM340C
910925867887	SM340C 45S/940 DEIA PCS L150 SI	SM340C
910925867888	SM340C 52S/940 DEIA PCS L150 SI	SM340C
910925867906	SM341C 26S/940 DEIA PCS L150 SI	SM341C
910925867907	SM341C 35S/940 DEIA PCS L150 SI	SM341C
910925867892	SM340C 35S/940 DEIA O L150 BK	SM340C

Order Code	Full Product Name	Product family code
910925868098	SM340C 36S/940 DIA MLO ELP3 L120 WH	SM340C
910925867109	SM340C 35S/940 DEIA MLO L150 SI	SM340C
910925867875	SM340C 28S/940 DEIA MLO L120 SI	SM340C
910925867876	SM340C 36S/940 DEIA MLO L120 SI	SM340C
910925867889	SM340C 45S/940 DEIA MLO L150 SI	SM340C
910925867890	SM340C 50S/940 DEIA MLO L150 SI	SM340C
910925867908	SM341C 26S/940 DEIA MLO L150 SI	SM341C
910925867909	SM341C 35S/940 DEIA MLO L150 SI	SM341C
910925867877	SM340C 36S/940 DEIA O L120 SI	SM340C
910925867891	SM340C 35S/940 DEIA O L150 SI	SM340C
910925867110	SM340C 35S/940 DEIA MLO L150 BK	SM340C
910925868898	SM340C 45S/940 SEIA MLO U4 L150 WH	SM340C
910925868899	SM340C 52S/940 SEIA PCS U4 L150 WH	SM340C
910925868901	SM340C 45S/940 SEIA PCS U4 L150 WH	SM340C
910925868902	SM340C 35S/940 SEIA PCS U4 L150 WH	SM340C
910925868903	SM340C 42S/940 SEIA PCS U4 L120 WH	SM340C
910925868904	SM340C 36S/940 SEIA PCS U4 L120 WH	SM340C
910925867099	SM340C 35S/940 DEIA PCS L150 WH	SM340C
910925867134	SM340C 36S/940 DEIA PCS L120 WH	SM340C
910925867135	SM340C 42S/940 DEIA PCS L120 WH	SM340C
910925867865	SM340C 28S/940 DEIA PCS L120 WH	SM340C
910925867868	SM340C 28S/930 DEIA PCS L120 WH	SM340C
910925867869	SM340C 36S/930 DEIA PCS L120 WH	SM340C
910925867878	SM340C 45S/940 DEIA PCS L150 WH	SM340C
910925867879	SM340C 52S/940 DEIA PCS L150 WH	SM340C
910925867882	SM340C 35S/930 DEIA PCS L150 WH	SM340C
910925867883	SM340C 45S/930 DEIA PCS L150 WH	SM340C
910925867902	SM341C 26S/940 DEIA PCS L150 WH	SM341C
910925867903	SM341C 35S/940 DEIA PCS L150 WH	SM341C
910925867102	SM340C 35S/940 DEIA PCS L150 BK	SM340C

Polar normal diagrams



SM340C 35S/940 SEIA PCS U4 L150 WH
910925868902



SM340C 45S/940 SEIA MLO U4 L150 WH
910925868898



SM340C 52S/940 SEIA PCS U4 L150 WH
910925868899



SM340C 45S/940 SEIA PCS U4 L150 WH
910925868901



SM340C 42S/940 SEIA PCS U4 L120 WH
910925868903



SM340C 36S/940 SEIA PCS U4 L120 WH
910925868904



SM340C 40S/940 DEIA MLO L120 WH
910925867137



SM340C 35S/940 DEIA PCS L150 WH
910925867099



SM340C 35S/940 DEIA PCS L150 SI
910925867101



SM340C 35S/940 DEIA MLO L150 WH
910925867108



SM340C 35S/940 DEIA MLO L150 BK
910925867110



SM340C 42S/940 DEIA PCS L120 WH
910925867135



SM340C 35S/940 DEIA PCS L150 BK
910925867102



SM340C 35S/940 DEIA O L150 WH
910925867116



SM340C 36S/940 DEIA PCS L120 WH
910925867134



SM340C 35S/940 DEIA MLO L150 SI
910925867109



SM340C 36S/930 DEIA PCS L120 WH
910925867869



SM340C 28S/940 DEIA PCS L120 WH
910925867865



SM340C 45S/940 DEIA PCS L150 WH
910925867878



SM340C 36S/940 DEIA MLO L120 WH
910925867136



SM340C 36S/940 DEIA MLO L120 SI
910925867876



SM340C 50S/940 DEIA MLO L150 WH
910925867881



SM340C 52S/940 DEIA PCS L150 WH
910925867879



SM341C 35S/940 DEIA MLO L150 WH
910925867262



SM340C 28S/940 DEIA MLO L120 WH
910925867866



SM340C 36S/940 DEIA O L120 WH
910925867867



SM340C 28S/930 DEIA PCS L120 WH
910925867868



SM340C 28S/930 DEIA MLO L120 WH
910925867870



SM340C 36S/930 DEIA MLO L120 WH
910925867871



SM340C 28S/940 DEIA PCS L120 SI
910925867873



SM340C 36S/930 DEIA O L120 WH
910925867872



SM340C 36S/940 DEIA PCS L120 SI
910925867874



SM340C 36S/940 DEIA O L120 SI
910925867877



SM340C 45S/940 DEIA MLO L150 WH
910925867880



SM340C 45S/930 DEIA PCS L150 WH
910925867883



SM340C 35S/930 DEIA MLO L150 WH
910925867884



SM340C 45S/930 DEIA MLO L150 WH
910925867885



SM340C 35S/930 DEIA O L150 WH
910925867886



SM340C 45S/940 DEIA PCS L150 SI
910925867887



SM340C 45S/940 DEIA MLO L150 SI
910925867889



SM340C 52S/940 DEIA PCS L150 SI
910925867888



SM340C 35S/940 DEIA O L150 SI
910925867891



SM340C 28S/940 DEIA MLO L120 SI
910925867875



SM340C 35S/930 DEIA PCS L150 WH
910925867882



SM340C 35S/940 DEIA O L150 BK
910925867892



SM341C 26S/940 DEIA PCS L150 WH
910925867902



SM341C 35S/940 DEIA PCS L150 WH
910925867903



SM341C 26S/940 DEIA O L150 WH
910925867905



SM341C 26S/940 DEIA MLO L150 WH
910925867904



SM341C 26S/940 DEIA PCS L150 SI
910925867906



SM341C 35S/940 DEIA PCS L150 SI
910925867907



SM341C 35S/940 DEIA MLO L150 SI
910925867909



SM341C 26S/940 DEIA MLO L150 SI
910925867908



SM340C 50S/940 DEIA MLO L150 SI
910925867890



SM340C 36S/940 DIA MLO ELP3 L120 WH
910925868098

© 2026 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.