PHILIPS

High Output T8

F_T8HO



Environmentally Responsible Lamps

Philips leads the industry with the lowest level mercury technology. Reducing the mercury level (source reduction) during the manufacturing phase is essential to creating products that are less harmful to the environment.

Benefits

- High light output.
- Energy efficient alternative to T12 HO lamps.
- ALTO lamp technology means better for the environment.

Applications

- Ideal for outdoor, cooler applications.

Features

- Available in 44, 55, and 65 watts, 3000, 3500, and 4100 color temperatures.

Versions



LPPR F-T8-HO RDC GB



LPPR F-T8-IS FA8 GB

Data subject to change

Dimensional drawing

Product
F48T8/TL841/HO ALTO 25/1



Product
F96T8/D - 6500K 25PK



Mechanical and Housing

Bulb Shape	T-8

Approval and Application

Energy Saving Product	Energy Saving
Mercury (Hg) Content (Max)	4.4 mg
Mercury (Hg) Content (Nom)	3.5 mg

General Information

Order Code	Full Product Name	Cap-Base
927871084104	F48T8/TL841/HO ALTO 25/1	R17d (RDC)
927874705401	F96T8/D - 6500K 25PK	FA8

Light Technical

Order Code	Full Product Name	Luminous Flux	Color Designation	Correlated Color Temperature (Nom)	Color rendering index (CRI)
927871084104	F48T8/TL841/HO ALTO 25/1	4,000 lm	TL841	4100 K	86
927874705401	F96T8/D - 6500K 25PK	3,900 lm	Daylight	6500 K	73

Operating and Electrical

Order Code	Full Product Name	Power Consumption
927871084104	F48T8/TL841/HO ALTO 25/1	44 W
927874705401	F96T8/D - 6500K 25PK	60 W

© 2026 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.