PHILIPS

Pureline SP680P

6999453



Continuous slim suspended linear office Luminire: Performanc and Elegance

The PureLine family of luminaires gives you compromise-free office illumination. It is a perfect solution for office application and general indoor area lighting . The range brings together high-flux lighting with a homogeneous optical system without making any concessions on energy efficiency design.

Benefits

- Optimized lighting for office space:smooth and comfortable
- Wider distribution allowing wider row spacing and hence reduction in connected load
- Dimmable and fixed output drivers
- Enhance Interiors

Applications

- Office Lighting
- Meeting & conference room lighting


Features

- System efficacy more than 100 Lm/W
- Superior light quality with CRImore than 80
- THD Less than 10%
- Wide operating voltage 140-270V
- Suitable for Standalone & Continous Mounting
- Option of Dimming available
- Up-Down lighting distribution
- Uniform & volumetric light distribution
- Meant for use in Indoor environment only

Versions




Pureline Suspended8ft-SP680P.JPG



Pureline suspended4ft-SP680P.JPG

Dimensional drawing



SP680X1 LED34S 6500 PSD WH L120 S1

General Information

Driver included	Yes

Light Technical

Luminous Efficacy (rated) (Nom)	100 lm/W
Color rendering index (CRI)	>80
Beam angle of light source	120 degree(s)
Optic type	-

Operating and Electrical

Input Voltage	220-240 V
Protection class IEC	Safety class I

Mechanical and Housing

Housing Color	White
Ingress protection code	IP20 [Finger-protected]
Mech. impact protection code	IK02 [0.2 J standard]
Optical cover type	Polycarbonate

Approval and Application

Flammability mark	For mounting on normally flammable surfaces
Ambient temperature range	0 to +45 °C

Light Technical

Order Code	Full Product Name	Luminous Flux	Correlated Color Temperature (Nom)
919515811505	SP680P LED34S 4000 PSU WH L120 S1	3,400 lm	4000 K
919515811506	SP680X1 LED34S 4000 PSU WH L120 S1	3,400 lm	4000 K
919515811507	SP680X2 LED34S 4000 PSU WH L120 S1	3,400 lm	4000 K
919515811526	SP680P LED39S 4000 PSD WH L120 S1	3,900 lm	4000 K
919515811537	SP680X2 LED68S 6500 PSD WH L240 S1	6,800 lm	6500 K
919515811496	SP680P LED39S 6500 PSU WH L120 S1	3,900 lm	6500 K
919515811497	SP680X1 LED39S 6500 PSU WH L120 S1	3,900 lm	6500 K
919515811499	SP680P LED34S 6500 PSU WH L120 S1	3,400 lm	6500 K
919515811501	SP680X2 LED34S 6500 PSU WH L120 S1	3,400 lm	6500 K
919515811502	SP680P LED39S 4000 PSU WH L120 S1	3,900 lm	4000 K
919515811503	SP680X1 LED39S 4000 PSU WH L120 S1	3,900 lm	4000 K
919515811513	SP680X2 LED68S 6500 PSU WH L240 S1	6,800 lm	6500 K
919515811524	SP680X1 LED34S 6500 PSD WH L120 S1	3,400 lm	6500 K
919515811528	SP680X2 LED39S 4000 PSD WH L120 S1	3,900 lm	4000 K

Operating and Electrical

Order Code	Full Product Name	Power Consumption
919515811505	SP680P LED34S 4000 PSU WH L120 S1	32 W
919515811506	SP680X1 LED34S 4000 PSU WH L120 S1	32 W
919515811507	SP680X2 LED34S 4000 PSU WH L120 S1	32 W
919515811526	SP680P LED39S 4000 PSD WH L120 S1	38 W
919515811537	SP680X2 LED68S 6500 PSD WH L240 S1	64 W
919515811496	SP680P LED39S 6500 PSU WH L120 S1	38 W
919515811497	SP680X1 LED39S 6500 PSU WH L120 S1	38 W
919515811499	SP680P LED34S 6500 PSU WH L120 S1	32 W
919515811501	SP680X2 LED34S 6500 PSU WH L120 S1	32 W
919515811502	SP680P LED39S 4000 PSU WH L120 S1	38 W
919515811503	SP680X1 LED39S 4000 PSU WH L120 S1	38 W
919515811513	SP680X2 LED68S 6500 PSU WH L240 S1	64 W
919515811524	SP680X1 LED34S 6500 PSD WH L120 S1	32 W
919515811528	SP680X2 LED39S 4000 PSD WH L120 S1	38 W

Controls and Dimming

Order Code	Full Product Name	Dimmable
919515811505	SP680P LED34S 4000 PSU WH L120 S1	No
919515811506	SP680X1 LED34S 4000 PSU WH L120 S1	No
919515811507	SP680X2 LED34S 4000 PSU WH L120 S1	No
919515811526	SP680P LED39S 4000 PSD WH L120 S1	Yes
919515811537	SP680X2 LED68S 6500 PSD WH L240 S1	Yes
919515811496	SP680P LED39S 6500 PSU WH L120 S1	No
919515811497	SP680X1 LED39S 6500 PSU WH L120 S1	No
919515811499	SP680P LED34S 6500 PSU WH L120 S1	No
919515811501	SP680X2 LED34S 6500 PSU WH L120 S1	No
919515811502	SP680P LED39S 4000 PSU WH L120 S1	No
919515811503	SP680X1 LED39S 4000 PSU WH L120 S1	No
919515811513	SP680X2 LED68S 6500 PSU WH L240 S1	No
919515811524	SP680X1 LED34S 6500 PSD WH L120 S1	Yes
919515811528	SP680X2 LED39S 4000 PSD WH L120 S1	Yes

© 2026 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.