PHILIPS

CoreLine Waterproof

WT120C



Install smarter, finish sooner. Choose long-lasting reliability and performance

CoreLine waterproof delivers on the CoreLine promise of innovative, easy-to-use and high-quality luminaires. With its slim and stylish design, it retains the product architecture that the range is well-known and appreciated for. Installation is quick and easy, all thanks to its efficient design. CoreLine waterproof provides better wide-beam light distribution for straightforward and effective lighting. A direct replacement for traditional waterproof luminaires with fluorescent lamps ranging from 18W up to 58W, it delivers significant energy savings. Interact Ready luminaires with integrated wireless communications are also available in the CoreLine waterproof range, ready to be used with Interact connected lighting system.

Benefits

- Saves on energy and maintenance costs
- Supports fast and flexible installation thanks to smart WT120C G2 product architecture
- Ideal for general application projects with a robust design (IK08) and high water and dust-proof rating (IP65)

Applications

- Parking Garages
- Manufacturing
- Warehouses
- General lighting

Features

- Long lifetime and high efficiency: up to 100,000 hours with flux at 70% min. compared to initial level and efficiency up to 160lm/W
- Range of options available: L600/1200/1500, up to 12,000 lm, 4000K
- Uniform and wide-beam or opal light distribution
- Longer sliders, faster lock opening, tool-less electrical connections for easy and flexible installation
- Optional controls and versions available: DALI dimming, integrated wireless connectivity (Interact Ready), integrated movement sensors (MDU), emergency lighting (EL), waterproof external connector for easier installation (WEC), through wiring 1- and 3-phase (TW1/
- UV radiation will damage the material over time resulting in loss of waterproof sealing and IP66 rating.
- Do not install the luminaire in locations where it will be exposed to direct sunlight.

Versions



CoreLine waterproof G2 (WT120C G2), L1200



CoreLine Waterproof WT120C G2 PSU PCO -



PH All In CoreLine SPP e cat HR 911401814985



CoreLine Waterproof WT120C G2 PCU -



PH All In CoreLine SPP e cat HR 911401815085



CoreLine waterproof G2 (WT120C G2), L1500

Dimensional drawing



WT120C G2 LED40S/840 PSU L600



Coreline Waterproof G2 LSC - LED Module, system flux 6000 lm - 840 neutral white - Power supply unit



840 neutral white - Power supply unit

Product details



CoreLine waterproof All in L1500



CoreLine Waterproof WT120C G2 PCU-7DPP



CoreLine waterproof All in, WT120C G2, easy lumen switch



CoreLine Waterproof WT120C G2 PCU-3DPP



CoreLine Waterproof WT120C G2 PCU-10DPP



CoreLine Waterproof WT120C G2 PCU-9DPP



Product Detail Photo Coreline



CoreLine Waterproof WT120C G2 PCU-12DPP



CoreLine waterproof G2 (WT120C G2),MDU, Motion Detection Unit



CoreLine waterproof All in L1500



CoreLine Waterproof WT120C G2 PCU-2DPP



CoreLine Waterproof WT120C G2 PCU-13DPP



CoreLine Waterproof WT120C G2 PCU-8DPP



CoreLine waterproof G2 (WT120C G2),MDU, Motion Detection Unit



CoreLine Waterproof WT120C G2 PCU-11DPP



CoreLine waterproof G2 (WT120C G2),Emergency lighting, TrustSight

General Information

Light source replaceable	No
Number of gear units	1 unit
Driver included	Yes
Service tag	Yes

Light Technical

Color rendering index (CRI)	>80
All-in Type	All-in, Multi Lumen

Operating and Electrical

Line Frequency	50 or 60 Hz
Suitable for random switching	Yes
Protection class IEC	Safety class I

Controls and Dimming

Embedded control	Movement and light sensor (On/Off)

Mechanical and Housing

Ingress protection code	IP65 [Dust penetration-protected, jet-proof]
Mech. impact protection code	IK08 [5 J vandal-protected]

Emergency Operation

Emergency flux	500 lm
Rated duration of the emergency lighting (when fully charged)	3 hour(s)
Central Emergency	No
Type of emergency lighting battery	Lithium
Emergency lighting	Emergency lighting 3 hours duration basic version

Approval and Application

Glow-wire test	Temperature 850 °C, duration 30 s
CE mark	Yes
ENEC mark	ENEC mark
Flickering value (PstLM) - Flickering value as per EN 61000-3-3	1

Initial Performance (IEC Compliant)

Luminous flux tolerance	+/-10%

Product Data

Product family code	WT130C [Coreline Waterproof G2 LSC]

General Information

Order Code	Full Product Name	Lamp family code
910505100039	WT120C G2 LED27S/840 PSU TW3 L1200	LED27S
910505100040	WT120C G2 LED27S/840 PSU MDU L1200	LED27S
910505100042	WT120C G2 LED27S/840 PSU ELB3 L1200	LED27S
910505100044	WT120C G2 LED27S/840 PSD L1200	LED27S
910505100045	WT120C G2 LED27S/840 PSD ELB3 L1200	LED27S
910505100047	WT120C G2 LED40S/840 PSU TW3 L1200	LED40S
910505100048	WT120C G2 LED40S/840 PSU MDU L1200	LED40S
910505100049	WT120C G2 LED40S/840 PSU MDU TW3 L1200	LED40S
910505100051	WT120C G2 LED40S/840 PSU TW1 WEC L1200	LED40S
910505100053	WT120C G2 LED40S/840 PSD L1200	LED40S
910505100054	WT120C G2 LED40S/840 PSU ELB3 L1200	LED40S
910505100057	WT120C G2 LED40S/840 PSD ELB3 L1200	LED40S
910505101269	WT120C G2 LED40S/840 WIA L1200	-
910505101270	WT120C G2 LED40S/840 WIA ELB3 L1200	-
911401535291	WT120C G2 LED27S/840 PSU TW3 L1200	-
911401535391	WT120C G2 LED40S/840 PSU TW3 L1200	-
911401815687	WT120C G2 LED60S/840 PSU L1200	-
911401815787	WT120C G2 LED80S/840 PSU L1200	-
911401816187	WT120C G2 LED60S/840 PSD L1200	-
911401823580	WT120C G2 LED27S/840 PSU L1200	-
911401823780	WT120C G2 LED40S/840 PSU L1200	-
911401824381	WT120C G2 LED40S/865 PSU L1200	-
911401824681	WT120C G2 LED37S/830 PSU L1200	-
911401826785	WT120C G2 LED27S/840 PSU L1200 BN	-
911401826885	WT120C G2 LED40S/840 PSU L1200 BN	-

Order Code	Full Product Name	Lamp family code
911401836980	WT120C G2 LED18S/840 PSU PCO L600	-
911401837080	WT120C G2 LED25S/840 PSU PCO L1200	-
911401837180	WT120C G2 LED31S/840 PSU PCO L1500	-
911401837280	WT120C G2 LED37S/840 PSU PCO L1200	-
911401837380	WT120C G2 LED57S/840 PSU PCO L1500	-
911401837480	WT120C G2 LED75S/840 PSU PCO L1500	-
911401814985	WT120C G2 LED27_45S/840 PSU L1200	-
910505100036	WT120C G2 LED19S/840 PSU MDU L600	LED27S
910505100038	WT120C G2 LED19S/840 PSD L600	LED19S
911401815587	WT120C G2 LED40S/840 PSU L600	-
911401823480	WT120C G2 LED19S/840 PSU L600	-
911401815085	WT120C G2 LED37_60S/840 PSU L1500	-
910505100058	WT120C G2 LED34S/840 PSU TW3 L1500	LED34S
910505100059	WT120C G2 LED34S/840 PSU MDU L1500	LED34S
910505100061	WT120C G2 LED34S/840 PSD L1500	LED34S
910505100062	WT120C G2 LED34S/840 PSU ELB3 L1500	LED34S
910505100064	WT120C G2 LED34S/840 PSD ELB3 L1500	LED34S
910505100066	WT120C G2 LED60S/840 PSU TW3 L1500	LED60S
910505100067	WT120C G2 LED60S/840 PSU MDU L1500	LED60S
910505100068	WT120C G2 LED60S/840 PSU MDU TW3 L1500	LED60S
910505100069	WT120C G2 LED60S/840 PSU WEC L1500	LED60S
910505100072	WT120C G2 LED60S/840 PSD L1500	LED60S
910505100073	WT120C G2 LED60S/840 PSU ELB3 L1500	LED60S
910505100076	WT120C G2 LED60S/840 PSD ELB3 L1500	LED60S
910505100077	WT120C G2 LED80S/840 PSU TW3 L1500	LED80S
910505100078	WT120C G2 LED80S/840 PSU MDU L1500	LED80S
910505100079	WT120C G2 LED80S/840 PSD L1500	LED80S
910505100080	WT120C G2 LED80S/840 PSU L1500 ELB3	LED80S
910505101271	WT120C G2 LED65S/840 WIA L1500	-
910505101272	WT120C G2 LED65S/840 WIA ELB3 L1500	-
910505101274	WT120C G2 LED65S/840 WIA TW3 L1500	-
910505103013	WT120C G2 LED80S/840 WIA L1500	-
910505103015	WT120C G2 LED80S/840 WIA TW3 L1500	-
911401535491	WT120C G2 LED34S/840 PSU TW3 L1500	-
911401535591	WT120C G2 LED60S/840 PSU TW3 L1500	-
911401535691	WT120C G2 LED80S/840 PSU TW3 L1500	-
911401815887	WT120C G2 LED100S/840 PSU L1500	-
911401815987	WT120C G2 LED120S/840 PSU L1500	-
911401816487	WT120C G2 LED120S/840 PSD L1500	-
911401823680	WT120C G2 LED34S/840 PSU L1500	-
911401823880	WT120C G2 LED60S/840 PSU L1500	-
911401823980	WT120C G2 LED80S/840 PSU L1500	-

Order Code	Full Product Name	Lamp family code
911401824481	WT120C G2 LED34S/865 PSU L1500	-
911401824581	WT120C G2 LED60S/865 PSU L1500	-
911401824781	WT120C G2 LED55S/830 PSU L1500	-
911401825985	WT120C G2 LED34S/840 PSU L1500 BN	-
911401826085	WT120C G2 LED80S/840 PSU L1500 BN	-
911401826985	WT120C G2 LED60S/840 PSU L1500 BN	-

Light Technical

Order Code	Full Product Name	Luminous Flux	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Optic type
910505100039	WT120C G2 LED27S/840 PSU TW3 L1200	2,700 lm	4000 K	126 lm/W	Wide beam
910505100040	WT120C G2 LED27S/840 PSU MDU L1200	2,700 lm	4000 K	123 lm/W	Wide beam
910505100042	WT120C G2 LED27S/840 PSU ELB3 L1200	2,700 lm	4000 K	104 lm/W	Wide beam
910505100044	WT120C G2 LED27S/840 PSD L1200	2,700 lm	4000 K	123 lm/W	Wide beam
910505100045	WT120C G2 LED27S/840 PSD ELB3 L1200	2,700 lm	4000 K	100 lm/W	Wide beam
910505100047	WT120C G2 LED40S/840 PSU TW3 L1200	4,000 lm	4000 K	133 lm/W	Wide beam
910505100048	WT120C G2 LED40S/840 PSU MDU L1200	4,000 lm	4000 K	132 lm/W	Wide beam
910505100049	WT120C G2 LED40S/840 PSU MDU TW3 L1200	4,000 lm	4000 K	133 lm/W	Wide beam
910505100051	WT120C G2 LED40S/840 PSU TW1 WEC L1200	4,000 lm	4000 K	136 lm/W	Wide beam
910505100053	WT120C G2 LED40S/840 PSD L1200	4,000 lm	4000 K	131 lm/W	Wide beam
910505100054	WT120C G2 LED40S/840 PSU ELB3 L1200	4,000 lm	4000 K	121 lm/W	Wide beam
910505100057	WT120C G2 LED40S/840 PSD ELB3 L1200	4,000 lm	4000 K	113 lm/W	Wide beam
910505101269	WT120C G2 LED40S/840 WIA L1200	4,000 lm	4000 K	133 lm/W	Wide beam
910505101270	WT120C G2 LED40S/840 WIA ELB3 L1200	4,000 lm	4000 K	121 lm/W	Wide beam
911401535291	WT120C G2 LED27S/840 PSU TW3 L1200	2,700 lm	4000 K	131 lm/W	Beam angle 110°
911401535391	WT120C G2 LED40S/840 PSU TW3 L1200	4,000 lm	4000 K	140 lm/W	Beam angle 110°
911401815687	WT120C G2 LED60S/840 PSU L1200	6,000 lm	4000 K	160 lm/W	Symmetrical
911401815787	WT120C G2 LED80S/840 PSU L1200	8,000 lm	4000 K	160 lm/W	Symmetrical
911401816187	WT120C G2 LED60S/840 PSD L1200	6,000 lm	4000 K	160 lm/W	Symmetrical
911401823580	WT120C G2 LED27S/840 PSU L1200	2,700 lm	4000 K	131 lm/W	Wide beam
911401823780	WT120C G2 LED40S/840 PSU L1200	4,000 lm	4000 K	140 lm/W	Wide beam
911401824381	WT120C G2 LED40S/865 PSU L1200	4,000 lm	6500 K	140 lm/W	Wide beam
911401824681	WT120C G2 LED37S/830 PSU L1200	3,700 lm	3000 K	130 lm/W	Wide beam
911401826785	WT120C G2 LED27S/840 PSU L1200 BN	2,700 lm	4000 K	126 lm/W	Symmetrical
911401826885	WT120C G2 LED40S/840 PSU L1200 BN	4,000 lm	4000 K	140 lm/W	Symmetrical
911401836980	WT120C G2 LED18S/840 PSU PCO L600	1,800 lm	4000 K	120 lm/W	Very wide beam
911401837080	WT120C G2 LED25S/840 PSU PCO L1200	2,500 lm	4000 K	122 lm/W	Very wide beam
911401837180	WT120C G2 LED31S/840 PSU PCO L1500	3,100 lm	4000 K	128 lm/W	Very wide beam
911401837280	WT120C G2 LED37S/840 PSU PCO L1200	3,700 lm	4000 K	129 lm/W	Very wide beam
911401837380	WT120C G2 LED57S/840 PSU PCO L1500	5,700 lm	4000 K	133 lm/W	Very wide beam
911401837480	WT120C G2 LED75S/840 PSU PCO L1500	7,500 lm	4000 K	131 lm/W	Very wide beam

Order Code	Full Product Name	Luminous Flux	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Optic type
911401814985	WT120C G2 LED27_45S/840 PSU L1200	2,700 lm 4,500 lm	4000 K	150 lm/W 140 lm/W	Symmetrical
910505100036	WT120C G2 LED19S/840 PSU MDU L600	1,900 lm	4000 K	116 lm/W	Wide beam
910505100038	WT120C G2 LED19S/840 PSD L600	1,900 lm	4000 K	115 lm/W	Wide beam
911401815587	WT120C G2 LED40S/840 PSU L600	4,000 lm	4000 K	160 lm/W	Symmetrical
911401823480	WT120C G2 LED19S/840 PSU L600	1,900 lm	4000 K	126 lm/W	Wide beam
911401815085	WT120C G2 LED37_60S/840 PSU L1500	3,700 lm 6,000 lm	4000 K	148 lm/W 139 lm/W	Symmetrical
910505100058	WT120C G2 LED34S/840 PSU TW3 L1500	3,400 lm	4000 K	133 lm/W	Wide beam
910505100059	WT120C G2 LED34S/840 PSU MDU L1500	3,400 lm	4000 K	132 lm/W	Wide beam
910505100061	WT120C G2 LED34S/840 PSD L1500	3,400 lm	4000 K	131 lm/W	Wide beam
910505100062	WT120C G2 LED34S/840 PSU ELB3 L1500	3,400 lm	4000 K	113 lm/W	Wide beam
910505100064	WT120C G2 LED34S/840 PSD ELB3 L1500	3,400 lm	4000 K	110 lm/W	Wide beam
910505100066	WT120C G2 LED60S/840 PSU TW3 L1500	6,000 lm	4000 K	135 lm/W	Wide beam
910505100067	WT120C G2 LED60S/840 PSU MDU L1500	6,000 lm	4000 K	133 lm/W	Wide beam
910505100068	WT120C G2 LED60S/840 PSU MDU TW3 L1500	6,000 lm	4000 K	133 lm/W	Wide beam
910505100069	WT120C G2 LED60S/840 PSU WEC L1500	6,000 lm	4000 K	135 lm/W	Wide beam
910505100072	WT120C G2 LED60S/840 PSD L1500	6,000 lm	4000 K	133 lm/W	Wide beam
910505100073	WT120C G2 LED60S/840 PSU ELB3 L1500	6,000 lm	4000 K	121 lm/W	Wide beam
910505100076	WT120C G2 LED60S/840 PSD ELB3 L1500	6,000 lm	4000 K	121 lm/W	Wide beam
910505100077	WT120C G2 LED80S/840 PSU TW3 L1500	8,000 lm	4000 K	133 lm/W	Wide beam
910505100078	WT120C G2 LED80S/840 PSU MDU L1500	8,000 lm	4000 K	131 lm/W	Wide beam
910505100079	WT120C G2 LED80S/840 PSD L1500	8,000 lm	4000 K	129 lm/W	Wide beam
910505100080	WT120C G2 LED80S/840 PSU L1500 ELB3	8,000 lm	4000 K	126 lm/W	Wide beam
910505101271	WT120C G2 LED65S/840 WIA L1500	6,500 lm	4000 K	144 lm/W	Wide beam
910505101272	WT120C G2 LED65S/840 WIA ELB3 L1500	6,500 lm	4000 K	135 lm/W	Wide beam
910505101274	WT120C G2 LED65S/840 WIA TW3 L1500	6,500 lm	4000 K	141 lm/W	Wide beam
910505103013	WT120C G2 LED80S/840 WIA L1500	8,000 lm	4000 K	131 lm/W	Wide beam
910505103015	WT120C G2 LED80S/840 WIA TW3 L1500	8,000 lm	4000 K	133 lm/W	Wide beam
911401535491	WT120C G2 LED34S/840 PSU TW3 L1500	3,400 lm	4000 K	138 lm/W	Beam angle 110°
911401535591	WT120C G2 LED60S/840 PSU TW3 L1500	6,000 lm	4000 K	140 lm/W	Beam angle 110°
911401535691	WT120C G2 LED80S/840 PSU TW3 L1500	8,000 lm	4000 K	140 lm/W	Beam angle 110°
911401815887	WT120C G2 LED100S/840 PSU L1500	10,000 lm	4000 K	160 lm/W	Symmetrical
911401815987	WT120C G2 LED120S/840 PSU L1500	12,000 lm	4000 K	160 lm/W	Symmetrical
911401816487	WT120C G2 LED120S/840 PSD L1500	12,000 lm	4000 K	160 lm/W	Symmetrical
911401823680	WT120C G2 LED34S/840 PSU L1500	3,400 lm	4000 K	140 lm/W	Wide beam
911401823880	WT120C G2 LED60S/840 PSU L1500	6,000 lm	4000 K	140 lm/W	Wide beam
911401823980	WT120C G2 LED80S/840 PSU L1500	8,000 lm	4000 K	140 lm/W	Wide beam
911401824481	WT120C G2 LED34S/865 PSU L1500	3,400 lm	6500 K	139 lm/W	Wide beam
911401824581	WT120C G2 LED60S/865 PSU L1500	6,000 lm	6500 K	139 lm/W	Wide beam
911401824781	WT120C G2 LED55S/830 PSU L1500	5,500 lm	3000 K	128 lm/W	Wide beam
911401825985	WT120C G2 LED34S/840 PSU L1500 BN	3,400 lm	4000 K	141 lm/W	Symmetrical
911401826085	WT120C G2 LED80S/840 PSU L1500 BN	8,000 lm	4000 K	140 lm/W	Symmetrical
911401826985	WT120C G2 LED60S/840 PSU L1500 BN	6,000 lm	4000 K	140 lm/W	Symmetrical

Operating and Electrical

Order Code	Full Product Name	Input Voltage	Power Consumption
910505100039	WT120C G2 LED27S/840 PSU TW3 L1200	220 to 240 V	21.5 W
910505100040	WT120C G2 LED27S/840 PSU MDU L1200	220 to 240 V	22 W
910505100042	WT120C G2 LED27S/840 PSU ELB3 L1200	220 to 240 V	26 W
910505100044	WT120C G2 LED27S/840 PSD L1200	220 to 240 V	22 W
910505100045	WT120C G2 LED27S/840 PSD ELB3 L1200	220 to 240 V	27 W
910505100047	WT120C G2 LED40S/840 PSU TW3 L1200	220 to 240 V	30 W
910505100048	WT120C G2 LED40S/840 PSU MDU L1200	220 to 240 V	30.5 W
910505100049	WT120C G2 LED40S/840 PSU MDU TW3 L1200	220 to 240 V	30 W
910505100051	WT120C G2 LED40S/840 PSU TW1 WEC L1200	220 to 240 V	29.5 W
910505100053	WT120C G2 LED40S/840 PSD L1200	220 to 240 V	30.5 W
910505100054	WT120C G2 LED40S/840 PSU ELB3 L1200	220 to 240 V	33 W
910505100057	WT120C G2 LED40S/840 PSD ELB3 L1200	220 to 240 V	35.5 W
910505101269	WT120C G2 LED40S/840 WIA L1200	220 to 240 V	30 W
910505101270	WT120C G2 LED40S/840 WIA ELB3 L1200	220 to 240 V	33 W
911401535291	WT120C G2 LED27S/840 PSU TW3 L1200	220 to 240 V	20.5 W
911401535391	WT120C G2 LED40S/840 PSU TW3 L1200	220 to 240 V	28.5 W
911401815687	WT120C G2 LED60S/840 PSU L1200	220 to 240 V	37.5 W
911401815787	WT120C G2 LED80S/840 PSU L1200	220 to 240 V	50 W
911401816187	WT120C G2 LED60S/840 PSD L1200	220 to 240 V	37.5 W
911401823580	WT120C G2 LED27S/840 PSU L1200	220 to 240 V	20.5 W
911401823780	WT120C G2 LED40S/840 PSU L1200	220 to 240 V	28.6 W
911401824381	WT120C G2 LED40S/865 PSU L1200	220 to 240 V	28.5 W
911401824681	WT120C G2 LED37S/830 PSU L1200	220 to 240 V	28.5 W
911401826785	WT120C G2 LED27S/840 PSU L1200 BN	220 to 240 V	21 W
911401826885	WT120C G2 LED40S/840 PSU L1200 BN	220 to 240 V	29 W
911401836980	WT120C G2 LED18S/840 PSU PCO L600	220 to 240 V	15 W
911401837080	WT120C G2 LED25S/840 PSU PCO L1200	220 to 240 V	20.5 W
911401837180	WT120C G2 LED31S/840 PSU PCO L1500	220 to 240 V	24.3 W
911401837280	WT120C G2 LED37S/840 PSU PCO L1200	220 to 240 V	28.6 W
911401837380	WT120C G2 LED57S/840 PSU PCO L1500	220 to 240 V	42.9 W
911401837480	WT120C G2 LED75S/840 PSU PCO L1500	220 to 240 V	57.1 W
911401814985	WT120C G2 LED27_45S/840 PSU L1200	220 to 240 V	32 W 18 W
910505100036	WT120C G2 LED19S/840 PSU MDU L600	220 to 240 V	16.4 W
910505100038	WT120C G2 LED19S/840 PSD L600	220 to 240 V	16.5 W
911401815587	WT120C G2 LED40S/840 PSU L600	220 to 240 V	25 W
911401823480	WT120C G2 LED19S/840 PSU L600	220 to 240 V	15 W
911401815085	WT120C G2 LED37_60S/840 PSU L1500	220 to 240 V	43 W 25 W
910505100058	WT120C G2 LED34S/840 PSU TW3 L1500	220 to 240 V	25.5 W
910505100059	WT120C G2 LED34S/840 PSU MDU L1500	220 to 240 V	26 W

Order Code	Full Product Name	Input Voltage	Power Consumption
910505100061	WT120C G2 LED34S/840 PSD L1500	220 to 240 V	26 W
910505100062	WT120C G2 LED34S/840 PSU ELB3 L1500	220 to 240 V	30 W
910505100064	WT120C G2 LED34S/840 PSD ELB3 L1500	220 to 240 V	31 W
910505100066	WT120C G2 LED60S/840 PSU TW3 L1500	220 to 240 V	44.5 W
910505100067	WT120C G2 LED60S/840 PSU MDU L1500	220 to 240 V	45 W
910505100068	WT120C G2 LED60S/840 PSU MDU TW3 L1500	220 to 240 V	45 W
910505100069	WT120C G2 LED60S/840 PSU WEC L1500	220 to 240 V	44.5 W
910505100072	WT120C G2 LED60S/840 PSD L1500	220 to 240 V	45 W
910505100073	WT120C G2 LED60S/840 PSU ELB3 L1500	220 to 240 V	49.5 W
910505100076	WT120C G2 LED60S/840 PSD ELB3 L1500	220 to 240 V	49.5 W
910505100077	WT120C G2 LED80S/840 PSU TW3 L1500	220 to 240 V	60 W
910505100078	WT120C G2 LED80S/840 PSU MDU L1500	220 to 240 V	61 W
910505100079	WT120C G2 LED80S/840 PSD L1500	220 to 240 V	62 W
910505100080	WT120C G2 LED80S/840 PSU L1500 ELB3	220 to 240 V	63.5 W
910505101271	WT120C G2 LED65S/840 WIA L1500	220 to 240 V	45 W
910505101272	WT120C G2 LED65S/840 WIA ELB3 L1500	220 to 240 V	48 W
910505101274	WT120C G2 LED65S/840 WIA TW3 L1500	220 to 240 V	46 W
910505103013	WT120C G2 LED80S/840 WIA L1500	220-240 V	61 W
910505103015	WT120C G2 LED80S/840 WIA TW3 L1500	220-240 V	60 W
911401535491	WT120C G2 LED34S/840 PSU TW3 L1500	220 to 240 V	24.5 W
911401535591	WT120C G2 LED60S/840 PSU TW3 L1500	220 to 240 V	43 W
911401535691	WT120C G2 LED80S/840 PSU TW3 L1500	220 to 240 V	57 W
911401815887	WT120C G2 LED100S/840 PSU L1500	220 to 240 V	62 W
911401815987	WT120C G2 LED120S/840 PSU L1500	220 to 240 V	75 W
911401816487	WT120C G2 LED120S/840 PSD L1500	220 to 240 V	75 W
911401823680	WT120C G2 LED34S/840 PSU L1500	220 to 240 V	24.3 W
911401823880	WT120C G2 LED60S/840 PSU L1500	220 to 240 V	42.9 W
911401823980	WT120C G2 LED80S/840 PSU L1500	220 to 240 V	57.1 W
911401824481	WT120C G2 LED34S/865 PSU L1500	220 to 240 V	24.5 W
911401824581	WT120C G2 LED60S/865 PSU L1500	220 to 240 V	43 W
911401824781	WT120C G2 LED55S/830 PSU L1500	220 to 240 V	43 W
911401825985	WT120C G2 LED34S/840 PSU L1500 BN	220 to 240 V	24 W
911401826085	WT120C G2 LED80S/840 PSU L1500 BN	220 to 240 V	57 W
911401826985	WT120C G2 LED60S/840 PSU L1500 BN	220 to 240 V	43 W

Controls and Dimming

Order Code	Full Product Name	Dimmable	Maximum dim level
910505100039	WT120C G2 LED27S/840 PSU TW3 L1200	No	Not applicable
910505100040	WT120C G2 LED27S/840 PSU MDU L1200	No	Not applicable
910505100042	WT120C G2 LED27S/840 PSU ELB3 L1200	No	Not applicable
910505100044	WT120C G2 LED27S/840 PSD L1200	Yes	1%
910505100045	WT120C G2 LED27S/840 PSD ELB3 L1200	Yes	1%

Order Code	Full Product Name	Dimmable	Maximum dim level
910505100047	WT120C G2 LED40S/840 PSU TW3 L1200	No	Not applicable
910505100048	WT120C G2 LED40S/840 PSU MDU L1200	No	Not applicable
910505100049	WT120C G2 LED40S/840 PSU MDU TW3 L1200	No	Not applicable
910505100051	WT120C G2 LED40S/840 PSU TW1 WEC L1200	No	Not applicable
910505100053	WT120C G2 LED40S/840 PSD L1200	Yes	1%
910505100054	WT120C G2 LED40S/840 PSU ELB3 L1200	No	Not applicable
910505100057	WT120C G2 LED40S/840 PSD ELB3 L1200	Yes	1%
910505101269	WT120C G2 LED40S/840 WIA L1200	Yes	10%
910505101270	WT120C G2 LED40S/840 WIA ELB3 L1200	Yes	10%
911401535291	WT120C G2 LED27S/840 PSU TW3 L1200	No	Not applicable
911401535391	WT120C G2 LED40S/840 PSU TW3 L1200	No	Not applicable
911401815687	WT120C G2 LED60S/840 PSU L1200	No	-
911401815787	WT120C G2 LED80S/840 PSU L1200	No	-
911401816187	WT120C G2 LED60S/840 PSD L1200	Yes	-
911401823580	WT120C G2 LED27S/840 PSU L1200	No	Not applicable
911401823780	WT120C G2 LED40S/840 PSU L1200	No	Not applicable
911401824381	WT120C G2 LED40S/865 PSU L1200	No	Not applicable
911401824681	WT120C G2 LED37S/830 PSU L1200	No	Not applicable
911401826785	WT120C G2 LED27S/840 PSU L1200 BN	No	-
911401826885	WT120C G2 LED40S/840 PSU L1200 BN	No	-
911401836980	WT120C G2 LED18S/840 PSU PCO L600	No	Not applicable
911401837080	WT120C G2 LED25S/840 PSU PCO L1200	No	Not applicable
911401837180	WT120C G2 LED31S/840 PSU PCO L1500	No	Not applicable
911401837280	WT120C G2 LED37S/840 PSU PCO L1200	No	Not applicable
911401837380	WT120C G2 LED57S/840 PSU PCO L1500	No	Not applicable
911401837480	WT120C G2 LED75S/840 PSU PCO L1500	No	Not applicable
911401814985	WT120C G2 LED27_45S/840 PSU L1200	No	-
910505100036	WT120C G2 LED19S/840 PSU MDU L600	No	Not applicable
910505100038	WT120C G2 LED19S/840 PSD L600	Yes	1%
911401815587	WT120C G2 LED40S/840 PSU L600	No	-
911401823480	WT120C G2 LED19S/840 PSU L600	No	Not applicable
911401815085	WT120C G2 LED37_60S/840 PSU L1500	No	-
910505100058	WT120C G2 LED34S/840 PSU TW3 L1500	No	Not applicable
910505100059	WT120C G2 LED34S/840 PSU MDU L1500	No	Not applicable
910505100061	WT120C G2 LED34S/840 PSD L1500	Yes	1%
910505100062	WT120C G2 LED34S/840 PSU ELB3 L1500	No	Not applicable
910505100064	WT120C G2 LED34S/840 PSD ELB3 L1500	Yes	1%
910505100066	WT120C G2 LED60S/840 PSU TW3 L1500	No	Not applicable
910505100067	WT120C G2 LED60S/840 PSU MDU L1500	No	Not applicable
910505100068	WT120C G2 LED60S/840 PSU MDU TW3 L1500	No	Not applicable
910505100069	WT120C G2 LED60S/840 PSU WEC L1500	No	Not applicable
910505100072	WT120C G2 LED60S/840 PSD L1500	Yes	1%

Order Code	Full Product Name	Dimmable	Maximum dim level
910505100073	WT120C G2 LED60S/840 PSU ELB3 L1500	No	Not applicable
910505100076	WT120C G2 LED60S/840 PSD ELB3 L1500	Yes	1%
910505100077	WT120C G2 LED80S/840 PSU TW3 L1500	No	Not applicable
910505100078	WT120C G2 LED80S/840 PSU MDU L1500	No	Not applicable
910505100079	WT120C G2 LED80S/840 PSD L1500	Yes	1%
910505100080	WT120C G2 LED80S/840 PSU L1500 ELB3	No	Not applicable
910505101271	WT120C G2 LED65S/840 WIA L1500	Yes	10%
910505101272	WT120C G2 LED65S/840 WIA ELB3 L1500	Yes	10%
910505101274	WT120C G2 LED65S/840 WIA TW3 L1500	Yes	10%
910505103013	WT120C G2 LED80S/840 WIA L1500	Yes	10%
910505103015	WT120C G2 LED80S/840 WIA TW3 L1500	Yes	10%
911401535491	WT120C G2 LED34S/840 PSU TW3 L1500	No	Not applicable
911401535591	WT120C G2 LED60S/840 PSU TW3 L1500	No	Not applicable
911401535691	WT120C G2 LED80S/840 PSU TW3 L1500	No	Not applicable
911401815887	WT120C G2 LED100S/840 PSU L1500	No	-
911401815987	WT120C G2 LED120S/840 PSU L1500	No	-
911401816487	WT120C G2 LED120S/840 PSD L1500	Yes	-
911401823680	WT120C G2 LED34S/840 PSU L1500	No	Not applicable
911401823880	WT120C G2 LED60S/840 PSU L1500	No	Not applicable
911401823980	WT120C G2 LED80S/840 PSU L1500	No	Not applicable
911401824481	WT120C G2 LED34S/865 PSU L1500	No	Not applicable
911401824581	WT120C G2 LED60S/865 PSU L1500	No	Not applicable
911401824781	WT120C G2 LED55S/830 PSU L1500	No	Not applicable
911401825985	WT120C G2 LED34S/840 PSU L1500 BN	No	-
911401826085	WT120C G2 LED80S/840 PSU L1500 BN	No	-
911401826985	WT120C G2 LED60S/840 PSU L1500 BN	No	-

Mechanical and Housing

Order Code	Full Product Name	Housing Color
910505100039	WT120C G2 LED27S/840 PSU TW3 L1200	Gray
910505100040	WT120C G2 LED27S/840 PSU MDU L1200	Gray
910505100042	WT120C G2 LED27S/840 PSU ELB3 L1200	Gray
910505100044	WT120C G2 LED27S/840 PSD L1200	Gray
910505100045	WT120C G2 LED27S/840 PSD ELB3 L1200	Gray
910505100047	WT120C G2 LED40S/840 PSU TW3 L1200	Gray
910505100048	WT120C G2 LED40S/840 PSU MDU L1200	Gray
910505100049	WT120C G2 LED40S/840 PSU MDU TW3 L1200	Gray
910505100051	WT120C G2 LED40S/840 PSU TW1 WEC L1200	Gray
910505100053	WT120C G2 LED40S/840 PSD L1200	Gray
910505100054	WT120C G2 LED40S/840 PSU ELB3 L1200	Gray
910505100057	WT120C G2 LED40S/840 PSD ELB3 L1200	Gray
910505101269	WT120C G2 LED40S/840 WIA L1200	Gray

Order Code	Full Product Name	Housing Color
910505101270	WT120C G2 LED40S/840 WIA ELB3 L1200	Gray
911401535291	WT120C G2 LED27S/840 PSU TW3 L1200	Gray
911401535391	WT120C G2 LED40S/840 PSU TW3 L1200	Gray
911401815687	WT120C G2 LED60S/840 PSU L1200	Grey
911401815787	WT120C G2 LED80S/840 PSU L1200	Grey
911401816187	WT120C G2 LED60S/840 PSD L1200	Grey
911401823580	WT120C G2 LED27S/840 PSU L1200	Gray
911401823780	WT120C G2 LED40S/840 PSU L1200	Gray
911401824381	WT120C G2 LED40S/865 PSU L1200	Gray
911401824681	WT120C G2 LED37S/830 PSU L1200	Gray
911401826785	WT120C G2 LED27S/840 PSU L1200 BN	Grey
911401826885	WT120C G2 LED40S/840 PSU L1200 BN	Grey
911401836980	WT120C G2 LED18S/840 PSU PCO L600	Gray
911401837080	WT120C G2 LED25S/840 PSU PCO L1200	Gray
911401837180	WT120C G2 LED31S/840 PSU PCO L1500	Gray
911401837280	WT120C G2 LED37S/840 PSU PCO L1200	Gray
911401837380	WT120C G2 LED57S/840 PSU PCO L1500	Gray
911401837480	WT120C G2 LED75S/840 PSU PCO L1500	Gray
911401814985	WT120C G2 LED27_45S/840 PSU L1200	Grey
910505100036	WT120C G2 LED19S/840 PSU MDU L600	Gray
910505100038	WT120C G2 LED19S/840 PSD L600	Gray
911401815587	WT120C G2 LED40S/840 PSU L600	Grey
911401823480	WT120C G2 LED19S/840 PSU L600	Gray
911401815085	WT120C G2 LED37_60S/840 PSU L1500	Grey
910505100058	WT120C G2 LED34S/840 PSU TW3 L1500	Gray
910505100059	WT120C G2 LED34S/840 PSU MDU L1500	Gray
910505100061	WT120C G2 LED34S/840 PSD L1500	Gray
910505100062	WT120C G2 LED34S/840 PSU ELB3 L1500	Gray
910505100064	WT120C G2 LED34S/840 PSD ELB3 L1500	Gray
910505100066	WT120C G2 LED60S/840 PSU TW3 L1500	Gray
910505100067	WT120C G2 LED60S/840 PSU MDU L1500	Gray
910505100068	WT120C G2 LED60S/840 PSU MDU TW3 L1500	Gray
910505100069	WT120C G2 LED60S/840 PSU WEC L1500	Gray
910505100072	WT120C G2 LED60S/840 PSD L1500	Gray
910505100073	WT120C G2 LED60S/840 PSU ELB3 L1500	Gray
910505100076	WT120C G2 LED60S/840 PSD ELB3 L1500	Gray
910505100077	WT120C G2 LED80S/840 PSU TW3 L1500	Gray
910505100078	WT120C G2 LED80S/840 PSU MDU L1500	Gray
910505100079	WT120C G2 LED80S/840 PSD L1500	Gray
910505100080	WT120C G2 LED80S/840 PSU L1500 ELB3	Gray
910505101271	WT120C G2 LED65S/840 WIA L1500	Gray
910505101272	WT120C G2 LED65S/840 WIA ELB3 L1500	Gray

Order Code	Full Product Name	Housing Color
910505101274	WT120C G2 LED65S/840 WIA TW3 L1500	Gray
910505103013	WT120C G2 LED80S/840 WIA L1500	Gray
910505103015	WT120C G2 LED80S/840 WIA TW3 L1500	Gray
911401535491	WT120C G2 LED34S/840 PSU TW3 L1500	Gray
911401535591	WT120C G2 LED60S/840 PSU TW3 L1500	Gray
911401535691	WT120C G2 LED80S/840 PSU TW3 L1500	Gray
911401815887	WT120C G2 LED100S/840 PSU L1500	Grey
911401815987	WT120C G2 LED120S/840 PSU L1500	Grey
911401816487	WT120C G2 LED120S/840 PSD L1500	Grey
911401823680	WT120C G2 LED34S/840 PSU L1500	Gray
911401823880	WT120C G2 LED60S/840 PSU L1500	Gray
911401823980	WT120C G2 LED80S/840 PSU L1500	Gray
911401824481	WT120C G2 LED34S/865 PSU L1500	Gray
911401824581	WT120C G2 LED60S/865 PSU L1500	Gray
911401824781	WT120C G2 LED55S/830 PSU L1500	Gray
911401825985	WT120C G2 LED34S/840 PSU L1500 BN	Grey
911401826085	WT120C G2 LED80S/840 PSU L1500 BN	Grey
911401826985	WT120C G2 LED60S/840 PSU L1500 BN	Grey

Approval and Application

Order Code	Full Product Name	Flammability mark	Stroboscopic effect visibility measure (SVM)	Ambient temperature range
910505100039	WT120C G2 LED27S/840 PSU TW3 L1200	For mounting on easily flammable surfaces	1.6	-20 to +35 °C
910505100040	WT120C G2 LED27S/840 PSU MDU L1200	For mounting on easily flammable surfaces	1.6	-20 to +35 °C
910505100042	WT120C G2 LED27S/840 PSU ELB3 L1200	For mounting on easily flammable surfaces	1.6	0 to +25 °C
910505100044	WT120C G2 LED27S/840 PSD L1200	For mounting on easily flammable surfaces	1.6	-20 to +35 °C
910505100045	WT120C G2 LED27S/840 PSD ELB3 L1200	For mounting on easily flammable surfaces	1.6	0 to +25 °C
910505100047	WT120C G2 LED40S/840 PSU TW3 L1200	For mounting on easily flammable surfaces	1.6	-20 to +35 °C
910505100048	WT120C G2 LED40S/840 PSU MDU L1200	For mounting on easily flammable surfaces	1.6	-20 to +35 °C
910505100049	WT120C G2 LED40S/840 PSU MDU TW3 L1200	For mounting on easily flammable surfaces	1.6	-20 to +35 °C
910505100051	WT120C G2 LED40S/840 PSU TW1 WEC L1200	For mounting on easily flammable surfaces	1.6	-20 to +35 °C
910505100053	WT120C G2 LED40S/840 PSD L1200	For mounting on easily flammable surfaces	1.6	-20 to +35 °C
910505100054	WT120C G2 LED40S/840 PSU ELB3 L1200	For mounting on easily flammable surfaces	1.6	0 to +25 °C

Order Code	Full Product Name	Flammability mark	Stroboscopic effect visibility measure (SVM)	Ambient temperature range
910505100057	WT120C G2 LED40S/840 PSD ELB3 L1200	For mounting on easily flammable surfaces	1.6	0 to +25 °C
910505101269	WT120C G2 LED40S/840 WIA L1200	For mounting on easily flammable surfaces	1.6	-20 to +35 °C
910505101270	WT120C G2 LED40S/840 WIA ELB3 L1200	For mounting on easily flammable surfaces	1.6	0 to +25 °C
911401535291	WT120C G2 LED27S/840 PSU TW3 L1200	For mounting on easily flammable surfaces	1.6	-20 to +40 °C
911401535391	WT120C G2 LED40S/840 PSU TW3 L1200	For mounting on easily flammable surfaces	1.6	-20 to +40 °C
911401815687	WT120C G2 LED60S/840 PSU L1200	For mounting on easily flammable surfaces	0.4	-20 to +40 °C
911401815787	WT120C G2 LED80S/840 PSU L1200	For mounting on easily flammable surfaces	0.4	-20 to +40 °C
911401816187	WT120C G2 LED60S/840 PSD L1200	For mounting on easily flammable surfaces	0.4	-20 to +40 °C
911401823580	WT120C G2 LED27S/840 PSU L1200	For mounting on easily flammable surfaces	1.6	-20 to +40 °C
911401823780	WT120C G2 LED40S/840 PSU L1200	For mounting on easily flammable surfaces	1.6	-20 to +40 °C
911401824381	WT120C G2 LED40S/865 PSU L1200	For mounting on easily flammable surfaces	1.6	-20 to +40 °C
911401824681	WT120C G2 LED37S/830 PSU L1200	For mounting on easily flammable surfaces	1.6	-20 to +40 °C
911401826785	WT120C G2 LED27S/840 PSU L1200 BN	For mounting on easily flammable surfaces	0.4	-20 to +40 °C
911401826885	WT120C G2 LED40S/840 PSU L1200 BN	For mounting on easily flammable surfaces	0.4	-20 to +40 °C
911401836980	WT120C G2 LED18S/840 PSU PCO L600	For mounting on easily flammable surfaces	1.6	-20 to +40 °C
911401837080	WT120C G2 LED25S/840 PSU PCO L1200	For mounting on easily flammable surfaces	1.6	-20 to +40 °C
911401837180	WT120C G2 LED31S/840 PSU PCO L1500	For mounting on easily flammable surfaces	1.6	-20 to +40 °C
911401837280	WT120C G2 LED37S/840 PSU PCO L1200	For mounting on easily flammable surfaces	1.6	-20 to +40 °C
911401837380	WT120C G2 LED57S/840 PSU PCO L1500	For mounting on easily flammable surfaces	1.6	-20 to +40 °C
911401837480	WT120C G2 LED75S/840 PSU PCO L1500	For mounting on easily flammable surfaces	1.6	-20 to +40 °C
911401814985	WT120C G2 LED27_45S/840 PSU L1200	For mounting on normally flammable surfaces	0.4	-20 to +40 °C
910505100036	WT120C G2 LED19S/840 PSU MDU L600	For mounting on easily flammable surfaces	1.6	-20 to +35 °C
910505100038	WT120C G2 LED19S/840 PSD L600	For mounting on easily flammable surfaces	1.6	-20 to +35 °C
911401815587	WT120C G2 LED40S/840 PSU L600	For mounting on easily flammable surfaces	0.4	-20 to +40 °C
911401823480	WT120C G2 LED19S/840 PSU L600	For mounting on easily flammable surfaces	1.6	-20 to +40 °C
911401815085	WT120C G2 LED37_60S/840 PSU L1500	For mounting on normally flammable surfaces	0.4	-20 to +40 °C

Order Code	Full Product Name	Flammability mark	Stroboscopic effect visibility measure (SVM)	Ambient temperature range
910505100058	WT120C G2 LED34S/840 PSU TW3 L1500	For mounting on easily flammable surfaces	1.6	-20 to +35 °C
910505100059	WT120C G2 LED34S/840 PSU MDU L1500	For mounting on easily flammable surfaces	1.6	-20 to +35 °C
910505100061	WT120C G2 LED34S/840 PSD L1500	For mounting on easily flammable surfaces	1.6	-20 to +35 °C
910505100062	WT120C G2 LED34S/840 PSU ELB3 L1500	For mounting on easily flammable surfaces	1.6	0 to +25 °C
910505100064	WT120C G2 LED34S/840 PSD ELB3 L1500	For mounting on easily flammable surfaces	1.6	0 to +25 °C
910505100066	WT120C G2 LED60S/840 PSU TW3 L1500	For mounting on easily flammable surfaces	1.6	-20 to +35 °C
910505100067	WT120C G2 LED60S/840 PSU MDU L1500	For mounting on easily flammable surfaces	1.6	-20 to +35 °C
910505100068	WT120C G2 LED60S/840 PSU MDU TW3 L1500	For mounting on easily flammable surfaces	1.6	-20 to +35 °C
910505100069	WT120C G2 LED60S/840 PSU WEC L1500	For mounting on easily flammable surfaces	1.6	-20 to +35 °C
910505100072	WT120C G2 LED60S/840 PSD L1500	For mounting on easily flammable surfaces	1.6	-20 to +35 °C
910505100073	WT120C G2 LED60S/840 PSU ELB3 L1500	For mounting on easily flammable surfaces	1.6	0 to +25 °C
910505100076	WT120C G2 LED60S/840 PSD ELB3 L1500	For mounting on easily flammable surfaces	1.6	0 to +25 °C
910505100077	WT120C G2 LED80S/840 PSU TW3 L1500	For mounting on easily flammable surfaces	1.6	-20 to +35 °C
910505100078	WT120C G2 LED80S/840 PSU MDU L1500	For mounting on easily flammable surfaces	1.6	-20 to +35 °C
910505100079	WT120C G2 LED80S/840 PSD L1500	For mounting on easily flammable surfaces	1.6	-20 to +35 °C
910505100080	WT120C G2 LED80S/840 PSU L1500 ELB3	For mounting on easily flammable surfaces	1.6	0 to +25 °C
910505101271	WT120C G2 LED65S/840 WIA L1500	For mounting on easily flammable surfaces	1.6	-20 to +35 °C
910505101272	WT120C G2 LED65S/840 WIA ELB3 L1500	For mounting on easily flammable surfaces	1.6	0 to +25 °C
910505101274	WT120C G2 LED65S/840 WIA TW3 L1500	For mounting on easily flammable surfaces	1.6	-20 to +35 °C
910505103013	WT120C G2 LED80S/840 WIA L1500	For mounting on easily flammable surfaces	1.6	-20 to +35 °C
910505103015	WT120C G2 LED80S/840 WIA TW3 L1500	For mounting on easily flammable surfaces	1.6	-20 to +35 °C
911401535491	WT120C G2 LED34S/840 PSU TW3 L1500	For mounting on easily flammable surfaces	1.6	-20 to +40 °C
911401535591	WT120C G2 LED60S/840 PSU TW3 L1500	For mounting on easily flammable surfaces	1.6	-20 to +40 °C
911401535691	WT120C G2 LED80S/840 PSU TW3 L1500	For mounting on easily flammable surfaces	1.6	-20 to +40 °C
911401815887	WT120C G2 LED100S/840 PSU L1500	For mounting on easily flammable surfaces	0.4	-20 to +40 °C
911401815987	WT120C G2 LED120S/840 PSU L1500	For mounting on easily flammable surfaces	0.4	-20 to +40 °C

Order Code	Full Product Name	Flammability mark	Stroboscopic effect visibility measure (SVM)	Ambient temperature range
911401816487	WT120C G2 LED120S/840 PSD L1500	For mounting on easily flammable surfaces	0.4	-20 to +40 °C
911401823680	WT120C G2 LED34S/840 PSU L1500	For mounting on easily flammable surfaces	1.6	-20 to +40 °C
911401823880	WT120C G2 LED60S/840 PSU L1500	For mounting on easily flammable surfaces	1.6	-20 to +40 °C
911401823980	WT120C G2 LED80S/840 PSU L1500	For mounting on easily flammable surfaces	1.6	-20 to +40 °C
911401824481	WT120C G2 LED34S/865 PSU L1500	For mounting on easily flammable surfaces	1.6	-20 to +40 °C
911401824581	WT120C G2 LED60S/865 PSU L1500	For mounting on easily flammable surfaces	1.6	-20 to +40 °C
911401824781	WT120C G2 LED55S/830 PSU L1500	For mounting on easily flammable surfaces	1.6	-20 to +40 °C
911401825985	WT120C G2 LED34S/840 PSU L1500 BN	For mounting on easily flammable surfaces	1.6	-20 to +40 °C
911401826085	WT120C G2 LED80S/840 PSU L1500 BN	For mounting on easily flammable surfaces	0.4	-20 to +40 °C
911401826985	WT120C G2 LED60S/840 PSU L1500 BN	For mounting on easily flammable surfaces	0.4	-20 to +40 °C

Initial Performance (IEC Compliant)

Order Code	Full Product Name	Initial chromaticity
910505100039	WT120C G2 LED27S/840 PSU TW3 L1200	(0.38,0.38)SDCM<=3
910505100040	WT120C G2 LED27S/840 PSU MDU L1200	(0.38,0.38)SDCM<=3
910505100042	WT120C G2 LED27S/840 PSU ELB3 L1200	(0.38,0.38)SDCM<=3
910505100044	WT120C G2 LED27S/840 PSD L1200	(0.38,0.38)SDCM<=3
910505100045	WT120C G2 LED27S/840 PSD ELB3 L1200	(0.38,0.38)SDCM<=3
910505100047	WT120C G2 LED40S/840 PSU TW3 L1200	(0.38,0.38)SDCM<=3
910505100048	WT120C G2 LED40S/840 PSU MDU L1200	(0.38,0.38)SDCM<=3
910505100049	WT120C G2 LED40S/840 PSU MDU TW3 L1200	(0.38,0.38)SDCM<=3
910505100051	WT120C G2 LED40S/840 PSU TW1 WEC L1200	(0.38,0.38)SDCM<=3
910505100053	WT120C G2 LED40S/840 PSD L1200	(0.38,0.38)SDCM<=3
910505100054	WT120C G2 LED40S/840 PSU ELB3 L1200	(0.38,0.38)SDCM<=3
910505100057	WT120C G2 LED40S/840 PSD ELB3 L1200	(0.38,0.38)SDCM<=3
910505101269	WT120C G2 LED40S/840 WIA L1200	(0.38,0.38)SDCM<=3
910505101270	WT120C G2 LED40S/840 WIA ELB3 L1200	(0.38,0.38)SDCM<=3
911401535291	WT120C G2 LED27S/840 PSU TW3 L1200	(0.38,0.38)SDCM<=3
911401535391	WT120C G2 LED40S/840 PSU TW3 L1200	(0.38,0.38)SDCM<=3
911401815687	WT120C G2 LED60S/840 PSU L1200	(0.38,0.38) SDCM≤3
911401815787	WT120C G2 LED80S/840 PSU L1200	(0.38,0.38) SDCM≤3
911401816187	WT120C G2 LED60S/840 PSD L1200	(0.38,0.38) SDCM≤3
911401823580	WT120C G2 LED27S/840 PSU L1200	(0.38,0.38)SDCM<=3
911401823780	WT120C G2 LED40S/840 PSU L1200	(0.38,0.38)SDCM<=3

Order Code	Full Product Name	Initial chromaticity
911401824381	WT120C G2 LED40S/865 PSU L1200	(0.31,0.32)SDCM<=3
911401824681	WT120C G2 LED37S/830 PSU L1200	(0.43,0.40)SDCM<=3
911401826785	WT120C G2 LED27S/840 PSU L1200 BN	(0.38,0.38)SDCM<=3
911401826885	WT120C G2 LED40S/840 PSU L1200 BN	(0.38,0.38)SDCM<=3
911401836980	WT120C G2 LED18S/840 PSU PCO L600	(0.38,0.38)SDCM<=3
911401837080	WT120C G2 LED25S/840 PSU PCO L1200	(0.38,0.38)SDCM<=3
911401837180	WT120C G2 LED31S/840 PSU PCO L1500	(0.38,0.38)SDCM<=3
911401837280	WT120C G2 LED37S/840 PSU PCO L1200	(0.38,0.38)SDCM<=3
911401837380	WT120C G2 LED57S/840 PSU PCO L1500	(0.38,0.38)SDCM<=3
911401837480	WT120C G2 LED75S/840 PSU PCO L1500	(0.38,0.38)SDCM<=3
911401814985	WT120C G2 LED27_45S/840 PSU L1200	(0.38,0.38)SDCM<=3
910505100036	WT120C G2 LED19S/840 PSU MDU L600	(0.38,0.38)SDCM<=3
910505100038	WT120C G2 LED19S/840 PSD L600	(0.38,0.38)SDCM<=3
911401815587	WT120C G2 LED40S/840 PSU L600	(0.38,0.38) SDCM≤3
911401823480	WT120C G2 LED19S/840 PSU L600	(0.38,0.38)SDCM<=3
911401815085	WT120C G2 LED37_60S/840 PSU L1500	(0.38,0.38)SDCM<=3
910505100058	WT120C G2 LED34S/840 PSU TW3 L1500	(0.38,0.38)SDCM<=3
910505100059	WT120C G2 LED34S/840 PSU MDU L1500	(0.38,0.38)SDCM<=3
910505100061	WT120C G2 LED34S/840 PSD L1500	(0.38,0.38)SDCM<=3
910505100062	WT120C G2 LED34S/840 PSU ELB3 L1500	(0.38,0.38)SDCM<=3
910505100064	WT120C G2 LED34S/840 PSD ELB3 L1500	(0.38,0.38)SDCM<=3
910505100066	WT120C G2 LED60S/840 PSU TW3 L1500	(0.38,0.38)SDCM<=3
910505100067	WT120C G2 LED60S/840 PSU MDU L1500	(0.38,0.38)SDCM<=3
910505100068	WT120C G2 LED60S/840 PSU MDU TW3 L1500	(0.38,0.38)SDCM<=3
910505100069	WT120C G2 LED60S/840 PSU WEC L1500	(0.38,0.38)SDCM<=3
910505100072	WT120C G2 LED60S/840 PSD L1500	(0.38,0.38)SDCM<=3
910505100073	WT120C G2 LED60S/840 PSU ELB3 L1500	(0.38,0.38)SDCM<=3
910505100076	WT120C G2 LED60S/840 PSD ELB3 L1500	(0.38,0.38)SDCM<=3
910505100077	WT120C G2 LED80S/840 PSU TW3 L1500	(0.38,0.38)SDCM<=3
910505100078	WT120C G2 LED80S/840 PSU MDU L1500	(0.38,0.38)SDCM<=3
910505100079	WT120C G2 LED80S/840 PSD L1500	(0.38,0.38)SDCM<=3
910505100080	WT120C G2 LED80S/840 PSU L1500 ELB3	(0.38,0.38)SDCM<=3
910505101271	WT120C G2 LED65S/840 WIA L1500	(0.38,0.38)SDCM<=3
910505101272	WT120C G2 LED65S/840 WIA ELB3 L1500	(0.38,0.38)SDCM<=3
910505101274	WT120C G2 LED65S/840 WIA TW3 L1500	(0.38,0.38)SDCM<=3
910505103013	WT120C G2 LED80S/840 WIA L1500	(0.38,0.38)SDCM<=3
910505103015	WT120C G2 LED80S/840 WIA TW3 L1500	(0.38,0.38)SDCM<=3
911401535491	WT120C G2 LED34S/840 PSU TW3 L1500	(0.38,0.38)SDCM<=3
911401535591	WT120C G2 LED60S/840 PSU TW3 L1500	(0.38,0.38)SDCM<=3
911401535691	WT120C G2 LED80S/840 PSU TW3 L1500	(0.38,0.38)SDCM<=3
911401815887	WT120C G2 LED100S/840 PSU L1500	(0.38,0.38) SDCM≤3
911401815987	WT120C G2 LED120S/840 PSU L1500	(0.38,0.38) SDCM≤3

Order Code	Full Product Name	Initial chromaticity
911401816487	WT120C G2 LED120S/840 PSD L1500	(0.38,0.38) SDCM≤3
911401823680	WT120C G2 LED34S/840 PSU L1500	(0.38,0.38)SDCM<=3
911401823880	WT120C G2 LED60S/840 PSU L1500	(0.38,0.38)SDCM<=3
911401823980	WT120C G2 LED80S/840 PSU L1500	(0.38,0.38)SDCM<=3
911401824481	WT120C G2 LED34S/865 PSU L1500	(0.31,0.32)SDCM<=3
911401824581	WT120C G2 LED60S/865 PSU L1500	(0.31,0.32)SDCM<=3
911401824781	WT120C G2 LED55S/830 PSU L1500	(0.43,0.40)SDCM<=3
911401825985	WT120C G2 LED34S/840 PSU L1500 BN	(0.38,0.38)SDCM<=3
911401826085	WT120C G2 LED80S/840 PSU L1500 BN	(0.38,0.38)SDCM<=3
911401826985	WT120C G2 LED60S/840 PSU L1500 BN	(0.38,0.38)SDCM<=3

Polar normal diagrams



WT120C G2 LED65S/840 WIA ELB3 L1500
910505101272



WT120C G2 LED60S/840 PSU WEC L1500
910505100069



WT120C G2 LED19S/840 PSU MDU L600
910505100036



WT120C G2 LED40S/840 PSU MDU L1200
910505100048



WT120C G2 LED60S/840 PSU ELB3 L1500
910505100073



WT120C G2 LED60S/840 PSU MDU L1500
910505100067



WT120C G2 LED27S/840 PSU ELB3 L1200
910505100042



WT120C G2 LED40S/840 PSU ELB3 L1200
910505100054



WT120C G2 LED40S/840 PSD ELB3 L1200
910505100057



WT120C G2 LED60S/840 PSD L1500
910505100072



WT120C G2 LED80S/840 PSD L1500
910505100079



WT120C G2 LED80S/840 PSU TW3 L1500
910505100077



WT120C G2 LED40S/840 PSU MDU TW3
L1200 910505100049



WT120C G2 LED27S/840 PSU MDU L1200
910505100040



WT120C G2 LED27S/840 PSD ELB3 L1200
910505100045



WT120C G2 LED34S/840 PSD ELB3 L1500 910505100064



WT120C G2 LED40S/840 PSU TW1 WEC L1200 910505100051



WT120C G2 LED27S/840 PSU TW3 L1200 910505100039



WT120C G2 LED34S/840 PSD L1500 910505100061



WT120C G2 LED80S/840 PSU MDU L1500 910505100078



WT120C G2 LED40S/840 PSU TW3 L1200 910505100047



WT120C G2 LED60S/840 PSU MDU TW3 L1500 910505100068



WT120C G2 LED80S/840 PSU L1500 ELB3 910505100080



WT120C G2 LED27S/840 PSD L1200 910505100044



WT120C G2 LED34S/840 PSU MDU L1500
910505100059



WT120C G2 LED34S/840 PSU ELB3 L1500
910505100062



WT120C G2 LED60S/840 PSD ELB3 L1500
910505100076



WT120C G2 LED40S/840 PSD L1200
910505100053



WT120C G2 LED40S/840 WIA L1200
910505101269



WT120C G2 LED65S/840 WIA L1500
910505101271



WT120C G2 LED65S/840 WIA TW3 L1500
910505101274



WT120C G2 LED40S/840 WIA ELB3 L1200
910505101270



WT120C G2 LED34S/840 PSU TW3 L1500
910505100058



WT120C G2 LED19S/840 PSD L600
910505100038



WT120C G2 LED80S/840 WIA TW3 L1500
910505103015



WT120C G2 LED40S/840 PSU TW3 L1200
911401535391



WT120C G2 LED34S/840 PSU TW3 L1500
911401535491



WT120C G2 LED34S/840 PSU L1500
911401823680



WT120C G2 LED40S/840 PSU L1200
911401823780



WT120C G2 LED60S/840 PSU TW3 L1500
910505100066



WT120C G2 LED80S/840 WIA L1500
910505103013



WT120C G2 LED60S/840 PSU L1500
911401823880



WT120C G2 LED27S/840 PSU TW3 L1200
911401535291



WT120C G2 LED60S/840 PSU TW3 L1500
911401535591



WT120C G2 LED80S/840 PSU TW3 L1500
911401535691



WT120C G2 LED40S/865 PSU L1200
911401824381



WT120C G2 LED34S/865 PSU L1500
911401824481



WT120C G2 LED60S/865 PSU L1500
911401824581



WT120C G2 LED37S/830 PSU L1200
911401824681



WT120C G2 LED55S/830 PSU L1500
911401824781



WT120C G2 LED34S/840 PSU L1500 BN
911401825985



WT120C G2 LED80S/840 PSU L1500 BN
911401826085



WT120C G2 LED27S/840 PSU L1200 BN
911401826785



WT120C G2 LED40S/840 PSU L1200 BN
911401826885



WT120C G2 LED60S/840 PSU L1500 BN
911401826985



WT120C G2 LED27_45S/840 PSU L1200
911401814985



WT120C G2 LED37_60S/840 PSU L1500
911401815085



WT120C G2 LED19S/840 PSU L600
911401823480



WT120C G2 LED27S/840 PSU L1200
911401823580



WT120C G2 LED80S/840 PSU L1500
911401823980



WT120C G2 LED18S/840 PSU PCO L600
911401836980



WT120C G2 LED25S/840 PSU PCO L1200
911401837080



WT120C G2 LED37S/840 PSU PCO L1200
911401837280



WT120C G2 LED31S/840 PSU PCO L1500
911401837180



WT120C G2 LED57S/840 PSU PCO L1500
911401837380



WT120C G2 LED75S/840 PSU PCO L1500
911401837480



WT120C G2 LED40S/840 PSU L600
911401815587



WT120C G2 LED120S/840 PSU L1500
911401815987



WT120C G2 LED60S/840 PSD L1200
911401816187



WT120C G2 LED100S/840 PSU L1500
911401815887



WT120C G2 LED80S/840 PSU L1200
911401815787



WT120C G2 LED120S/840 PSD L1500
911401816487



WT120C G2 LED60S/840 PSU L1200
911401815687

© 2026 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.