PHILIPS

Standard A-shape clear

ISTAE



Product Description

Conventional pear-shaped incandescent lamps

Benefits

- Brilliant, visible filament adds friendly points of brightness for an enriched lighting effect

Applications

- Clear lamps are ideal for indirect lighting in closed luminaires, and where brilliance and sparkling effects are more important than reduction of glare

Features

- Vacuum-filled (15W) or gas-filled (25W and above)

Versions



LED Lamps, CorePro
LEDspotMV E27 R80

Dimensional drawing



Product	D (max)	D	C (max)
Stan 100W E27 220V A55 CL U 1CT/10X10F	56 mm	55 mm	97 mm
Stan 60W E27 230V A55 CL 1CT/12X10F	56 mm	55 mm	97 mm

General Information

Cap-Base	E27
Operating Position	UNIVERSAL [Any or Universal (U)]
Nominal lifetime	1,000 hour(s)
Rated Lifetime (Hours)	1,000 hour(s)

Light Technical

Color rendering index (CRI)	100

Controls and Dimming

Dimmable	Yes

Mechanical and Housing

Bulb Finish	Clear
Bulb Shape	A55

Light Technical

Order Code	Full Product Name	Luminous Flux
920056542905	Stan 100W E27 220V A55 CL U 1CT/10X10F	1,340 lm
926000006627	Stan 60W E27 230V A55 CL 1CT/12X10F	710 lm

Operating and Electrical

Order Code	Full Product Name	Power Consumption	Voltage (Nom)
920056542905	Stan 100W E27 220V A55 CL U 1CT/10X10F	100 W	220 V
926000006627	Stan 60W E27 230V A55 CL 1CT/12X10F	60 W	230 V

© 2026 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.