PHILIPS

Aura

RC430V

A troffer beyond visual comfort

As an innovative troffer, CoreView Pro RC430V uses indirect and direct light output to reach UGR19 without using heavy and big glare control plates. The central module can be easily replaceable for future maintenance. The light from the central light module can be controlled separately to fit multiple applications. BioUp technology provides better well being for the people in indoor environment.

Benefits

- Slim and nice look and feel
- Easy maintenance on site
- Fit multiple applications for office, healthcare
- Support better well being for people in indoor

Applications

- Office
- Meeting room
- Healthcare

Features

- Unique light module design with indirect and direct light to reach UGR19
- Replaceable light module
- Adjustable up and downward light output ratio
- BioUp technology enabled

Versions

Aura RC430

Aura RC430

Aura RC430

CoreView Pro

CoreView Pro

Aura RC430

Aura RC430

CoreView Pro

Dimensional drawing



RC430V LED35/840 W603L603 PSU OC UVG



RC430X LED52/940 W60L120 SC15 OC CAU



RC430V LED36/940 W60L60 PSU OC



RC430V LED54/840 W60L120 PSD OC U/D



RC430V LED37/850 W303L1210 PSU OC UVG



RC430V LED55/840 W60L120 PSU OC



RC430X LED37/840 W60L60 SC2 OC U/D



RC430V LED37/BioUPD W60L60 PSD OC CAU



RC430V LED36/9TW W30L120 PSD OC CAU



RC430X LED38/940 W30L120 WIA OC



RC430X LED38/840 W30L120 SC2 OC U/D CAU

General Information

Number of gear units	1 unit
Gear	-
Driver included	Yes

Light Technical

Beam angle of light source	115 degree(s)
Optic type	Beam angle 90°

Operating and Electrical

Input Voltage	220-240 V
Line Frequency	50 or 60 Hz
Suitable for random switching	Yes
Protection class IEC	Safety class II

Mechanical and Housing

Housing Color	White RAL 9003
Ingress protection code	IP20 [Finger-protected]
Mech. impact protection code	IK03 [0.3 J]
Optical cover type	Prismatic bowl/cover linear horizontal

Approval and Application

Glow-wire test	Temperature 650 °C, duration 30 s
Flammability mark	For mounting on normally flammable surfaces
CE mark	Yes
ENEC mark	ENEC mark
Ambient temperature range	-20 to +40 °C

Initial Performance (IEC Compliant)

Luminous flux tolerance	-10% / +10%

Light Technical

Order Code	Full Product Name	Luminous Flux	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Color rendering index (CRI)	Number of light sources
911401578645	RC430X LED38/840 W60L60 SC2 OC	3,800 lm	4000 K	120 lm/W	80	1
911401578945	RC430X LED36/940 W60L60 SC2 OC	3,600 lm	4000 K	114 lm/W	90	1
911401579245	RC430X LED38/840 W60L60 SC2 OC CAU	3,800 lm	4000 K	120 lm/W	80	1
911401579545	RC430X LED36/940 W60L60 SC2 OC CAU	3,600 lm	4000 K	114 lm/W	90	1
911401579845	RC430X LED38/840 W60L60 SC15 OC	3,800 lm	4000 K	120 lm/W	80	1
911401580145	RC430X LED36/940 W60L60 SC15 OC	3,600 lm	4000 K	114 lm/W	90	1
911401580445	RC430X LED38/840 W60L60 SC15 OC CAU	3,800 lm	4000 K	120 lm/W	80	1
911401580745	RC430X LED36/940 W60L60 SC15 OC CAU	3,600 lm	4000 K	114 lm/W	90	1
911401582745	RC430X LED35/9TW W60L60 SC2 OC	3,500 lm	Tunable white 2700-6500 K	118 lm/W	90	1
911401583045	RC430X LED35/9TW W60L60 SC2 OC CAU	3,500 lm	Tunable white 2700-6500 K	118 lm/W	90	1
911401583345	RC430X LED35/9TW W60L60 SC15 OC	3,500 lm	Tunable white 2700-6500 K	118 lm/W	90	1
911401583645	RC430X LED35/9TW W60L60 SC15 OC CAU	3,500 lm	Tunable white 2700-6500 K	118 lm/W	90	1
911401584345	RC430X LED37/BioUPD W60L60 SC2 OC	3,700 lm	4000 K	106 lm/W	80	1
911401584445	RC430X LED37/BioUPD W60L60 SC2 OC CAU	3,700 lm	4000 K	106 lm/W	80	1
911401584545	RC430X LED37/BioUPD W60L60 SC15 OC	3,700 lm	4000 K	106 lm/W	80	1
911401584645	RC430X LED37/BioUPD W60L60 SC15 OC CAU	3,700 lm	4000 K	106 lm/W	80	1
911401585545	RC430X LED37/840 W60L60 SC2 OC U/D	3,700 lm	4000 K	114 lm/W	80	1

Order Code	Full Product Name	Luminous Flux	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Color rendering index (CRI)	Number of light sources
911401585845	RC430X LED35/940 W60L60 SC2 OC U/D	3,500 lm	4000 K	108 lm/W	90	1
911401586145	RC430X LED37/840 W60L60 SC15 OC U/D	3,700 lm	4000 K	114 lm/W	80	1
911401586445	RC430X LED35/940 W60L60 SC15 OC U/D	3,500 lm	4000 K	108 lm/W	90	1
911401587345	RC430X LED37/840 W60L60 SC2 OC U/D CAU	3,700 lm	4000 K	114 lm/W	80	1
911401587645	RC430X LED35/940 W60L60 SC2 OC U/D CAU	3,500 lm	4000 K	108 lm/W	90	1
911401587945	RC430X LED37/840 W60L60 SC15 OC U/D CAU	3,700 lm	4000 K	114 lm/W	80	1
911401588245	RC430X LED35/940 W60L60 SC15 OC U/D CAU	3,500 lm	4000 K	108 lm/W	90	1
911401578445	RC430X LED55/840 W60L120 SC2 OC	5,500 lm	4000 K	123 lm/W	80	1
911401578745	RC430X LED52/940 W60L120 SC2 OC	5,200 lm	4000 K	116 lm/W	90	1
911401579045	RC430X LED55/840 W60L120 SC2 OC CAU	5,500 lm	4000 K	123 lm/W	80	1
911401579345	RC430X LED52/940 W60L120 SC2 OC CAU	5,200 lm	4000 K	116 lm/W	90	1
911401579645	RC430X LED55/840 W60L120 SC15 OC	5,500 lm	4000 K	126 lm/W	80	1
911401579945	RC430X LED52/940 W60L120 SC15 OC	5,200 lm	4000 K	116 lm/W	90	1
911401580245	RC430X LED55/840 W60L120 SC15 OC CAU	5,500 lm	4000 K	123 lm/W	80	1
911401580545	RC430X LED52/940 W60L120 SC15 OC CAU	5,200 lm	4000 K	116 lm/W	90	1
911401580845	RC430V LED54/840 W60L120 PSU OC SG	5,400 lm	4000 K	129 lm/W	80	1
911401581945	RC430V LED51/9TW W60L120 PSD OC	5,100 lm	Tunable white 2700-6500 K	120 lm/W	90	1
911401582245	RC430V LED51/9TW W60L120 PSD OC CAU	5,100 lm	Tunable white 2700-6500 K	120 lm/W	90	1
911401582545	RC430X LED51/9TW W60L120 SC2 OC	5,100 lm	Tunable white 2700-6500 K	120 lm/W	90	1
911401582845	RC430X LED51/9TW W60L120 SC2 OC CAU	5,100 lm	Tunable white 2700-6500 K	120 lm/W	90	1
911401583145	RC430X LED51/9TW W60L120 SC15 OC	5,100 lm	Tunable white 2700-6500 K	120 lm/W	90	1
911401583445	RC430X LED51/9TW W60L120 SC15 OC CAU	5,100 lm	Tunable white 2700-6500 K	120 lm/W	90	1
911401583745	RC430V LED52/BioUPD W60L120 PSD OC	5,200 lm	4000 K	108 lm/W	80	1
911401584045	RC430V LED52/BioUPD W60L120 PSD OC CAU	5,200 lm	4000 K	108 lm/W	80	1
911401584745	RC430V LED54/840 W60L120 PSD OC U/D	5,400 lm	4000 K	113 lm/W	80	1
911401585045	RC430V LED51/940 W60L120 PSD OC U/D	5,100 lm	4000 K	108 lm/W	90	1
911401585345	RC430X LED54/840 W60L120 SC2 OC U/D	5,400 lm	4000 K	113 lm/W	80	1
911401585645	RC430X LED51/940 W60L120 SC2 OC U/D	5,100 lm	4000 K	108 lm/W	90	1
911401585945	RC430X LED54/840 W60L120 SC15 OC U/D	5,400 lm	4000 K	113 lm/W	80	1
911401586245	RC430X LED51/940 W60L120 SC15 OC U/D	5,100 lm	4000 K	108 lm/W	90	1
911401586545	RC430V LED54/840 W60L120 PSD OC U/D CAU	5,400 lm	4000 K	113 lm/W	80	1
911401586845	RC430V LED51/940 W60L120 PSD OC U/D CAU	5,100 lm	4000 K	108 lm/W	90	1
911401587145	RC430X LED54/840 W60L120 SC2 OC U/D CAU	5,400 lm	4000 K	113 lm/W	80	1
911401587445	RC430X LED51/940 W60L120 SC2 OC U/D CAU	5,100 lm	4000 K	108 lm/W	90	1
911401587745	RC430X LED54/840 W60L120 SC15 OC U/D CAU	5,400 lm	4000 K	113 lm/W	80	1
911401588045	RC430X LED51/940 W60L120 SC15 OC U/D CAU	5,100 lm	4000 K	108 lm/W	90	1
911401578545	RC430X LED40/840 W30L120 SC2 OC	4,000 lm	4000 K	131 lm/W	80	1
911401578845	RC430X LED38/940 W30L120 SC2 OC	3,800 lm	4000 K	124 lm/W	90	1

Order Code	Full Product Name	Luminous Flux	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Color rendering index (CRI)	Number of light sources
911401579145	RC430X LED40/840 W30L120 SC2 OC CAU	4,000 lm	4000 K	131 lm/W	80	1
911401579445	RC430X LED38/940 W30L120 SC2 OC CAU	3,800 lm	4000 K	124 lm/W	90	1
911401579745	RC430X LED40/840 W30L120 SC15 OC	4,000 lm	4000 K	131 lm/W	80	1
911401580045	RC430X LED38/940 W30L120 SC15 OC	3,800 lm	4000 K	124 lm/W	90	1
911401580345	RC430X LED40/840 W30L120 SC15 OC CAU	4,000 lm	4000 K	131 lm/W	80	1
911401580645	RC430X LED38/940 W30L120 SC15 OC CAU	3,800 lm	4000 K	124 lm/W	90	1
911401582645	RC430X LED36/9TW W30L120 SC2 OC	3,600 lm	Tunable white 2700-6500 K	124 lm/W	90	1
911401582945	RC430X LED36/9TW W30L120 SC2 OC CAU	3,600 lm	Tunable white 2700-6500 K	124 lm/W	90	1
911401583245	RC430X LED36/9TW W30L120 SC15 OC	3,600 lm	Tunable white 2700-6500 K	124 lm/W	90	1
911401583545	RC430X LED36/9TW W30L120 SC15 OC CAU	3,600 lm	Tunable white 2700-6500 K	124 lm/W	90	1
911401585445	RC430X LED38/840 W30L120 SC2 OC U/D	3,800 lm	4000 K	131 lm/W	80	1
911401585745	RC430X LED36/940 W30L120 SC2 OC U/D	3,600 lm	4000 K	124 lm/W	90	1
911401586045	RC430X LED38/840 W30L120 SC15 OC U/D	3,800 lm	4000 K	131 lm/W	80	1
911401586345	RC430X LED36/940 W30L120 SC15 OC U/D	3,600 lm	4000 K	124 lm/W	90	1
911401587245	RC430X LED38/840 W30L120 SC2 OC U/D CAU	3,800 lm	4000 K	131 lm/W	80	1
911401587545	RC430X LED36/940 W30L120 SC2 OC U/D CAU	3,600 lm	4000 K	124 lm/W	90	1
911401587845	RC430X LED38/840 W30L120 SC15 OC U/D CAU	3,800 lm	4000 K	131 lm/W	80	1
911401588145	RC430X LED36/940 W30L120 SC15 OC U/D CAU	3,600 lm	4000 K	124 lm/W	90	1
911401522845	RC430V LED38/840 W60L60 PSU OC	3,800 lm	4000 K	123 lm/W	80	144
911401523145	RC430V LED38/840 W60L60 PSD OC	3,800 lm	4000 K	117 lm/W	80	144
911401523445	RC430X LED38/840 W60L60 WIA OC	3,800 lm	4000 K	122 lm/W	80	144
911401523745	RC430V LED38/840 W60L60 PSU OC CAU	3,800 lm	4000 K	123 lm/W	80	144
911401524045	RC430V LED38/840 W60L60 PSD OC CAU	3,800 lm	4000 K	117 lm/W	80	144
911401524345	RC430X LED38/840 W60L60 WIA OC CAU	3,800 lm	4000 K	122 lm/W	80	144
911401524645	RC430V LED36/940 W60L60 PSU OC	3,600 lm	4000 K	117 lm/W	90	144
911401524945	RC430V LED36/940 W60L60 PSD OC	3,600 lm	4000 K	112 lm/W	90	144
911401525245	RC430X LED36/940 W60L60 WIA OC	3,600 lm	4000 K	115 lm/W	90	144
911401525545	RC430V LED36/940 W60L60 PSU OC CAU	3,600 lm	4000 K	117 lm/W	90	144
911401525845	RC430V LED36/940 W60L60 PSD OC CAU	3,600 lm	4000 K	112 lm/W	90	144
911401526145	RC430X LED36/940 W60L60 WIA OC CAU	3,600 lm	4000 K	115 lm/W	90	144
911401522645	RC430V LED55/840 W60L120 PSU OC	5,500 lm	4000 K	128 lm/W	80	228
911401522945	RC430V LED55/840 W60L120 PSD OC	5,500 lm	4000 K	121 lm/W	80	228
911401523245	RC430X LED49/840 W60L120 WIA OC	4,900 lm	4000 K	129 lm/W	80	228
911401523545	RC430V LED55/840 W60L120 PSU OC CAU	5,500 lm	4000 K	128 lm/W	80	228
911401523845	RC430V LED55/840 W60L120 PSD OC CAU	5,500 lm	4000 K	121 lm/W	80	228
911401524145	RC430X LED49/840 W60L120 WIA OC CAU	4,900 lm	4000 K	129 lm/W	80	228
911401524445	RC430V LED52/940 W60L120 PSU OC	5,200 lm	4000 K	122 lm/W	90	228
911401524745	RC430V LED52/940 W60L120 PSD OC	5,200 lm	4000 K	115 lm/W	90	228

Order Code	Full Product Name	Luminous Flux	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Color rendering index (CRI)	Number of light sources
911401525045	RC430X LED46/940 W60L120 WIA OC	4,600 lm	4000 K	122 lm/W	90	228
911401525345	RC430V LED52/940 W60L120 PSU OC CAU	5,200 lm	4000 K	122 lm/W	90	228
911401525645	RC430V LED52/940 W60L120 PSD OC CAU	5,200 lm	4000 K	115 lm/W	90	228
911401525945	RC430X LED46/940 W60L120 WIA OC CAU	4,600 lm	4000 K	122 lm/W	90	228
911401580945	RC430V LED40/840 W30L120 PSU OC SG	4,000 lm	4000 K	134 lm/W	80	1
911401581145	RC430V LED37/865 W303L1210 PSU OC UVG	3,700 lm	6500 K	131 lm/W	80	1
911401581245	RC430V LED37/850 W303L1210 PSU OC UVG	3,700 lm	5000 K	131 lm/W	80	1
911401581345	RC430V LED37/840 W303L1210 PSU OC UVG	3,700 lm	4000 K	131 lm/W	80	1
911401581445	RC430V LED35/830 W303L1210 PSU OC UVG	3,500 lm	3000 K	121 lm/W	80	1
911401582045	RC430V LED36/9TW W30L120 PSD OC	3,600 lm	Tunable white 2700-6500 K	124 lm/W	90	1
911401582345	RC430V LED36/9TW W30L120 PSD OC CAU	3,600 lm	Tunable white 2700-6500 K	124 lm/W	90	1
911401583845	RC430V LED39/BioUPD W30L120 PSD OC	3,900 lm	4000 K	116 lm/W	80	1
911401584145	RC430V LED39/BioUPD W30L120 PSD OC CAU	3,900 lm	4000 K	116 lm/W	80	1
911401584845	RC430V LED38/840 W30L120 PSD OC U/D	3,800 lm	4000 K	131 lm/W	80	1
911401585145	RC430V LED36/940 W30L120 PSD OC U/D	3,600 lm	4000 K	124 lm/W	90	1
911401586645	RC430V LED38/840 W30L120 PSD OC U/D CAU	3,800 lm	4000 K	131 lm/W	80	1
911401586945	RC430V LED36/940 W30L120 PSD OC U/D CAU	3,600 lm	4000 K	124 lm/W	90	1
911401593345	RC430V LED40/865 W303L1210 PSU OC	4,000 lm	6500 K	134 lm/W	80	1
911401593445	RC430V LED40/850 W303L1210 PSU OC	4,000 lm	5000 K	134 lm/W	80	1
911401593545	RC430V LED40/840 W303L1210 PSU OC	4,000 lm	4000 K	134 lm/W	80	1
911401593645	RC430V LED37/830 W303L1210 PSU OC	3,700 lm	3000 K	124 lm/W	80	1
911401594145	RC430V LED40/865 W303L1210 PSD OC	4,000 lm	6500 K	126 lm/W	80	1
911401594245	RC430V LED40/850 W303L1210 PSD OC	4,000 lm	5000 K	126 lm/W	80	1
911401594345	RC430V LED40/840 W303L1210 PSD OC	4,000 lm	4000 K	126 lm/W	80	1
911401594445	RC430V LED37/830 W303L1210 PSD OC	3,700 lm	3000 K	117 lm/W	80	1
911401581045	RC430V LED40/840 W60L60 PSU OC SG	4,000 lm	4000 K	132 lm/W	80	1
911401581545	RC430V LED35/865 W603L603 PSU OC UVG	3,500 lm	6500 K	120 lm/W	80	1
911401581645	RC430V LED35/850 W603L603 PSU OC UVG	3,500 lm	5000 K	120 lm/W	80	1
911401581745	RC430V LED35/840 W603L603 PSU OC UVG	3,500 lm	4000 K	120 lm/W	80	1
911401581845	RC430V LED33/830 W603L603 PSU OC UVG	3,300 lm	3000 K	112 lm/W	80	1
911401582145	RC430V LED35/9TW W60L60 PSD OC	3,500 lm	Tunable white 2700-6500 K	118 lm/W	90	1
911401582445	RC430V LED35/9TW W60L60 PSD OC CAU	3,500 lm	Tunable white 2700-6500 K	118 lm/W	90	1
911401583945	RC430V LED37/BioUPD W60L60 PSD OC	3,700 lm	4000 K	106 lm/W	80	1
911401584245	RC430V LED37/BioUPD W60L60 PSD OC CAU	3,700 lm	4000 K	106 lm/W	80	1
911401584945	RC430V LED37/840 W60L60 PSD OC U/D	3,700 lm	4000 K	114 lm/W	80	1
911401585245	RC430V LED35/940 W60L60 PSD OC U/D	3,500 lm	4000 K	108 lm/W	90	1
911401586745	RC430V LED37/840 W60L60 PSD OC U/D CAU	3,700 lm	4000 K	114 lm/W	80	1
911401587045	RC430V LED35/940 W60L60 PSD OC U/D CAU	3,500 lm	4000 K	108 lm/W	90	1

Order Code	Full Product Name	Luminous Flux	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Color rendering index (CRI)	Number of light sources
911401593745	RC430V LED38/865 W603L603 PSU OC	3,800 lm	6500 K	123 lm/W	80	1
911401593845	RC430V LED38/850 W603L603 PSU OC	3,800 lm	5000 K	123 lm/W	80	1
911401593945	RC430V LED38/840 W603L603 PSU OC	3,800 lm	4000 K	123 lm/W	80	1
911401594045	RC430V LED36/830 W603L603 PSU OC	3,600 lm	3000 K	114 lm/W	80	1
911401594545	RC430V LED38/865 W603L603 PSD OC	3,800 lm	6500 K	117 lm/W	80	1
911401594645	RC430V LED38/850 W603L603 PSD OC	3,800 lm	5000 K	117 lm/W	80	1
911401594745	RC430V LED38/840 W603L603 PSD OC	3,800 lm	4000 K	117 lm/W	80	1
911401594845	RC430V LED36/830 W603L603 PSD OC	3,600 lm	3000 K	109 lm/W	80	1
911401522745	RC430V LED40/840 W30L120 PSU OC	4,000 lm	4000 K	134 lm/W	80	378
911401523045	RC430V LED40/840 W30L120 PSD OC	4,000 lm	4000 K	126 lm/W	80	378
911401523345	RC430X LED40/840 W30L120 WIA OC	4,000 lm	4000 K	132 lm/W	80	378
911401523645	RC430V LED40/840 W30L120 PSU OC CAU	4,000 lm	4000 K	134 lm/W	80	378
911401523945	RC430V LED40/840 W30L120 PSD OC CAU	4,000 lm	4000 K	126 lm/W	80	378
911401524245	RC430X LED40/840 W30L120 WIA OC CAU	4,000 lm	4000 K	132 lm/W	80	378
911401524545	RC430V LED38/940 W30L120 PSU OC	3,800 lm	4000 K	127 lm/W	90	378
911401524845	RC430V LED38/940 W30L120 PSD OC	3,800 lm	4000 K	120 lm/W	90	378
911401525145	RC430X LED38/940 W30L120 WIA OC	3,800 lm	4000 K	126 lm/W	90	378
911401525445	RC430V LED38/940 W30L120 PSU OC CAU	3,800 lm	4000 K	127 lm/W	90	378
911401525745	RC430V LED38/940 W30L120 PSD OC CAU	3,800 lm	4000 K	120 lm/W	90	378
911401526045	RC430X LED38/940 W30L120 WIA OC CAU	3,800 lm	4000 K	126 lm/W	90	378

Operating and Electrical

Order Code	Full Product Name	Power Consumption
911401578645	RC430X LED38/840 W60L60 SC2 OC	32 W
911401578945	RC430X LED36/940 W60L60 SC2 OC	32 W
911401579245	RC430X LED38/840 W60L60 SC2 OC CAU	32 W
911401579545	RC430X LED36/940 W60L60 SC2 OC CAU	32 W
911401579845	RC430X LED38/840 W60L60 SC15 OC	32 W
911401580145	RC430X LED36/940 W60L60 SC15 OC	32 W
911401580445	RC430X LED38/840 W60L60 SC15 OC CAU	32 W
911401580745	RC430X LED36/940 W60L60 SC15 OC CAU	32 W
911401582745	RC430X LED35/9TW W60L60 SC2 OC	29 W
911401583045	RC430X LED35/9TW W60L60 SC2 OC CAU	29 W
911401583345	RC430X LED35/9TW W60L60 SC15 OC	29 W
911401583645	RC430X LED35/9TW W60L60 SC15 OC CAU	29 W
911401584345	RC430X LED37/BioUPD W60L60 SC2 OC	35 W
911401584445	RC430X LED37/BioUPD W60L60 SC2 OC CAU	35 W
911401584545	RC430X LED37/BioUPD W60L60 SC15 OC	35 W
911401584645	RC430X LED37/BioUPD W60L60 SC15 OC CAU	35 W
911401585545	RC430X LED37/840 W60L60 SC2 OC U/D	32 W

Order Code	Full Product Name	Power Consumption
911401585845	RC430X LED35/940 W60L60 SC2 OC U/D	32 W
911401586145	RC430X LED37/840 W60L60 SC15 OC U/D	32 W
911401586445	RC430X LED35/940 W60L60 SC15 OC U/D	32 W
911401587345	RC430X LED37/840 W60L60 SC2 OC U/D CAU	32 W
911401587645	RC430X LED35/940 W60L60 SC2 OC U/D CAU	32 W
911401587945	RC430X LED37/840 W60L60 SC15 OC U/D CAU	32 W
911401588245	RC430X LED35/940 W60L60 SC15 OC U/D CAU	32 W
911401578445	RC430X LED55/840 W60L120 SC2 OC	45 W
911401578745	RC430X LED52/940 W60L120 SC2 OC	45 W
911401579045	RC430X LED55/840 W60L120 SC2 OC CAU	45 W
911401579345	RC430X LED52/940 W60L120 SC2 OC CAU	45 W
911401579645	RC430X LED55/840 W60L120 SC15 OC	45 W
911401579945	RC430X LED52/940 W60L120 SC15 OC	45 W
911401580245	RC430X LED55/840 W60L120 SC15 OC CAU	45 W
911401580545	RC430X LED52/940 W60L120 SC15 OC CAU	45 W
911401580845	RC430V LED54/840 W60L120 PSU OC SG	42 W
911401581945	RC430V LED51/9TW W60L120 PSD OC	43 W
911401582245	RC430V LED51/9TW W60L120 PSD OC CAU	43 W
911401582545	RC430X LED51/9TW W60L120 SC2 OC	43 W
911401582845	RC430X LED51/9TW W60L120 SC2 OC CAU	43 W
911401583145	RC430X LED51/9TW W60L120 SC15 OC	43 W
911401583445	RC430X LED51/9TW W60L120 SC15 OC CAU	43 W
911401583745	RC430V LED52/BioUPD W60L120 PSD OC	47 W
911401584045	RC430V LED52/BioUPD W60L120 PSD OC CAU	47 W
911401584745	RC430V LED54/840 W60L120 PSD OC U/D	44 W
911401585045	RC430V LED51/940 W60L120 PSD OC U/D	44 W
911401585345	RC430X LED54/840 W60L120 SC2 OC U/D	44 W
911401585645	RC430X LED51/940 W60L120 SC2 OC U/D	44 W
911401585945	RC430X LED54/840 W60L120 SC15 OC U/D	44 W
911401586245	RC430X LED51/940 W60L120 SC15 OC U/D	44 W
911401586545	RC430V LED54/840 W60L120 PSD OC U/D CAU	44 W
911401586845	RC430V LED51/940 W60L120 PSD OC U/D CAU	44 W
911401587145	RC430X LED54/840 W60L120 SC2 OC U/D CAU	44 W
911401587445	RC430X LED51/940 W60L120 SC2 OC U/D CAU	44 W
911401587745	RC430X LED54/840 W60L120 SC15 OC U/D CAU	44 W
911401588045	RC430X LED51/940 W60L120 SC15 OC U/D CAU	44 W
911401578545	RC430X LED40/840 W30L120 SC2 OC	30 W
911401578845	RC430X LED38/940 W30L120 SC2 OC	30 W
911401579145	RC430X LED40/840 W30L120 SC2 OC CAU	30 W
911401579445	RC430X LED38/940 W30L120 SC2 OC CAU	30 W
911401579745	RC430X LED40/840 W30L120 SC15 OC	30 W
911401580045	RC430X LED38/940 W30L120 SC15 OC	30 W

Order Code	Full Product Name	Power Consumption
911401580345	RC430X LED40/840 W30L120 SC15 OC CAU	30 W
911401580645	RC430X LED38/940 W30L120 SC15 OC CAU	30 W
911401582645	RC430X LED36/9TW W30L120 SC2 OC	29 W
911401582945	RC430X LED36/9TW W30L120 SC2 OC CAU	29 W
911401583245	RC430X LED36/9TW W30L120 SC15 OC	29 W
911401583545	RC430X LED36/9TW W30L120 SC15 OC CAU	29 W
911401585445	RC430X LED38/840 W30L120 SC2 OC U/D	29 W
911401585745	RC430X LED36/940 W30L120 SC2 OC U/D	29 W
911401586045	RC430X LED38/840 W30L120 SC15 OC U/D	29 W
911401586345	RC430X LED36/940 W30L120 SC15 OC U/D	29 W
911401587245	RC430X LED38/840 W30L120 SC2 OC U/D CAU	29 W
911401587545	RC430X LED36/940 W30L120 SC2 OC U/D CAU	29 W
911401587845	RC430X LED38/840 W30L120 SC15 OC U/D CAU	29 W
911401588145	RC430X LED36/940 W30L120 SC15 OC U/D CAU	29 W
911401522845	RC430V LED38/840 W60L60 PSU OC	31 W
911401523145	RC430V LED38/840 W60L60 PSD OC	33 W
911401523445	RC430X LED38/840 W60L60 WIA OC	31 W
911401523745	RC430V LED38/840 W60L60 PSU OC CAU	31 W
911401524045	RC430V LED38/840 W60L60 PSD OC CAU	33 W
911401524345	RC430X LED38/840 W60L60 WIA OC CAU	31 W
911401524645	RC430V LED36/940 W60L60 PSU OC	31 W
911401524945	RC430V LED36/940 W60L60 PSD OC	33 W
911401525245	RC430X LED36/940 W60L60 WIA OC	31 W
911401525545	RC430V LED36/940 W60L60 PSU OC CAU	31 W
911401525845	RC430V LED36/940 W60L60 PSD OC CAU	33 W
911401526145	RC430X LED36/940 W60L60 WIA OC CAU	31 W
911401522645	RC430V LED55/840 W60L120 PSU OC	43 W
911401522945	RC430V LED55/840 W60L120 PSD OC	46 W
911401523245	RC430X LED49/840 W60L120 WIA OC	38 W
911401523545	RC430V LED55/840 W60L120 PSU OC CAU	43 W
911401523845	RC430V LED55/840 W60L120 PSD OC CAU	46 W
911401524145	RC430X LED49/840 W60L120 WIA OC CAU	38 W
911401524445	RC430V LED52/940 W60L120 PSU OC	43 W
911401524745	RC430V LED52/940 W60L120 PSD OC	46 W
911401525045	RC430X LED46/940 W60L120 WIA OC	38 W
911401525345	RC430V LED52/940 W60L120 PSU OC CAU	43 W
911401525645	RC430V LED52/940 W60L120 PSD OC CAU	46 W
911401525945	RC430X LED46/940 W60L120 WIA OC CAU	38 W
911401580945	RC430V LED40/840 W30L120 PSU OC SG	29 W
911401581145	RC430V LED37/865 W303L1210 PSU OC UVG	29 W
911401581245	RC430V LED37/850 W303L1210 PSU OC UVG	29 W
911401581345	RC430V LED37/840 W303L1210 PSU OC UVG	29 W

Order Code	Full Product Name	Power Consumption
911401581445	RC430V LED35/830 W303L1210 PSU OC UVG	29 W
911401582045	RC430V LED36/9TW W30L120 PSD OC	29 W
911401582345	RC430V LED36/9TW W30L120 PSD OC CAU	29 W
911401583845	RC430V LED39/BioUPD W30L120 PSD OC	33 W
911401584145	RC430V LED39/BioUPD W30L120 PSD OC CAU	33 W
911401584845	RC430V LED38/840 W30L120 PSD OC U/D	29 W
911401585145	RC430V LED36/940 W30L120 PSD OC U/D	29 W
911401586645	RC430V LED38/840 W30L120 PSD OC U/D CAU	29 W
911401586945	RC430V LED36/940 W30L120 PSD OC U/D CAU	29 W
911401593345	RC430V LED40/865 W303L1210 PSU OC	30 W
911401593445	RC430V LED40/850 W303L1210 PSU OC	30 W
911401593545	RC430V LED40/840 W303L1210 PSU OC	30 W
911401593645	RC430V LED37/830 W303L1210 PSU OC	30 W
911401594145	RC430V LED40/865 W303L1210 PSD OC	32 W
911401594245	RC430V LED40/850 W303L1210 PSD OC	32 W
911401594345	RC430V LED40/840 W303L1210 PSD OC	32 W
911401594445	RC430V LED37/830 W303L1210 PSD OC	32 W
911401581045	RC430V LED40/840 W60L60 PSU OC SG	31 W
911401581545	RC430V LED35/865 W603L603 PSU OC UVG	30 W
911401581645	RC430V LED35/850 W603L603 PSU OC UVG	30 W
911401581745	RC430V LED35/840 W603L603 PSU OC UVG	30 W
911401581845	RC430V LED33/830 W603L603 PSU OC UVG	30 W
911401582145	RC430V LED35/9TW W60L60 PSD OC	29 W
911401582445	RC430V LED35/9TW W60L60 PSD OC CAU	29 W
911401583945	RC430V LED37/BioUPD W60L60 PSD OC	35 W
911401584245	RC430V LED37/BioUPD W60L60 PSD OC CAU	35 W
911401584945	RC430V LED37/840 W60L60 PSD OC U/D	32 W
911401585245	RC430V LED35/940 W60L60 PSD OC U/D	32 W
911401586745	RC430V LED37/840 W60L60 PSD OC U/D CAU	32 W
911401587045	RC430V LED35/940 W60L60 PSD OC U/D CAU	32 W
911401593745	RC430V LED38/865 W603L603 PSU OC	31 W
911401593845	RC430V LED38/850 W603L603 PSU OC	31 W
911401593945	RC430V LED38/840 W603L603 PSU OC	31 W
911401594045	RC430V LED36/830 W603L603 PSU OC	31 W
911401594545	RC430V LED38/865 W603L603 PSD OC	33 W
911401594645	RC430V LED38/850 W603L603 PSD OC	33 W
911401594745	RC430V LED38/840 W603L603 PSD OC	33 W
911401594845	RC430V LED36/830 W603L603 PSD OC	33 W
911401522745	RC430V LED40/840 W30L120 PSU OC	30 W
911401523045	RC430V LED40/840 W30L120 PSD OC	32 W
911401523345	RC430X LED40/840 W30L120 WIA OC	30 W
911401523645	RC430V LED40/840 W30L120 PSU OC CAU	30 W

Order Code	Full Product Name	Power Consumption
911401523945	RC430V LED40/840 W30L120 PSD OC CAU	32 W
911401524245	RC430X LED40/840 W30L120 WIA OC CAU	30 W
911401524545	RC430V LED38/940 W30L120 PSU OC	30 W
911401524845	RC430V LED38/940 W30L120 PSD OC	32 W
911401525145	RC430X LED38/940 W30L120 WIA OC	30 W
911401525445	RC430V LED38/940 W30L120 PSU OC CAU	30 W
911401525745	RC430V LED38/940 W30L120 PSD OC CAU	32 W
911401526045	RC430X LED38/940 W30L120 WIA OC CAU	30 W

Controls and Dimming

Order Code	Full Product Name	Dimmable	Maximum dim level
911401578645	RC430X LED38/840 W60L60 SC2 OC	Wireless Dim	1%
911401578945	RC430X LED36/940 W60L60 SC2 OC	Wireless Dim	1%
911401579245	RC430X LED38/840 W60L60 SC2 OC CAU	Wireless Dim	1%
911401579545	RC430X LED36/940 W60L60 SC2 OC CAU	Wireless Dim	1%
911401579845	RC430X LED38/840 W60L60 SC15 OC	Wireless Dim	1%
911401580145	RC430X LED36/940 W60L60 SC15 OC	Wireless Dim	1%
911401580445	RC430X LED38/840 W60L60 SC15 OC CAU	Wireless Dim	1%
911401580745	RC430X LED36/940 W60L60 SC15 OC CAU	Wireless Dim	1%
911401582745	RC430X LED35/9TW W60L60 SC2 OC	Wireless Dim	1%
911401583045	RC430X LED35/9TW W60L60 SC2 OC CAU	Wireless Dim	1%
911401583345	RC430X LED35/9TW W60L60 SC15 OC	Wireless Dim	1%
911401583645	RC430X LED35/9TW W60L60 SC15 OC CAU	Wireless Dim	1%
911401584345	RC430X LED37/BioUPD W60L60 SC2 OC	Wireless Dim	1%
911401584445	RC430X LED37/BioUPD W60L60 SC2 OC CAU	Wireless Dim	1%
911401584545	RC430X LED37/BioUPD W60L60 SC15 OC	Wireless Dim	1%
911401584645	RC430X LED37/BioUPD W60L60 SC15 OC CAU	Wireless Dim	1%
911401585545	RC430X LED37/840 W60L60 SC2 OC U/D	Wireless Dim	1%
911401585845	RC430X LED35/940 W60L60 SC2 OC U/D	Wireless Dim	1%
911401586145	RC430X LED37/840 W60L60 SC15 OC U/D	Wireless Dim	1%
911401586445	RC430X LED35/940 W60L60 SC15 OC U/D	Wireless Dim	1%
911401587345	RC430X LED37/840 W60L60 SC2 OC U/D CAU	Wireless Dim	1%
911401587645	RC430X LED35/940 W60L60 SC2 OC U/D CAU	Wireless Dim	1%
911401587945	RC430X LED37/840 W60L60 SC15 OC U/D CAU	Wireless Dim	1%
911401588245	RC430X LED35/940 W60L60 SC15 OC U/D CAU	Wireless Dim	1%
911401578445	RC430X LED55/840 W60L120 SC2 OC	Wireless Dim	1%
911401578745	RC430X LED52/940 W60L120 SC2 OC	Wireless Dim	1%
911401579045	RC430X LED55/840 W60L120 SC2 OC CAU	Wireless Dim	1%
911401579345	RC430X LED52/940 W60L120 SC2 OC CAU	Wireless Dim	1%
911401579645	RC430X LED55/840 W60L120 SC15 OC	Wireless Dim	1%
911401579945	RC430X LED52/940 W60L120 SC15 OC	Wireless Dim	1%
911401580245	RC430X LED55/840 W60L120 SC15 OC CAU	Wireless Dim	1%

Order Code	Full Product Name	Dimmable	Maximum dim level
911401580545	RC430X LED52/940 W60L120 SC15 OC CAU	Wireless Dim	1%
911401580845	RC430V LED54/840 W60L120 PSU OC SG	-	Not applicable
911401581945	RC430V LED51/9TW W60L120 PSD OC	DALI	1%
911401582245	RC430V LED51/9TW W60L120 PSD OC CAU	DALI	1%
911401582545	RC430X LED51/9TW W60L120 SC2 OC	Wireless Dim	1%
911401582845	RC430X LED51/9TW W60L120 SC2 OC CAU	Wireless Dim	1%
911401583145	RC430X LED51/9TW W60L120 SC15 OC	Wireless Dim	1%
911401583445	RC430X LED51/9TW W60L120 SC15 OC CAU	Wireless Dim	1%
911401583745	RC430V LED52/BioUPD W60L120 PSD OC	DALI	1%
911401584045	RC430V LED52/BioUPD W60L120 PSD OC CAU	DALI	1%
911401584745	RC430V LED54/840 W60L120 PSD OC U/D	DALI	1%
911401585045	RC430V LED51/940 W60L120 PSD OC U/D	DALI	1%
911401585345	RC430X LED54/840 W60L120 SC2 OC U/D	Wireless Dim	1%
911401585645	RC430X LED51/940 W60L120 SC2 OC U/D	Wireless Dim	1%
911401585945	RC430X LED54/840 W60L120 SC15 OC U/D	Wireless Dim	1%
911401586245	RC430X LED51/940 W60L120 SC15 OC U/D	Wireless Dim	1%
911401586545	RC430V LED54/840 W60L120 PSD OC U/D CAU	DALI	1%
911401586845	RC430V LED51/940 W60L120 PSD OC U/D CAU	DALI	1%
911401587145	RC430X LED54/840 W60L120 SC2 OC U/D CAU	Wireless Dim	1%
911401587445	RC430X LED51/940 W60L120 SC2 OC U/D CAU	Wireless Dim	1%
911401587745	RC430X LED54/840 W60L120 SC15 OC U/D CAU	Wireless Dim	1%
911401588045	RC430X LED51/940 W60L120 SC15 OC U/D CAU	Wireless Dim	1%
911401578545	RC430X LED40/840 W30L120 SC2 OC	Wireless Dim	1%
911401578845	RC430X LED38/940 W30L120 SC2 OC	Wireless Dim	1%
911401579145	RC430X LED40/840 W30L120 SC2 OC CAU	Wireless Dim	1%
911401579445	RC430X LED38/940 W30L120 SC2 OC CAU	Wireless Dim	1%
911401579745	RC430X LED40/840 W30L120 SC15 OC	Wireless Dim	1%
911401580045	RC430X LED38/940 W30L120 SC15 OC	Wireless Dim	1%
911401580345	RC430X LED40/840 W30L120 SC15 OC CAU	Wireless Dim	1%
911401580645	RC430X LED38/940 W30L120 SC15 OC CAU	Wireless Dim	1%
911401582645	RC430X LED36/9TW W30L120 SC2 OC	Wireless Dim	1%
911401582945	RC430X LED36/9TW W30L120 SC2 OC CAU	Wireless Dim	1%
911401583245	RC430X LED36/9TW W30L120 SC15 OC	Wireless Dim	1%
911401583545	RC430X LED36/9TW W30L120 SC15 OC CAU	Wireless Dim	1%
911401585445	RC430X LED38/840 W30L120 SC2 OC U/D	Wireless Dim	1%
911401585745	RC430X LED36/940 W30L120 SC2 OC U/D	Wireless Dim	1%
911401586045	RC430X LED38/840 W30L120 SC15 OC U/D	Wireless Dim	1%
911401586345	RC430X LED36/940 W30L120 SC15 OC U/D	Wireless Dim	1%
911401587245	RC430X LED38/840 W30L120 SC2 OC U/D CAU	Wireless Dim	1%
911401587545	RC430X LED36/940 W30L120 SC2 OC U/D CAU	Wireless Dim	1%
911401587845	RC430X LED38/840 W30L120 SC15 OC U/D CAU	Wireless Dim	1%
911401588145	RC430X LED36/940 W30L120 SC15 OC U/D CAU	Wireless Dim	1%

Order Code	Full Product Name	Dimmable	Maximum dim level
911401522845	RC430V LED38/840 W60L60 PSU OC	Fixed	Not applicable
911401523145	RC430V LED38/840 W60L60 PSD OC	DALI	1%
911401523445	RC430X LED38/840 W60L60 WIA OC	Wireless Dim	1%
911401523745	RC430V LED38/840 W60L60 PSU OC CAU	Fixed	Not applicable
911401524045	RC430V LED38/840 W60L60 PSD OC CAU	DALI	1%
911401524345	RC430X LED38/840 W60L60 WIA OC CAU	Wireless Dim	1%
911401524645	RC430V LED36/940 W60L60 PSU OC	Fixed	Not applicable
911401524945	RC430V LED36/940 W60L60 PSD OC	DALI	1%
911401525245	RC430X LED36/940 W60L60 WIA OC	Wireless Dim	1%
911401525545	RC430V LED36/940 W60L60 PSU OC CAU	Fixed	Not applicable
911401525845	RC430V LED36/940 W60L60 PSD OC CAU	DALI	1%
911401526145	RC430X LED36/940 W60L60 WIA OC CAU	Wireless Dim	1%
911401522645	RC430V LED55/840 W60L120 PSU OC	Fixed	Not applicable
911401522945	RC430V LED55/840 W60L120 PSD OC	DALI	3%
911401523245	RC430X LED49/840 W60L120 WIA OC	Wireless Dim	1%
911401523545	RC430V LED55/840 W60L120 PSU OC CAU	Fixed	Not applicable
911401523845	RC430V LED55/840 W60L120 PSD OC CAU	DALI	3%
911401524145	RC430X LED49/840 W60L120 WIA OC CAU	Wireless Dim	1%
911401524445	RC430V LED52/940 W60L120 PSU OC	Fixed	Not applicable
911401524745	RC430V LED52/940 W60L120 PSD OC	DALI	3%
911401525045	RC430X LED46/940 W60L120 WIA OC	Wireless Dim	1%
911401525345	RC430V LED52/940 W60L120 PSU OC CAU	Fixed	Not applicable
911401525645	RC430V LED52/940 W60L120 PSD OC CAU	DALI	3%
911401525945	RC430X LED46/940 W60L120 WIA OC CAU	Wireless Dim	1%
911401580945	RC430V LED40/840 W30L120 PSU OC SG	-	Not applicable
911401581145	RC430V LED37/865 W303L1210 PSU OC UVG	-	Not applicable
911401581245	RC430V LED37/850 W303L1210 PSU OC UVG	-	Not applicable
911401581345	RC430V LED37/840 W303L1210 PSU OC UVG	-	Not applicable
911401581445	RC430V LED35/830 W303L1210 PSU OC UVG	-	Not applicable
911401582045	RC430V LED36/9TW W30L120 PSD OC	DALI	1%
911401582345	RC430V LED36/9TW W30L120 PSD OC CAU	DALI	1%
911401583845	RC430V LED39/BioUPD W30L120 PSD OC	DALI	1%
911401584145	RC430V LED39/BioUPD W30L120 PSD OC CAU	DALI	1%
911401584845	RC430V LED38/840 W30L120 PSD OC U/D	DALI	1%
911401585145	RC430V LED36/940 W30L120 PSD OC U/D	DALI	1%
911401586645	RC430V LED38/840 W30L120 PSD OC U/D CAU	DALI	1%
911401586945	RC430V LED36/940 W30L120 PSD OC U/D CAU	DALI	1%
911401593345	RC430V LED40/865 W303L1210 PSU OC	-	Not applicable
911401593445	RC430V LED40/850 W303L1210 PSU OC	-	Not applicable
911401593545	RC430V LED40/840 W303L1210 PSU OC	-	Not applicable
911401593645	RC430V LED37/830 W303L1210 PSU OC	-	Not applicable
911401594145	RC430V LED40/865 W303L1210 PSD OC	DALI	1%

Order Code	Full Product Name	Dimmable	Maximum dim level
911401594245	RC430V LED40/850 W303L1210 PSD OC	DALI	1%
911401594345	RC430V LED40/840 W303L1210 PSD OC	DALI	1%
911401594445	RC430V LED37/830 W303L1210 PSD OC	DALI	1%
911401581045	RC430V LED40/840 W60L60 PSU OC SG	-	Not applicable
911401581545	RC430V LED35/865 W603L603 PSU OC UVG	-	Not applicable
911401581645	RC430V LED35/850 W603L603 PSU OC UVG	-	Not applicable
911401581745	RC430V LED35/840 W603L603 PSU OC UVG	-	Not applicable
911401581845	RC430V LED33/830 W603L603 PSU OC UVG	-	Not applicable
911401582145	RC430V LED35/9TW W60L60 PSD OC	DALI	1%
911401582445	RC430V LED35/9TW W60L60 PSD OC CAU	DALI	1%
911401583945	RC430V LED37/BioUPD W60L60 PSD OC	DALI	1%
911401584245	RC430V LED37/BioUPD W60L60 PSD OC CAU	DALI	1%
911401584945	RC430V LED37/840 W60L60 PSD OC U/D	DALI	1%
911401585245	RC430V LED35/940 W60L60 PSD OC U/D	DALI	1%
911401586745	RC430V LED37/840 W60L60 PSD OC U/D CAU	DALI	1%
911401587045	RC430V LED35/940 W60L60 PSD OC U/D CAU	DALI	1%
911401593745	RC430V LED38/865 W603L603 PSU OC	-	Not applicable
911401593845	RC430V LED38/850 W603L603 PSU OC	-	Not applicable
911401593945	RC430V LED38/840 W603L603 PSU OC	-	Not applicable
911401594045	RC430V LED36/830 W603L603 PSU OC	-	Not applicable
911401594545	RC430V LED38/865 W603L603 PSD OC	DALI	1%
911401594645	RC430V LED38/850 W603L603 PSD OC	DALI	1%
911401594745	RC430V LED38/840 W603L603 PSD OC	DALI	1%
911401594845	RC430V LED36/830 W603L603 PSD OC	DALI	1%
911401522745	RC430V LED40/840 W30L120 PSU OC	Fixed	Not applicable
911401523045	RC430V LED40/840 W30L120 PSD OC	DALI	1%
911401523345	RC430X LED40/840 W30L120 WIA OC	Wireless Dim	1%
911401523645	RC430V LED40/840 W30L120 PSU OC CAU	Fixed	Not applicable
911401523945	RC430V LED40/840 W30L120 PSD OC CAU	DALI	1%
911401524245	RC430X LED40/840 W30L120 WIA OC CAU	Wireless Dim	1%
911401524545	RC430V LED38/940 W30L120 PSU OC	Fixed	Not applicable
911401524845	RC430V LED38/940 W30L120 PSD OC	DALI	1%
911401525145	RC430X LED38/940 W30L120 WIA OC	Wireless Dim	1%
911401525445	RC430V LED38/940 W30L120 PSU OC CAU	Fixed	Not applicable
911401525745	RC430V LED38/940 W30L120 PSD OC CAU	DALI	1%
911401526045	RC430X LED38/940 W30L120 WIA OC CAU	Wireless Dim	1%

Initial Performance (IEC Compliant)

Order Code	Full Product Name	Initial chromaticity
911401578645	RC430X LED38/840 W60L60 SC2 OC	3
911401578945	RC430X LED36/940 W60L60 SC2 OC	3
911401579245	RC430X LED38/840 W60L60 SC2 OC CAU	3

Order Code	Full Product Name	Initial chromaticity
911401579545	RC430X LED36/940 W60L60 SC2 OC CAU	3
911401579845	RC430X LED38/840 W60L60 SC15 OC	3
911401580145	RC430X LED36/940 W60L60 SC15 OC	3
911401580445	RC430X LED38/840 W60L60 SC15 OC CAU	3
911401580745	RC430X LED36/940 W60L60 SC15 OC CAU	3
911401582745	RC430X LED35/9TW W60L60 SC2 OC	3
911401583045	RC430X LED35/9TW W60L60 SC2 OC CAU	3
911401583345	RC430X LED35/9TW W60L60 SC15 OC	3
911401583645	RC430X LED35/9TW W60L60 SC15 OC CAU	3
911401584345	RC430X LED37/BioUPD W60L60 SC2 OC	3
911401584445	RC430X LED37/BioUPD W60L60 SC2 OC CAU	3
911401584545	RC430X LED37/BioUPD W60L60 SC15 OC	3
911401584645	RC430X LED37/BioUPD W60L60 SC15 OC CAU	3
911401585545	RC430X LED37/840 W60L60 SC2 OC U/D	3
911401585845	RC430X LED35/940 W60L60 SC2 OC U/D	3
911401586145	RC430X LED37/840 W60L60 SC15 OC U/D	3
911401586445	RC430X LED35/940 W60L60 SC15 OC U/D	3
911401587345	RC430X LED37/840 W60L60 SC2 OC U/D CAU	3
911401587645	RC430X LED35/940 W60L60 SC2 OC U/D CAU	3
911401587945	RC430X LED37/840 W60L60 SC15 OC U/D CAU	3
911401588245	RC430X LED35/940 W60L60 SC15 OC U/D CAU	3
911401578445	RC430X LED55/840 W60L120 SC2 OC	3
911401578745	RC430X LED52/940 W60L120 SC2 OC	3
911401579045	RC430X LED55/840 W60L120 SC2 OC CAU	3
911401579345	RC430X LED52/940 W60L120 SC2 OC CAU	3
911401579645	RC430X LED55/840 W60L120 SC15 OC	3
911401579945	RC430X LED52/940 W60L120 SC15 OC	3
911401580245	RC430X LED55/840 W60L120 SC15 OC CAU	3
911401580545	RC430X LED52/940 W60L120 SC15 OC CAU	3
911401580845	RC430V LED54/840 W60L120 PSU OC SG	3
911401581945	RC430V LED51/9TW W60L120 PSD OC	3
911401582245	RC430V LED51/9TW W60L120 PSD OC CAU	3
911401582545	RC430X LED51/9TW W60L120 SC2 OC	3
911401582845	RC430X LED51/9TW W60L120 SC2 OC CAU	3
911401583145	RC430X LED51/9TW W60L120 SC15 OC	3
911401583445	RC430X LED51/9TW W60L120 SC15 OC CAU	3
911401583745	RC430V LED52/BioUPD W60L120 PSD OC	3
911401584045	RC430V LED52/BioUPD W60L120 PSD OC CAU	3
911401584745	RC430V LED54/840 W60L120 PSD OC U/D	3
911401585045	RC430V LED51/940 W60L120 PSD OC U/D	3
911401585345	RC430X LED54/840 W60L120 SC2 OC U/D	3
911401585645	RC430X LED51/940 W60L120 SC2 OC U/D	3

Order Code	Full Product Name	Initial chromaticity
911401585945	RC430X LED54/840 W60L120 SC15 OC U/D	3
911401586245	RC430X LED51/940 W60L120 SC15 OC U/D	3
911401586545	RC430V LED54/840 W60L120 PSD OC U/D CAU	3
911401586845	RC430V LED51/940 W60L120 PSD OC U/D CAU	3
911401587145	RC430X LED54/840 W60L120 SC2 OC U/D CAU	3
911401587445	RC430X LED51/940 W60L120 SC2 OC U/D CAU	3
911401587745	RC430X LED54/840 W60L120 SC15 OC U/D CAU	3
911401588045	RC430X LED51/940 W60L120 SC15 OC U/D CAU	3
911401578545	RC430X LED40/840 W30L120 SC2 OC	3
911401578845	RC430X LED38/940 W30L120 SC2 OC	3
911401579145	RC430X LED40/840 W30L120 SC2 OC CAU	3
911401579445	RC430X LED38/940 W30L120 SC2 OC CAU	3
911401579745	RC430X LED40/840 W30L120 SC15 OC	3
911401580045	RC430X LED38/940 W30L120 SC15 OC	3
911401580345	RC430X LED40/840 W30L120 SC15 OC CAU	3
911401580645	RC430X LED38/940 W30L120 SC15 OC CAU	3
911401582645	RC430X LED36/9TW W30L120 SC2 OC	3
911401582945	RC430X LED36/9TW W30L120 SC2 OC CAU	3
911401583245	RC430X LED36/9TW W30L120 SC15 OC	3
911401583545	RC430X LED36/9TW W30L120 SC15 OC CAU	3
911401585445	RC430X LED38/840 W30L120 SC2 OC U/D	3
911401585745	RC430X LED36/940 W30L120 SC2 OC U/D	3
911401586045	RC430X LED38/840 W30L120 SC15 OC U/D	3
911401586345	RC430X LED36/940 W30L120 SC15 OC U/D	3
911401587245	RC430X LED38/840 W30L120 SC2 OC U/D CAU	3
911401587545	RC430X LED36/940 W30L120 SC2 OC U/D CAU	3
911401587845	RC430X LED38/840 W30L120 SC15 OC U/D CAU	3
911401588145	RC430X LED36/940 W30L120 SC15 OC U/D CAU	3
911401522845	RC430V LED38/840 W60L60 PSU OC	(0.382,0.3792)SDCM<3
911401523145	RC430V LED38/840 W60L60 PSD OC	(0.382,0.3792)SDCM<3
911401523445	RC430X LED38/840 W60L60 WIA OC	(0.382,0.3792)SDCM<3
911401523745	RC430V LED38/840 W60L60 PSU OC CAU	(0.382,0.3792)SDCM<3
911401524045	RC430V LED38/840 W60L60 PSD OC CAU	(0.382,0.3792)SDCM<3
911401524345	RC430X LED38/840 W60L60 WIA OC CAU	(0.382,0.3792)SDCM<3
911401524645	RC430V LED36/940 W60L60 PSU OC	(0.3825,0.3795)SDCM<3
911401524945	RC430V LED36/940 W60L60 PSD OC	(0.3825,0.3795)SDCM<3
911401525245	RC430X LED36/940 W60L60 WIA OC	(0.3825,0.3795)SDCM<3
911401525545	RC430V LED36/940 W60L60 PSU OC CAU	(0.3825,0.3795)SDCM<3
911401525845	RC430V LED36/940 W60L60 PSD OC CAU	(0.3825,0.3795)SDCM<3
911401526145	RC430X LED36/940 W60L60 WIA OC CAU	(0.3825,0.3795)SDCM<3
911401522645	RC430V LED55/840 W60L120 PSU OC	(0.3847,0.3813)SDCM<3
911401522945	RC430V LED55/840 W60L120 PSD OC	(0.3847,0.3813)SDCM<3

Order Code	Full Product Name	Initial chromaticity
911401523245	RC430X LED49/840 W60L120 WIA OC	(0.3847,0.3813)SDCM<3
911401523545	RC430V LED55/840 W60L120 PSU OC CAU	(0.3847,0.3813)SDCM<3
911401523845	RC430V LED55/840 W60L120 PSD OC CAU	(0.3847,0.3813)SDCM<3
911401524145	RC430X LED49/840 W60L120 WIA OC CAU	(0.3847,0.3813)SDCM<3
911401524445	RC430V LED52/940 W60L120 PSU OC	(0.3825,0.3795)SDCM<3
911401524745	RC430V LED52/940 W60L120 PSD OC	(0.3825,0.3795)SDCM<3
911401525045	RC430X LED46/940 W60L120 WIA OC	(0.3825,0.3795)SDCM<3
911401525345	RC430V LED52/940 W60L120 PSU OC CAU	(0.3825,0.3795)SDCM<3
911401525645	RC430V LED52/940 W60L120 PSD OC CAU	(0.3825,0.3795)SDCM<3
911401525945	RC430X LED46/940 W60L120 WIA OC CAU	(0.3825,0.3795)SDCM<3
911401580945	RC430V LED40/840 W30L120 PSU OC SG	3
911401581145	RC430V LED37/865 W303L1210 PSU OC UVG	3
911401581245	RC430V LED37/850 W303L1210 PSU OC UVG	3
911401581345	RC430V LED37/840 W303L1210 PSU OC UVG	3
911401581445	RC430V LED35/830 W303L1210 PSU OC UVG	3
911401582045	RC430V LED36/9TW W30L120 PSD OC	3
911401582345	RC430V LED36/9TW W30L120 PSD OC CAU	3
911401583845	RC430V LED39/BioUPD W30L120 PSD OC	3
911401584145	RC430V LED39/BioUPD W30L120 PSD OC CAU	3
911401584845	RC430V LED38/840 W30L120 PSD OC U/D	3
911401585145	RC430V LED36/940 W30L120 PSD OC U/D	3
911401586645	RC430V LED38/840 W30L120 PSD OC U/D CAU	3
911401586945	RC430V LED36/940 W30L120 PSD OC U/D CAU	3
911401593345	RC430V LED40/865 W303L1210 PSU OC	3
911401593445	RC430V LED40/850 W303L1210 PSU OC	3
911401593545	RC430V LED40/840 W303L1210 PSU OC	3
911401593645	RC430V LED37/830 W303L1210 PSU OC	3
911401594145	RC430V LED40/865 W303L1210 PSD OC	3
911401594245	RC430V LED40/850 W303L1210 PSD OC	3
911401594345	RC430V LED40/840 W303L1210 PSD OC	3
911401594445	RC430V LED37/830 W303L1210 PSD OC	3
911401581045	RC430V LED40/840 W60L60 PSU OC SG	3
911401581545	RC430V LED35/865 W603L603 PSU OC UVG	3
911401581645	RC430V LED35/850 W603L603 PSU OC UVG	3
911401581745	RC430V LED35/840 W603L603 PSU OC UVG	3
911401581845	RC430V LED33/830 W603L603 PSU OC UVG	3
911401582145	RC430V LED35/9TW W60L60 PSD OC	3
911401582445	RC430V LED35/9TW W60L60 PSD OC CAU	3
911401583945	RC430V LED37/BioUPD W60L60 PSD OC	3
911401584245	RC430V LED37/BioUPD W60L60 PSD OC CAU	3
911401584945	RC430V LED37/840 W60L60 PSD OC U/D	3
911401585245	RC430V LED35/940 W60L60 PSD OC U/D	3

Order Code	Full Product Name	Initial chromaticity
911401586745	RC430V LED37/840 W60L60 PSD OC U/D CAU	3
911401587045	RC430V LED35/940 W60L60 PSD OC U/D CAU	3
911401593745	RC430V LED38/865 W603L603 PSU OC	3
911401593845	RC430V LED38/850 W603L603 PSU OC	3
911401593945	RC430V LED38/840 W603L603 PSU OC	3
911401594045	RC430V LED36/830 W603L603 PSU OC	3
911401594545	RC430V LED38/865 W603L603 PSD OC	3
911401594645	RC430V LED38/850 W603L603 PSD OC	3
911401594745	RC430V LED38/840 W603L603 PSD OC	3
911401594845	RC430V LED36/830 W603L603 PSD OC	3
911401522745	RC430V LED40/840 W30L120 PSU OC	(0.381,0.3774)SDCM<3
911401523045	RC430V LED40/840 W30L120 PSD OC	(0.381,0.3774)SDCM<3
911401523345	RC430X LED40/840 W30L120 WIA OC	(0.381,0.3774)SDCM<3
911401523645	RC430V LED40/840 W30L120 PSU OC CAU	(0.381,0.3774)SDCM<3
911401523945	RC430V LED40/840 W30L120 PSD OC CAU	(0.381,0.3774)SDCM<3
911401524245	RC430X LED40/840 W30L120 WIA OC CAU	(0.381,0.3774)SDCM<3
911401524545	RC430V LED38/940 W30L120 PSU OC	(0.3841,0.3804)SDCM<3
911401524845	RC430V LED38/940 W30L120 PSD OC	(0.3841,0.3804)SDCM<3
911401525145	RC430X LED38/940 W30L120 WIA OC	(0.3841,0.3804)SDCM<3
911401525445	RC430V LED38/940 W30L120 PSU OC CAU	(0.3841,0.3804)SDCM<3
911401525745	RC430V LED38/940 W30L120 PSD OC CAU	(0.3841,0.3804)SDCM<3
911401526045	RC430X LED38/940 W30L120 WIA OC CAU	(0.3841,0.3804)SDCM<3

© 2026 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.