PHILIPS

Nightlight P45

INIGHT



Product Description

Incandescent lamp applied as nightlight

Benefits

- Subdued light with low energy consumption

Applications

- As orientation lighting in corridors and staircases, service areas in homes, hotels, offices, public buildings, outdoor illumination for Christmas trees

Features

- Extra strong single-coil filament
- In low wattages available
- Suitable for operation between 220 V and 250 V

Versions



LPPR_INIGHTE_B22_P45_FR-
Product photo

Dimensional drawing

Product	D	C (max)
NightL 10W B22/ALC 230V P45 FR U 1CT/100	45 mm	69 mm



General Information

Cap-Base	B22
Operating Position	UNIVERSAL [Any or Universal (U)]
Nominal lifetime	1,000 hour(s)
Rated Lifetime (Hours)	1,000 hour(s)

Light Technical

Luminous Flux	110 lm
Color rendering index (CRI)	100

Operating and Electrical

Power Consumption	10 W
Starting Time (Nom)	0.0 s
Voltage (Nom)	230 V

Controls and Dimming

Dimmable	Yes

Mechanical and Housing

Bulb Finish	Frosted
Bulb Shape	P45

© 2026 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.